

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>402224263</u>			
Date Received: <u>10/29/2019</u>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 8960 Contact Name Caroline Martin  
Name of Operator: BONANZA CREEK ENERGY OPERATING COMPANY LLC Phone: (720) 307-2789  
Address: 410 17TH STREET SUITE #1400 Fax: ( )  
City: DENVER State: CO Zip: 80202 Email: cmartin@quandaryconsultants.com

Complete the Attachment  
Checklist

OP OGCC

API Number : 05- 123 50289 00 OGCC Facility ID Number: 466174  
Well/Facility Name: STATE ANTELOPE Well/Facility Number: V41-B11-13HNB  
Location QtrQtr: SENE Section: 13 Township: 5N Range: 62W Meridian: 6  
County: WELD Field Name: WATTENBERG  
Federal, Indian or State Lease Number: CO1240-000

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

**GROUND WATER SAMPLING**

**Uses of Ground Water Sampling Section**

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

\_\_\_\_\_ Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

\_\_\_\_\_ Number of Water Source Exceptions requested per Rule 609.c.

\_\_\_\_\_ Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

\_\_\_\_\_ Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.

**The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**

☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 318A.f.(2)A. (for Initial Baseline (pre-drill) ONLY) or 609.d.(3).

\_\_\_\_\_ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

**COMMENTS**

No wells within 318A.e(4) Rule. This exception request is for the State Antelope 43-13 (Location ID 466172) for wells:

05-123-50289 STATE ANTELOPE V41-B11-13HNB  
05-123-50288 STATE ANTELOPE V-B-13HNB  
05-123-50290 STATE ANTELOPE 42-12-13HNB  
05-123-50293 STATE ANTELOPE W42-C12-13HNB  
05-123-50292 STATE ANTELOPE X44-D14-13HNB  
05-123-50287 STATE ANTELOPE Y44-E14-13HNB  
05-123-50291 STATE ANTELOPE Y-E-13HNB

Please see attached document for reference.

**Operator Comments:**

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Caroline Martin  
Title: Environmental Specialist Email: cmartin@quandaryconsultants.com Date: 10/29/2019

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 10/30/2019

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

--	--

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Environmental	A review of information available on COGIS maps indicates that there is not a water feature that meets the 100 series definition of a water source within any quarter section in 1/2 mile of the oil/gas well(s).	10/30/2019

Total: 1 comment(s)

**Attachment Check List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
402224263	SUNDRY NOTICE APPROVED-GW
402224839	OTHER
402225825	FORM 4 SUBMITTED

Total Attach: 3 Files