




CABLE DRILLING - TEMPERATURE  
& WELL SERVICING CO.

Tribelhorn # 1

Time	Meter Diff.	Meter Press.	Tubing #	Choke Size	Casing#	Orifice
3:00	40#	645#	855#	16/64	925#	1"
3:10	448	640	845	16/64	925	1"
3:20	49	630	835	16/64	925	1"
3:30	51	640	828	16/64	910	1"
3:40	53	650	820	16/64	910	1"
3:50	55	645	820	16/64	910	1"
4:00	54	645	820	16/64	910	1"
16/64 - 824 592 Cu. Ft. B.H.P. 985						
4:05	21#	645#	850#	12/64	925#	1"
4:15	21	650	870	12/64	935	1"
4:25	20	660	870	12/64	840	1"
4:35	19	670	870	12/64	940	1"
12/64 - 591 624 B.H.P. 1025						
4:43	10#	675#	880#	10/64	950#	1"
4:53	9	675	880	10/64	950	1"
5:03	9	680	880	10/64	950	1"
10/64 - 407 208 Cu. Ft. B.H.P. 1042						


Flowing Temperature 74°

Absolute open flow potential 7,900,000 cubic feet





*Edith Thompson & W. H. Sweeney, Inc.*



W. H. Sweeney  
Norwood, Mass.

26/64 905 100 592  
12/64 1005 500 600  
10/64 1005 400 500  
1" O-RING PLATE

RECEIVED  
JUN 29 1960

OIL & GAS  
CONSERVATION COMMISSION



# Cable Temperature and Well Servicing Co.

STERLING, COLORADO

WKS 15 JULY 1957

□ IDC

Name of Company

F. Kirk Johnson oil Co.

Temperature Coefficient 0.00020

Field & County Padroni Gas-Logan

Well Shut In

Lease & Well No. Tribblehorn # I

Bomb. on Bot. 11:51 AM-2-18-57

Date of Survey 2-18-57

Bomb No. 10593

Elevation 3933

Calib. No. I\*I\*57

Survey Datum -550 or 4483

Tbg. Pres. 581

Type Survey Draw down

Cas. Pres. 710

BH Temp. 178° at 4472 Ft.

Depth	Deflect.	Deflect. Cor.	Cor. Deflect.	Press. (psig)	Press. Diff.	Gradient psig/ft.
Lube	0.383	N.C.	0.383	581		
3283	0.423	-0.002	0.421	636	55	0.015
4283	0.512	0.001	0.513	763	127	0.127
4383	0.540	N.C.	0.540	804	41	0.410
4472	0.566	N.C.	0.566	842	38	0.380
point No.						
1	0.547	N.C.	0.547	814		
2	0.455		0.455	677		
3	0.470		0.470	699		
4	0.498		0.498	741		
5	0.520		0.520	774		
6	0.536		0.536	798		
7	0.565		0.565	841		

☐ JOHNSON  
☐ COFFEY  
☐ SCHOUTEN  
☐ CRAWFORD  
☐ CHURCHILL  
☐ ZETH

☐ COOPER  
☐ FALLWELL  
☒ SMITH  
☐ CARR  
☐ GILL  
☐ FILE

RECD MAR 11 1957 F. K. J.

Remarks

REMARKS



# Cable Temperature and Well Service Co.

STERLING, COLORADO

Name of Company P. Kirk Johnson oil Co.

Field & County Padroni Gas-Logan

Lease & Well No. Tribblehorn # I

Date of Survey 2-18-57

Elevation 3933

Survey Datum -550 or 4483

Type Survey Draw down

BH Temp. 176° at 4472 Ft.

Temperature Coefficient 0.00020

Well Shut In

Bomb. on Bot. 11:51 AM-2-18-57

Bomb No. 10593

Calib. No. 1\*1\*57

Tbg. Pres. 581

Cas. Pres. 710

Depth	Deflect.	Deflect. Cor.	Cor. Deflect.	Press. (psig)	Press. Diff.	Gradient psig/ft.
Lube	0.383	N.C.	0.383	581		
3283	0.423	-0.002	0.421	636	55	0.015
4283	0.512	0.001	0.513	763	127	0.127
4383	0.540	N.C.	0.540	804	41	0.410
4472	0.566	N.C.	0.566	842	38	0.380
point No.						
1	0.547	N.C.	0.547	814		
2	0.455		0.455	677		
3	0.470		0.470	699		
4	0.498		0.498	741		
5	0.520		0.520	774		
6	0.536		0.536	798		
7	0.565		0.565	841		

Remarks -----  
 -----  
 -----