

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401616454

Date Received:

04/26/2018

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 69175

2. Name of Operator: PDC ENERGY INC

3. Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

4. Contact Name: Ally Ota

Phone: (303) 860-5800

Fax: (303) 831-3988

Email: Alexandria.Ota@pdce.com

5. API Number 05-123-44010-00

7. Well Name: McGlothlin Farms

8. Location: QtrQtr: SESE Section: 4 Township: 5N Range: 64W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 4X-204

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 02/07/2018 End Date: 02/24/2018 Date of First Production this formation: 03/31/2018
Perforations Top: 6910 Bottom: 14256 No. Holes: 1548 Hole size: 42/100

Provide a brief summary of the formation treatment:

Open Hole: ☐

44 Stage Plug and Perf
Total Fluid: 150,592 bbls
Gel Fluid: 109,231 bbls
Slickwater Fluid: 40,436 bbls
15% HCl Acid: 925 bbls
Total Proppant: 8,397,000 lbs
Silica Proppant: 8,397,000 lbs
Method for determining flowback: Measuring flowback tank volumes.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 150592

Max pressure during treatment (psi): 4426

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.94

Total acid used in treatment (bbl): 925

Number of staged intervals: 44

Recycled water used in treatment (bbl):

Flowback volume recovered (bbl): 7117

Fresh water used in treatment (bbl): 149667

Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 8397000

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 04/16/2018 Hours: 24 Bbl oil: 382 Mcf Gas: 1259 Bbl H2O: 273
Calculated 24 hour rate: Bbl oil: 382 Mcf Gas: 1259 Bbl H2O: 273 GOR: 3296
Test Method: Flowing Casing PSI: 2641 Tubing PSI: 2129 Choke Size: 16/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1292 API Gravity Oil: 50
Tubing Size: 2 + 3/8 Tubing Setting Depth: 6701 Tbg setting date: 03/26/2018 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

Actual Top of Productive Zone footages: 1,292' FSL & 596' FEL Sec: 4 Twp: 5N Rng: 64W

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Cassie Gonzalez

Title: Regulatory Contractor Date: 4/26/2018 Email: Cassie.Gonzalez@pdce.com

Attachment Check List

Att Doc Num Name

401616454 FORM 5A SUBMITTED

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Permitting review complete.	11/05/2019

Total: 1 comment(s)