
Company: Chevron Canada Limited
Well: Hibernia C-09
Field: Hibernia
Province: Newfoundland
Country: Canada
Date: 2000-01-01
Time: 00:00:00
Depth: 0.00 m
Tool: Schlumberger
Run: 1
Depth Reference: Kelly Bushing
Elevation: 0.00 m
Log Interval: 0.00 m - 0.00 m
Log Type: Raw
Log Scale: 1:200
Log Direction: Down
Log Quality: Good
Schlumberger
Thank You for using Schlumberger Wireline
Have a Safe Journey
Call Us Anytime
1-709-748-4700
Company: Chevron Canada Limited
Well: Hibernia C-09
Field: Hibernia
Province: Newfoundland
Country: Canada
Date: 2000-01-01
Time: 00:00:00
Depth: 0.00 m
Tool: Schlumberger
Run: 1
Depth Reference: Kelly Bushing
Elevation: 0.00 m
Log Interval: 0.00 m - 0.00 m
Log Type: Raw
Log Scale: 1:200
Log Direction: Down
Log Quality: Good
Schlumberger
Thank You for using Schlumberger Wireline
Have a Safe Journey
Call Us Anytime
1-709-748-4700





Calibration Report

Database File: dacono 29-2.db
Dataset Pathname: pass6
Dataset Creation: Fri Sep 20 16:06:58 2019 by Log SCH 120430

Gamma Ray Calibration Report

Serial Number:	234GR-328	
Tool Model:	TekcoGR	
Performed:	Fri Jun 06 09:19:31 2014	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.8000	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	234B35C-8013		
Tool Model:	TEKCO		
Performed:	Fri Sep 20 15:50:23 2019		
Depth:	4440.200	ft	
Casing Diameter:	4.500	in	
	3' Spacing	5' Spacing	
Signal Zero:			mV
Calibrated Amplitude:			mV
Reading at Signal Zero:			V
Reading in Free Pipe:			V
Gain:			
Offset:			