

KP KAUFFMAN

AMOCO Champlin 117-I-1

SWNE SEC 21, T2S, R66W

Current Completion

API #: 5-001-07535

KB Elev.: 5253'
GL Elev.: 5243'
KB = 10'

8-5/8", 24#, K55 Casing @ 217'

DV ~ 1617'

Tubing: 2-7/8", 6.5#, J55, 270 jts

Plunger lift

D-Sand ~ 8346'

8348'-8362'(14'), 4jspf, 56js - sqzd

J-Sand ~ 8394'

8400'-8426'(26'), 2jspf, 52js
8430'-8438'(8'), 2jspf, 16js

Plunger lift spring
SN ~ 8398'

PBTD ~ 8467'

4-1/2" 14#, 15.5# & 17#, J55 @ 8520'

KP KAUFFMAN

AMOCO Champlin 117-I-1

SWNE SEC 21, T2S, R66W

Current Completion

API #: 5-001-07535

KB Elev.: 5253'
GL Elev.: 5243'
KB = 10'

8-5/8", 24#, K55 Casing @ 217'

DV ~ 1617'

Tubing: 2-7/8", 6.5#, J55, 270 jts

Plunger lift

D-Sand ~ 8346'

8348'-8362'(14'), 4jspf, 56js - sqzd

J-Sand ~ 8394'

8400'-8426'(26'), 2jspf, 52js
8430'-8438'(8'), 2jspf, 16js

Plunger lift spring
SN ~ 8398'

PBTD ~ 8467'

4-1/2" 14#, 15.5# & 17#, J55 @ 8520'



