

Per § 34-60-106 (1)(f)(I)(A), the following questions pertain to the "local government with jurisdiction to approve the siting of the proposed oil and gas location."

The local government with jurisdiction is: County _____

Does the local government with jurisdiction regulate the siting of Oil and Gas Locations, with respect to this COGCC application? If the local government has waived its right to precede the COGCC in siting determination, indicate by selecting "NO" here and selecting "Waived" below. Yes No

If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The local government siting permit type is: 1041 WOGLA _____

The local government siting permit was filed on: 11/05/2019 _____

The disposition of the application filed with the local government is: In Process _____

Additional explanation of local process:

1041 WOGLA submitted on 11/5/2019

RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:	LOCATION ID #	FORM 2A DOC #
Production Facilities Location serves Well(s)	438946	_____
Well Site is served by Production Facilities	434712	_____

FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells	13	Oil Tanks*	_____	Condensate Tanks*	_____	Water Tanks*	_____	Buried Produced Water Vaults*	_____
Drilling Pits	_____	Production Pits*	_____	Special Purpose Pits	_____	Multi-Well Pits*	_____	Modular Large Volume Tanks	_____
Pump Jacks	13	Separators*	32	Injection Pumps*	_____	Cavity Pumps*	4	Gas Compressors*	_____
Gas or Diesel Motors*	_____	Electric Motors	_____	Electric Generators*	_____	Fuel Tanks*	_____	LACT Unit*	_____
Dehydrator Units*	_____	Vapor Recovery Unit*	1	VOC Combustor*	1	Flare*	_____	Pigging Station*	6

OTHER FACILITIES*

Other Facility Type	Number
Automation System	1
IA Building	1
Line Heater	1
Maintenance Tank	1
Meter Building	3
Pump Building	2

Those facilities indicated by an asterisk () shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

Two (2) 6"-8" steel gas gathering
 Two (2) 4"-6" composite plastic oil gathering
 Twelve (12) 2"-4" steel gas lift lines
 Two (2) 4"-6" composite plastic produced water gathering
 Eleven (11) 2"-4" steel three phase flowlines
 Two (2) 4" -10" temporary layflat fresh water pipelines

CONSTRUCTION

Date planned to commence construction: 09/04/2020 Size of disturbed area during construction in acres: 7.60
Estimated date that interim reclamation will begin: 03/04/2021 Size of location after interim reclamation in acres: 3.50
Estimated post-construction ground elevation: 4526

DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: Yes

Is H₂S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? No

Will oil based drilling fluids be used? Yes

DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Method: Recycle/reuse

Cutting Disposal: OFFSITE Cuttings Disposal Method: Commercial Disposal

Other Disposal Description:

Beneficial reuse or land application plan submitted?

Reuse Facility ID: or Document Number:

Centralized E&P Waste Management Facility ID, if applicable:

SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: The Riverside Club

Phone:

Address: 6635 W. Prentice Ave.

Fax:

Address:

Email:

City: Littleton State: CO Zip: 80123

Surface Owner: Fee State Federal Indian

Check all that apply. The Surface Owner: is the mineral owner

is committed to an oil and Gas Lease

has signed the Oil and Gas Lease

is the applicant

The Mineral Owner beneath this Oil and Gas Location is: Fee State Federal Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: Surface Use Agreement

Surface damage assurance if no agreement is in place: Surface Surety ID:

Date of Rule 306 surface owner consultation 09/19/2019

If this Form 2A is associated with Drilling and Spacing Unit applications, list docket number(s):

CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP

Non-Crop Land: Rangeland Timber Recreational Other (describe):

Subdivided: Industrial Commercial Residential

Future Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP

Non-Crop Land: Rangeland Timber Recreational Other (describe): _____

Subdivided: Industrial Commercial Residential



CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

	From WELL	From PRODUCTION FACILITY
Building:	5280 Feet	5280 Feet
Building Unit:	5280 Feet	5280 Feet
High Occupancy Building Unit:	5280 Feet	5280 Feet
Designated Outside Activity Area:	5280 Feet	5280 Feet
Public Road:	5280 Feet	5280 Feet
Above Ground Utility:	5280 Feet	5280 Feet
Railroad:	5280 Feet	5280 Feet
Property Line:	409 Feet	236 Feet
School Facility::	5280 Feet	5280 Feet
School Property Line:	5280 Feet	5280 Feet
Child Care Center:	5280 Feet	5280 Feet

INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, Designated Outside Activity Area, School Facility, and Child Care Center – as defined in 100 Series Rules.
- For measurement purposes only, Production Facilities should only include those items with an asterisk(*) on the Facilities Tab.

SCHOOL SETBACK INFORMATION

Was Notice required under Rule 305.a.(4)? Yes No

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a:

- Buffer Zone
- Exception Zone
- Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.
- Large UMA Facility – as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: _____

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: _____

FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

- Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (on or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. *(Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.)*
- By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 70-Valent Sand, 3 to 9 percent slopes

NRCS Map Unit Name: _____

NRCS Map Unit Name: _____

PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes No

Plant species from: NRCS or, field observation Date of observation: 02/07/2019

List individual species:

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): _____

WATER RESOURCES

Is this a sensitive area: No Yes

Distance to nearest

downgradient surface water feature: 441 Feet

water well: 2908 Feet

Estimated depth to ground water at Oil and Gas Location 22 Feet

Basis for depth to groundwater and sensitive area determination:

Sensitive area was based off the distance to the Riverside Reservoir 441' NE and depth to ground water. Permit Number 64751 was used for distance to closest water well and estimated depth to ground water.

Is the location in a riparian area: No Yes

Was an Army Corps of Engineers Section 404 permit filed No Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer No zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: _____

Is the Location within a Floodplain? No Yes Floodplain Data Sources Reviewed (check all that apply)

Federal (FEMA)

State

County

Local

Other _____

GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 318A

WILDLIFE

This location is included in a Wildlife Mitigation Plan

This location was subject to a pre-consultation meeting with CPW held on _____

Operator Proposed Wildlife BMPs

No BMP

DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

Rule 604.a.(1)A. Exception Zone (within 500' of a Building Unit) and is in an Urban Mitigation Area

Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)

Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)

Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)

Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

RULE 502.b VARIANCE REQUEST

Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number _____

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

OPERATOR COMMENTS AND SUBMITTAL

Comments The State Pronghorn Federal C-W-30HNB well was used for the location identification.

Please see attached Alternative Location Analysis

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: _____ Email: regulatory@bonanzacrk.com

Print Name: Aubrey Noonan Title: Regulatory Analyst

Based on the information provided herein, this Oil and Gas Location Assessment complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: _____ Director of COGCC _____ Date: _____

Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

COA Type

Description

Best Management Practices

<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>
1	Storm Water/Erosion Control	Storm Water Control - Storm water controls will be constructed around the perimeter of the site prior to construction. Typically, Operator utilizes a ditch and berm system of storm water controls on location. BMP's used are determined just prior to construction by a third party storm water contractor and may vary according to the location. Storm water controls will remain in place until the pad is stabilized or reaches final reclamation.
2	Storm Water/Erosion Control	Site Specific Storm Water Control - Due to the proximity of an adjacent surface water feature, Bonanza will install erosion control blankets on the disturbed (non-stabilized) areas. This additional control will significantly reduce the potential for wind and water erosion of the disturbed areas on location.
3	Material Handling and Spill Prevention	Pipeline Protection- Operator Shall use protective barriers at pipeline risers when they are adjacent to areas with onsite traffic.
4	Material Handling and Spill Prevention	Separation Equipment Containment - To protect shallow groundwater, Operator shall use separators with built-in containment.
5	Material Handling and Spill Prevention	Leak Detection Plan- Operator shall have personnel on location daily conducting routine operations and maintenance activity. If any leaks are to occur on site, they will be quickly identified by Operator personnel. Operator shall utilize SCADA information systems that have the ability to remotely monitor production tank levels onsite and activate specific valves, which can stop a release on location. In addition to daily operations and maintenance performed at the location, Operator shall conduct required inspections for SPCC, Stormwater, and LDAR compliance.

6	Material Handling and Spill Prevention	Removal of Onsite Produced Fluid Storage - To protect shallow groundwater and nearby surface water, Operator shall transfer, via flowlines, produced fluids to an offsite location for storage or final transportation to sales/disposal. This does not include the maintenance tank which is for well maintenance and only stores produced fluid temporarily for final disposal.
7	Material Handling and Spill Prevention	Maintenance Tank Containment – Operator shall construct maintenance tanks inside lined containment. The containment will be constructed to hold the entire contents of the maintenance tank in the event of a potential fluid release.
8	Material Handling and Spill Prevention	Waste Management- General housekeeping will consist of neat and orderly storage of materials and fluids. Wastes will be temporarily stored in sealed containers and regularly collected and disposed of at offsite, permitted facilities. If spills occur, cleanup will be implemented within 24-48 hours, as appropriate, to minimize any commingling of waste materials with storm water runoff. Routine maintenance will be limited to fueling and lubrication of equipment. Any waste product from maintenance will be containerized and transported offsite for disposal or recycling. There will be no major equipment overhauls conducted onsite. Equipment will be transported offsite for major overhauls. Cleanup will consist of patrolling the roadways, access areas, and other work areas to pick up trash, scrap debris, other discarded materials, and any contaminated soil.
9	Construction	Construction – Operator constructs its locations with a compacted road base surface. This surface is at least 4 inches thick and compacted to prevent surface degradation from drilling and production activity and traffic. This layer of road base protects shallow groundwater by containing liquids and preventing vertical migration of a potential spill.
10	Drilling/Completion Operations	Closed Loop Drilling - Operator shall utilize a closed loop drilling system
11	Drilling/Completion Operations	Green Completions- Test separators and associated flow lines, sand traps and emission control systems shall be installed on-site to accommodate green completions techniques. When commercial quantities of salable quality gas are achieved at each well, the gas shall be immediately directed to a sales line or shut in and conserved. If a sales line is unavailable or other conditions prevent placing the gas into a sales line, Operator shall not produce the wells without an approved variance per Rule 805.b.(3) C.
12	Drilling/Completion Operations	Flowback Activity Containment – Operator Shall utilize portable containment beneath temporary produced liquid storage tanks. This will protect shallow groundwater from any potential spills during completions activity. When flowback activity is complete, the containment and temporary produced liquid storage tanks will be removed and transferred to the next location.
13	Drilling/Completion Operations	Drilling Activity Containment – Operator shall utilize a portable containment liner under the drilling rig during drilling activities. This protects shallow groundwater from any potential spills surrounding the rig during drilling. A liquid release would simply be vacuumed up from the liner. When drilling activity is completed, the liner is removed and transferred to the next drilling location.
14	Drilling/Completion Operations	Pigging Activity– Operator shall conduct closed loop pigging to maintain flowlines. This practice removes deposits in flowlines without open-ended liquid collection. The deposits are flushed through the active flowlines to the production equipment. This practice reduces the potential for releases and emissions related to open loop methods. Operator shall use a small containment under the receiver when removing the pig to reduce the potential for spills.

Total: 14 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
402008947	WASTE MANAGEMENT PLAN
402011680	FACILITY LAYOUT DRAWING
402011683	HYDROLOGY MAP
402011687	LOCATION DRAWING
402011688	LOCATION PICTURES
402011755	NRCS MAP UNIT DESC
402011764	REFERENCE AREA PICTURES
402183941	MULTI-WELL PLAN
402207250	SURFACE AGRMT/SURETY
402233003	ACCESS ROAD MAP
402234115	REFERENCE AREA MAP
402234603	OTHER

Total Attach: 12 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)

Public Comments

No public comments were received on this application during the comment period.

