



**Location**

Overall Good:

**Signs/Marker:**

Type	WELLHEAD		
Comment:	Adequate		
Corrective Action:		Date:	

**Emergency Contact Number:**

Comment:	<input style="width: 95%;" type="text"/>		
Corrective Action:	<input style="width: 95%;" type="text"/>	Date:	<input style="width: 80%;" type="text"/>

**Good Housekeeping:**

Type	WEEDS		
Comment:	Weeds inside wellhed fencing. See attached photo.		
Corrective Action:	Comply with Rule 603.f.	Date:	10/17/2019

Overall Good:

**Spills:**

Type	Area	Volume			

In Containment: No

Comment:

Multiple Spills and Releases?

**Fencing/:**

Type	WELLHEAD		
Comment:	Panel		
Corrective Action:		Date:	

**Equipment:**

					corrective date
Type: Bradenhead	# 1				
Comment:					
Corrective Action:		Date:			
Type: Plunger Lift	# 1				
Comment:					
Corrective Action:		Date:			

**Venting:**

Yes/No	NO		
Comment:			
Corrective Action:		Date:	

**Flaring:**

Type			
Comment:			
Corrective Action:		Date:	

**Inspected Facilities**

Facility ID: 292937 Type: WELL API Number: 123-26421 Status: SI Insp. Status: TA

**Idle Well**

Purpose:  Shut In  Temporarily Abandoned Reminder: SITE CONDITION

Comment: TA; MIT requirement waived per variance doc#401474555.

Corrective Action:  Date:

**COGCC Comments**

Comment	User	Date
<p><b>THIS IS A FOLLOW UP INSPECTION TO PREVIOUS INSPECTION DOC#: 679601702.</b>                      All corrective actions assigned in previous inspection DOC#: 679601702 have not been completed. All corrective actions assigned in DOC#: 679601702 have been RE-ASSIGNED to this location. Please review my inspection summary, photos and previous inspection DOC#: 679601702 for additional information on this location.</p> <p>COGCC Inspection Report Summary                      On Thursday, November 14, 2019 at approximately 10:30, I, Inspector Brittani Santistevan, conducted an on-site inspection at COUNTRY 1 29-4 (Noble Energy), at API #: 05-123-26421 in WELD COUNTY Colorado.                      While there, I observed a temporarily abandoned wellhead.                      During this inspection the following possible compliance issues were observed:                      1. Weeds inside fencing that contains wellhead. Please removed to COMPLY WITH RULE 603.F. (Corrective Action Date: October 17, 2019) See attached photos #2,3.</p> <p>A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules.                      This is a summary of inspection report.</p> <p>Continuing Education Inspection.</p>	santistb	11/14/2019

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
679601913	Photos	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4988998">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4988998</a>