

Location

Overall Good:

Signs/Marker:

Type	TANK LABELS/PLACARDS		
Comment:	Placards are faded. They are still legible at time if inspection but will need replaced in the near future.		
Corrective Action:		Date:	
Type	WELLHEAD		
Comment:	Adequate		
Corrective Action:		Date:	
Type	BATTERY		
Comment:	At time of inspection Tank battery sign is legible but faded. No corrective action at this time but sign will need addressed soon.		
Corrective Action:		Date:	

Emergency Contact Number:

Comment:	<input type="text"/>	Date:	
Corrective Action:	<input type="text"/>	Date:	

Good Housekeeping:

Type	TRASH		
Comment:	Trash, and other various objects being stored in compressor shed.		
Corrective Action:	Comply with Rule 603.f	Date:	04/04/2019

Overall Good:

Spills:

Type	Area	Volume		

In Containment: No

Comment:

Multiple Spills and Releases?

Fencing/:

Type	TANK BATTERY		
Comment:	Barb wire		
Corrective Action:		Date:	
Type	WELLHEAD		
Comment:	Chainlink topped with barbwire		
Corrective Action:		Date:	
Type	PUMP JACK		
Comment:	Hog fence		
Corrective Action:		Date:	

Equipment:

Type: Pump Jack	# 1	corrective date
-----------------	-----	-----------------

Comment:			
Corrective Action:		Date:	
Type: Bird Protectors	# 2		
Comment:	No bird protector on horizontal heated seperator.		
Corrective Action:	Install or repair wildlife protection equipment Comply with rule 324 A.a		Date: 03/29/2019
Type: Bradenhead	# 1		
Comment:	Appears to be plumbed to surface		
Corrective Action:		Date:	
Type: Gas Meter Run	# 1		
Comment:			
Corrective Action:		Date:	
Type: Horizontal Heated Separator	# 1		
Comment:			
Corrective Action:		Date:	
Type: Ancillary equipment	# 4		
Comment:	Electric panel, transformers and meter box and automation		
Corrective Action:		Date:	
Type: Compressor	# 1		
Comment:	Compressor in shed on TB location.		
Corrective Action:		Date:	
Type: Prime Mover	# 1		
Comment:	electric motor		
Corrective Action:		Date:	
Type: Emission Control Device	# 2		
Comment:			
Corrective Action:		Date:	

Tanks and Berms:

Contents	#	Capacity	Type	Tank ID	SE GPS
PRODUCED WATER	1	<100 BBLS	PBV CONCRETE		
Comment:	Located on east side of compressor shed.				
Corrective Action:					Date:

Paint

Condition	
Other (Content)	
Other (Capacity)	50 bbl
Other (Type)	

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth	Adequate	Walls Sufficent	Base Sufficent	Adequate
Comment:				

Corrective Action:					Date:
Contents	#	Capacity	Type	Tank ID	SE GPS
CRUDE OIL	1	300 BBLs	STEEL AST		,
Comment:					
Corrective Action:					Date:

Paint

Condition	Adequate
Other (Content)	
Other (Capacity)	
Other (Type)	

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth	Adequate	Walls Sufficient	Base Sufficient	Adequate
Comment:				
Corrective Action:				Date:

Contents	#	Capacity	Type	Tank ID	SE GPS
PRODUCED WATER	1	100 BBLs	PBV FIBERGLASS		,
Comment: Appears to be in the process of being repaired/replaced.					
Corrective Action:					Date:

Paint

Condition	
Other (Content)	
Other (Capacity)	
Other (Type)	

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Comment:				
Corrective Action:				Date:

Venting:

Yes/No	NO
Comment:	
Corrective Action:	
Date:	

Flaring:

Type	
Comment:	
Corrective Action:	
Date:	

Inspected Facilities		
Facility ID: <u>241520</u>	Type: <u>WELL</u>	API Number: <u>123-09309</u>
Status: <u>PR</u>	Insp. Status: <u>PR</u>	
Producing Well		
Comment: <u>PR</u>		
Corrective Action:		Date:
COGCC Comments		
Comment	User	Date
<p>COGCC Inspection Report Summary On 11/18/2019 at approximately 1415 hrs. I, Inspector Robbie Revas, conducted an on-site inspection at KP Kaufman Grant #4 & Grant TB @ API # 05-123-09309 in Weld County Colorado.</p> <p>While there, I observed a producing wellsite and attached TB. This is a follow up inspection to Doc. # 685100661.</p> <p>During this inspection the following possible compliance issue appears to have been addressed: Rule 605.d Housekeeping: Leak out of the ratagin on the wellhead appears to have been addressed. See photo 4.</p> <p>During this inspection the following possible compliance issues appear to have not been addressed & are now delinquent: Rule 603.f Housekeeping: Trash, and other various things stored in compressor shed. CA date 4/19/2019 see photo 12. Rule 324.A.a Wildlife protection equipment: No bird protector on horizontal heated seperator. CA date 3/29/2019 see photo 7.</p> <p>Location is dry and weather is partly cloudy. A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules. This is a summary of inspection report.</p>	revasr	11/18/2019

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
699300600	Location pics	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4991543