



COLORADO OIL AND GAS CONSERVATION COMMISSION  
SUNDRY NOTICES AND REPORTS OF WELLS

RECEIVED  
DEC 9 1953  
OIL & GAS  
CONSERVATION COMMISSION

(Indicate nature of data by checking below)

- Notice of intention to drill XXX
- Notice of intention to change plans \_\_\_\_\_
- Notice of date for test of water shut-off \_\_\_\_\_
- Report on result of test of water shut-off \_\_\_\_\_
- Notice of intention to re-drill or repair well \_\_\_\_\_
- Notice of intention to clean out well \_\_\_\_\_
- Statement of shooting \_\_\_\_\_
- Statement of perforating \_\_\_\_\_
- Notice to pull or otherwise alter casing \_\_\_\_\_
- Notice of intention to abandon well \_\_\_\_\_
- Report of work done on well since previous report \_\_\_\_\_

Following is a (notice of intention to do work) December 7, 1953  
~~(report of work done)~~ ~~(On land)~~  
(patented) described as follows:

<u>Colorado</u>	<u>Logan</u>	<u>Wildcat</u>
State	County	Field
<u>1</u>	<u>J. S. Brainard</u>	<u>SW/4 Sec. 28</u>
(Well No.)	(Lease)	(Sec. and 1/4 Sec.)
		<u>9N</u>
		(Twp.)
		<u>53W</u>
		(Range)
		(Meridian)

The well is located 1980 ft. (N) of South Line and 660 ft. (E) of West  
Line of Sec. 28 (~~SE~~) (~~W~~)

The elevation above sea level is 4194 ft. KB. Est.

Details of Plan of Work: (State names of and expected depths to objective sands: Show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

To drill subject well to the "J" Sand of the Graneros Series. Surface Casing: 10-3/4" Armco to be set at approx. 40' GL & cemented as follows: Mix 25 cu. ft. of concrete with ratio of 1 sack cement to 1-1/2 cu. ft. sand to 3 cu. ft. gravel. Pour concrete in annulus & fill to surface. WOC 24 hours. Production Casing: None. Coring & Testing: None planned. Logging: Schlumberger electric log from T.D. to surface casing. Detail from T. D. to approximately 100' above the Niobrara. Microlog from T.D. to 25' above the "D" Sand. Laterolog from T.D. to 25' above the "D" Sand. Drilling Time: Use Geolograph from 40' to T.D. Drift Surveys: At 50' intervals to 300'; thereafter at 250' intervals. Depth Measurements: SIM of drill pipe at approximately 150' above the Greenhorn & at T.D. Samples: Collect 10' samples from 4000' to 4800'; 5' samples from 4805' to T.D. Completion Program: None. Exploratory purposes only.

Approved: DEC 9 1953

J. J. Aersia  
Director

Company THE BRITISH-AMERICAN OIL PRODUCING CO.

Address 301 Insurance Bldg., Denver, Colo.

By S. W. C. Mawray

Title District Engineer

Submit reports of proposed work, for approval, on this form in Duplicate for patented lands and in Triplicate for school and state lands.