

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

402236114

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: Callie Fiddes

Phone: (720) 929-4361

Fax:

Email: Callie\_Fiddes@Oxy.com

5. API Number 05-123-49241-00

7. Well Name: MAB

8. Location: QtrQtr: SWSE Section: 15 Township: 1N Range: 66W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 15-3HZ

## Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION  
Treatment Date: 10/18/2019 End Date: 10/27/2019 Date of First Production this formation: 11/08/2019  
Perforations Top: 7848 Bottom: 17954 No. Holes: 1110 Hole size: 0.39  
Provide a brief summary of the formation treatment: Open Hole: ☐

PERF FROM 7848-17954

590 15% HCL ACID, 12,952 BBLS PUMP DOWN, 260,553 BBLS SLICKWATER, 274,095 BBLS TOTAL FLUID. 8,085,100 LBS WHITE 40/70 OTTAWA/ST. PETERS, 8,085,100 LBS TOTAL PROPPANT.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 274095

Max pressure during treatment (psi): 7899

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.92

Total acid used in treatment (bbl): 590

Number of staged intervals: 37

Recycled water used in treatment (bbl): 2745

Flowback volume recovered (bbl): 1275

Fresh water used in treatment (bbl): 270760

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 8085100

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

**Fracture stimulations must be reported on FracFocus.org**

### Test Information:

Date: 12/04/2019 Hours: 24 Bbl oil: 187 Mcf Gas: 179 Bbl H2O: 218  
Calculated 24 hour rate: Bbl oil: 187 Mcf Gas: 179 Bbl H2O: 218 GOR: 957  
Test Method: Flowing Casing PSI: 2800 Tubing PSI: 1700 Choke Size: 14/64  
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1280 API Gravity Oil: 48  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7401 Tbg setting date: 12/03/2019 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

This well had a delayed completion. The estimated TPZ footages on form 5 should be revised to 785' FSL, 1946' FEL, Sec 15.

Occidental certifies compliance with rule 317.s.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Callie Fiddes

Title: Regulatory Analyst Date: Email: Callie\_Fiddes@Oxy.com

## Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)