



Figure 1. Example of a 24-hour EEG recording.

Serial Number:	GCT275-0000_base	
Tool Model:	GCT275-0000	
Performed:	(Not Performed)	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	1.0000	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	FW1305-27	
Tool Model:	Probe	
Calibration Casing Diameter:	5.500	in
Calibration Depth:	46.642	ft

Master Calibration, performed Mon Nov 11 10:25:54 2019:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.000	1.004	0.500	71.921	71.108	0.500
CAL	0.000	1.068				
5'	0.000	0.930	0.500	71.921	76.786	0.500
SUM						
S1	0.000	0.965	0.000	72.000	74.584	0.000
S2	0.000	0.976	0.000	72.000	73.760	0.000
S3	0.000	0.991	0.000	72.000	72.654	0.000
S4	0.000	0.994	0.000	72.000	72.420	0.000
S5	0.000	0.986	0.000	72.000	73.005	0.000
S6	0.000	0.975	0.000	72.000	73.834	0.000
S7	0.000	0.975	0.000	72.000	73.877	0.000
S8	0.000	0.990	0.000	72.000	72.716	0.000

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.000	1.068	1.000	0.000

Air Zero Calibration, performed Wed Sep 25 13:09:59 2019:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000