



## **Caerus Oil & Gas**

**Rio Blanco County, CO (UTM 12N)  
SEC 14-T4S-R96W ELU FED J14 496  
ELU J14 FED 22B-14 496**

**OH**

**Plan: Plan 1**

## **Standard Planning Report**

**06 December, 2019**



<b>Database:</b>	USA EDM 5000 Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well ELU J14 FED 22B-14 496
<b>Company:</b>	Caerus Oil & Gas	<b>TVD Reference:</b>	RKB @ 7932.00usft
<b>Project:</b>	Rio Blanco County, CO (UTM 12N)	<b>MD Reference:</b>	RKB @ 7932.00usft
<b>Site:</b>	SEC 14-T4S-R96W ELU FED J14 496	<b>North Reference:</b>	True
<b>Well:</b>	ELU J14 FED 22B-14 496	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan 1		

<b>Project</b>	Rio Blanco County, CO (UTM 12N)		
<b>Map System:</b>	Universal Transverse Mercator (US Survey Fee	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	NAD 1927 - Western US		
<b>Map Zone:</b>	Zone 12N (114 W to 108 W)		

Site						SEC 14-T4S-R96W ELU FED J14 496											
Site Position:			Northing:			14,430,024.30 usft			Latitude:			39.700971					
From:			Map			Easting:			2,445,919.10 usft			Longitude:			-108.136478		
Position Uncertainty:			0.00 usft			Slot Radius:			13-3/16 "			Grid Convergence:			1.83		

Well	ELU J14 FED 22B-14 496					
Well Position	+N/-S	-40.72 usft	Northing:	14,429,986.19 usft	Latitude:	39.700859
	+E/-W	80.85 usft	Easting:	2,446,001.22 usft	Longitude:	-108.136191
Position Uncertainty		0.00 usft	Wellhead Elevation:		Ground Level:	7,902.00 usft

<b>Wellbore</b>	OH				
-----------------	----	--	--	--	--

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM_FILE	10/30/2019	9.48	65.82	51,241.30000000

<b>Design</b>	Plan 1				
---------------	--------	--	--	--	--

<b>Audit Notes:</b>					
<b>Version:</b>		<b>Phase:</b>	PLAN	<b>Tie On Depth:</b>	0.00
<b>Vertical Section:</b>	<b>Depth From (TVD) (usft)</b>	<b>+N/-S (usft)</b>	<b>+E/-W (usft)</b>	<b>Direction (°)</b>	
	0.00	0.00	0.00	42.85	

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00	
776.69	17.30	43.33	767.97	62.86	59.29	3.00	3.00	0.00	43.33	
8,070.76	17.30	43.33	7,732.03	1,640.76	1,547.74	0.00	0.00	0.00	0.00	
8,647.45	0.00	0.00	8,300.00	1,703.62	1,607.03	3.00	-3.00	0.00	180.00	
8,695.42	0.96	240.02	8,347.96	1,703.42	1,606.68	2.00	2.00	-250.14	240.02	
12,622.01	0.96	240.02	12,274.00	1,670.57	1,549.74	0.00	0.00	0.00	0.00	BHL - ELU J14 22B



## Planning Report

<b>Database:</b>	USA EDM 5000 Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well ELU J14 FED 22B-14 496
<b>Company:</b>	Caerus Oil & Gas	<b>TVD Reference:</b>	RKB @ 7932.00usft
<b>Project:</b>	Rio Blanco County, CO (UTM 12N)	<b>MD Reference:</b>	RKB @ 7932.00usft
<b>Site:</b>	SEC 14-T4S-R96W ELU FED J14 496	<b>North Reference:</b>	True
<b>Well:</b>	ELU J14 FED 22B-14 496	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan 1		

### Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Begin 3.00° Build</b>									
300.00	3.00	43.33	299.95	1.90	1.80	2.62	3.00	3.00	0.00
400.00	6.00	43.33	399.63	7.61	7.18	10.46	3.00	3.00	0.00
500.00	9.00	43.33	498.77	17.10	16.13	23.51	3.00	3.00	0.00
600.00	12.00	43.33	597.08	30.36	28.64	41.73	3.00	3.00	0.00
700.00	15.00	43.33	694.31	47.34	44.65	65.07	3.00	3.00	0.00
776.69	17.30	43.33	767.97	62.86	59.29	86.40	3.00	3.00	0.00
<b>Hold 17.30 Inc at 43.33 Azm</b>									
800.00	17.30	43.33	790.22	67.90	64.05	93.34	0.00	0.00	0.00
900.00	17.30	43.33	885.70	89.53	84.45	123.07	0.00	0.00	0.00
1,000.00	17.30	43.33	981.17	111.16	104.86	152.81	0.00	0.00	0.00
1,100.00	17.30	43.33	1,076.65	132.80	125.27	182.55	0.00	0.00	0.00
1,200.00	17.30	43.33	1,172.12	154.43	145.67	212.29	0.00	0.00	0.00
1,300.00	17.30	43.33	1,267.60	176.06	166.08	242.02	0.00	0.00	0.00
1,400.00	17.30	43.33	1,363.08	197.69	186.49	271.76	0.00	0.00	0.00
1,500.00	17.30	43.33	1,458.55	219.33	206.89	301.50	0.00	0.00	0.00
1,600.00	17.30	43.33	1,554.03	240.96	227.30	331.24	0.00	0.00	0.00
1,700.00	17.30	43.33	1,649.50	262.59	247.70	360.98	0.00	0.00	0.00
1,800.00	17.30	43.33	1,744.98	284.23	268.11	390.71	0.00	0.00	0.00
1,900.00	17.30	43.33	1,840.45	305.86	288.52	420.45	0.00	0.00	0.00
2,000.00	17.30	43.33	1,935.93	327.49	308.92	450.19	0.00	0.00	0.00
2,100.00	17.30	43.33	2,031.41	349.12	329.33	479.93	0.00	0.00	0.00
2,200.00	17.30	43.33	2,126.88	370.76	349.74	509.66	0.00	0.00	0.00
2,300.00	17.30	43.33	2,222.36	392.39	370.14	539.40	0.00	0.00	0.00
2,400.00	17.30	43.33	2,317.83	414.02	390.55	569.14	0.00	0.00	0.00
2,500.00	17.30	43.33	2,413.31	435.65	410.95	598.88	0.00	0.00	0.00
2,600.00	17.30	43.33	2,508.78	457.29	431.36	628.61	0.00	0.00	0.00
2,700.00	17.30	43.33	2,604.26	478.92	451.77	658.35	0.00	0.00	0.00
2,800.00	17.30	43.33	2,699.74	500.55	472.17	688.09	0.00	0.00	0.00
2,900.00	17.30	43.33	2,795.21	522.19	492.58	717.83	0.00	0.00	0.00
3,000.00	17.30	43.33	2,890.69	543.82	512.99	747.57	0.00	0.00	0.00
3,100.00	17.30	43.33	2,986.16	565.45	533.39	777.30	0.00	0.00	0.00
3,200.00	17.30	43.33	3,081.64	587.08	553.80	807.04	0.00	0.00	0.00
3,284.17	17.30	43.33	3,162.00	605.29	570.97	832.07	0.00	0.00	0.00
<b>WASATCH.NPC</b>									
3,300.00	17.30	43.33	3,177.11	608.72	574.20	836.78	0.00	0.00	0.00
3,400.00	17.30	43.33	3,272.59	630.35	594.61	866.52	0.00	0.00	0.00
3,500.00	17.30	43.33	3,368.07	651.98	615.02	896.25	0.00	0.00	0.00
3,600.00	17.30	43.33	3,463.54	673.62	635.42	925.99	0.00	0.00	0.00
3,700.00	17.30	43.33	3,559.02	695.25	655.83	955.73	0.00	0.00	0.00
3,800.00	17.30	43.33	3,654.49	716.88	676.24	985.47	0.00	0.00	0.00
3,900.00	17.30	43.33	3,749.97	738.51	696.64	1,015.20	0.00	0.00	0.00
4,000.00	17.30	43.33	3,845.44	760.15	717.05	1,044.94	0.00	0.00	0.00
4,100.00	17.30	43.33	3,940.92	781.78	737.45	1,074.68	0.00	0.00	0.00
4,200.00	17.30	43.33	4,036.40	803.41	757.86	1,104.42	0.00	0.00	0.00
4,300.00	17.30	43.33	4,131.87	825.04	778.27	1,134.16	0.00	0.00	0.00
4,400.00	17.30	43.33	4,227.35	846.68	798.67	1,163.89	0.00	0.00	0.00
4,500.00	17.30	43.33	4,322.82	868.31	819.08	1,193.63	0.00	0.00	0.00
4,600.00	17.30	43.33	4,418.30	889.94	839.49	1,223.37	0.00	0.00	0.00
4,700.00	17.30	43.33	4,513.77	911.58	859.89	1,253.11	0.00	0.00	0.00
4,800.00	17.30	43.33	4,609.25	933.21	880.30	1,282.84	0.00	0.00	0.00

<b>Database:</b>	USA EDM 5000 Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well ELU J14 FED 22B-14 496
<b>Company:</b>	Caerus Oil & Gas	<b>TVD Reference:</b>	RKB @ 7932.00usft
<b>Project:</b>	Rio Blanco County, CO (UTM 12N)	<b>MD Reference:</b>	RKB @ 7932.00usft
<b>Site:</b>	SEC 14-T4S-R96W ELU FED J14 496	<b>North Reference:</b>	True
<b>Well:</b>	ELU J14 FED 22B-14 496	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan 1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,900.00	17.30	43.33	4,704.73	954.84	900.70	1,312.58	0.00	0.00	0.00
5,000.00	17.30	43.33	4,800.20	976.47	921.11	1,342.32	0.00	0.00	0.00
5,100.00	17.30	43.33	4,895.68	998.11	941.52	1,372.06	0.00	0.00	0.00
5,200.00	17.30	43.33	4,991.15	1,019.74	961.92	1,401.79	0.00	0.00	0.00
5,300.00	17.30	43.33	5,086.63	1,041.37	982.33	1,431.53	0.00	0.00	0.00
5,400.00	17.30	43.33	5,182.10	1,063.00	1,002.74	1,461.27	0.00	0.00	0.00
5,500.00	17.30	43.33	5,277.58	1,084.64	1,023.14	1,491.01	0.00	0.00	0.00
5,600.00	17.30	43.33	5,373.06	1,106.27	1,043.55	1,520.75	0.00	0.00	0.00
5,700.00	17.30	43.33	5,468.53	1,127.90	1,063.95	1,550.48	0.00	0.00	0.00
5,797.90	17.30	43.33	5,562.00	1,149.08	1,083.93	1,579.60	0.00	0.00	0.00
WASATCH_G.NPC									
5,800.00	17.30	43.33	5,564.01	1,149.54	1,084.36	1,580.22	0.00	0.00	0.00
5,900.00	17.30	43.33	5,659.48	1,171.17	1,104.77	1,609.96	0.00	0.00	0.00
6,000.00	17.30	43.33	5,754.96	1,192.80	1,125.17	1,639.70	0.00	0.00	0.00
6,100.00	17.30	43.33	5,850.43	1,214.43	1,145.58	1,669.43	0.00	0.00	0.00
6,200.00	17.30	43.33	5,945.91	1,236.07	1,165.99	1,699.17	0.00	0.00	0.00
6,300.00	17.30	43.33	6,041.39	1,257.70	1,186.39	1,728.91	0.00	0.00	0.00
6,354.06	17.30	43.33	6,093.00	1,269.39	1,197.42	1,744.99	0.00	0.00	0.00
FORT_UNION.NPC									
6,400.00	17.30	43.33	6,136.86	1,279.33	1,206.80	1,758.65	0.00	0.00	0.00
6,500.00	17.30	43.33	6,232.34	1,300.97	1,227.20	1,788.38	0.00	0.00	0.00
6,600.00	17.30	43.33	6,327.81	1,322.60	1,247.61	1,818.12	0.00	0.00	0.00
6,700.00	17.30	43.33	6,423.29	1,344.23	1,268.02	1,847.86	0.00	0.00	0.00
6,800.00	17.30	43.33	6,518.76	1,365.86	1,288.42	1,877.60	0.00	0.00	0.00
6,900.00	17.30	43.33	6,614.24	1,387.50	1,308.83	1,907.34	0.00	0.00	0.00
7,000.00	17.30	43.33	6,709.72	1,409.13	1,329.24	1,937.07	0.00	0.00	0.00
7,100.00	17.30	43.33	6,805.19	1,430.76	1,349.64	1,966.81	0.00	0.00	0.00
7,200.00	17.30	43.33	6,900.67	1,452.39	1,370.05	1,996.55	0.00	0.00	0.00
7,300.00	17.30	43.33	6,996.14	1,474.03	1,390.45	2,026.29	0.00	0.00	0.00
7,400.00	17.30	43.33	7,091.62	1,495.66	1,410.86	2,056.02	0.00	0.00	0.00
7,500.00	17.30	43.33	7,187.09	1,517.29	1,431.27	2,085.76	0.00	0.00	0.00
7,600.00	17.30	43.33	7,282.57	1,538.93	1,451.67	2,115.50	0.00	0.00	0.00
7,700.00	17.30	43.33	7,378.04	1,560.56	1,472.08	2,145.24	0.00	0.00	0.00
7,800.00	17.30	43.33	7,473.52	1,582.19	1,492.49	2,174.97	0.00	0.00	0.00
7,900.00	17.30	43.33	7,569.00	1,603.82	1,512.89	2,204.71	0.00	0.00	0.00
8,000.00	17.30	43.33	7,664.47	1,625.46	1,533.30	2,234.45	0.00	0.00	0.00
8,070.76	17.30	43.33	7,732.03	1,640.76	1,547.74	2,255.49	0.00	0.00	0.00
Begin 3.00° Drop									
8,100.00	16.42	43.33	7,760.01	1,646.93	1,553.56	2,263.97	3.00	-3.00	0.00
8,200.00	13.42	43.33	7,856.63	1,665.67	1,571.23	2,289.72	3.00	-3.00	0.00
8,300.00	10.42	43.33	7,954.46	1,680.69	1,585.40	2,310.38	3.00	-3.00	0.00
8,365.43	8.46	43.33	8,019.00	1,688.50	1,592.77	2,321.11	3.00	-3.00	0.00
OHIO_CREEK.NPC									
8,400.00	7.42	43.33	8,053.24	1,691.98	1,596.05	2,325.89	3.00	-3.00	0.00
8,500.00	4.42	43.33	8,152.69	1,699.48	1,603.13	2,336.21	3.00	-3.00	0.00
8,600.00	1.42	43.33	8,252.55	1,703.19	1,606.63	2,341.31	3.00	-3.00	0.00
8,647.45	0.00	43.33	8,300.00	1,703.62	1,607.03	2,341.90	3.00	-3.00	0.00
Hold Vertical, Begin 2.00° Turn									
8,695.42	0.96	240.02	8,347.96	1,703.42	1,606.68	2,341.51	2.00	2.00	-340.44
Hold 0.96 Inc at 240.00 Azm									
8,700.00	0.96	240.02	8,352.54	1,703.38	1,606.62	2,341.44	0.00	0.00	0.00
8,793.47	0.96	240.02	8,446.00	1,702.60	1,605.26	2,339.95	0.00	0.00	0.00
WILLIAMS_FORK.NPC									

<b>Database:</b>	USA EDM 5000 Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well ELU J14 FED 22B-14 496
<b>Company:</b>	Caerus Oil & Gas	<b>TVD Reference:</b>	RKB @ 7932.00usft
<b>Project:</b>	Rio Blanco County, CO (UTM 12N)	<b>MD Reference:</b>	RKB @ 7932.00usft
<b>Site:</b>	SEC 14-T4S-R96W ELU FED J14 496	<b>North Reference:</b>	True
<b>Well:</b>	ELU J14 FED 22B-14 496	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan 1		

## Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
8,800.00	0.96	240.02	8,452.53	1,702.54	1,605.17	2,339.84	0.00	0.00	0.00
8,843.48	0.96	240.02	8,496.00	1,702.18	1,604.54	2,339.15	0.00	0.00	0.00
<b>TOP_GAS.NPC</b>									
8,900.00	0.96	240.02	8,552.52	1,701.71	1,603.72	2,338.24	0.00	0.00	0.00
9,000.00	0.96	240.02	8,652.50	1,700.87	1,602.27	2,336.64	0.00	0.00	0.00
9,100.00	0.96	240.02	8,752.49	1,700.03	1,600.81	2,335.04	0.00	0.00	0.00
9,200.00	0.96	240.02	8,852.47	1,699.20	1,599.36	2,333.44	0.00	0.00	0.00
9,300.00	0.96	240.02	8,952.46	1,698.36	1,597.91	2,331.84	0.00	0.00	0.00
9,400.00	0.96	240.02	9,052.45	1,697.52	1,596.46	2,330.24	0.00	0.00	0.00
9,500.00	0.96	240.02	9,152.43	1,696.69	1,595.01	2,328.64	0.00	0.00	0.00
9,600.00	0.96	240.02	9,252.42	1,695.85	1,593.56	2,327.04	0.00	0.00	0.00
9,700.00	0.96	240.02	9,352.40	1,695.01	1,592.11	2,325.44	0.00	0.00	0.00
9,800.00	0.96	240.02	9,452.39	1,694.18	1,590.66	2,323.84	0.00	0.00	0.00
9,900.00	0.96	240.02	9,552.38	1,693.34	1,589.21	2,322.25	0.00	0.00	0.00
10,000.00	0.96	240.02	9,652.36	1,692.50	1,587.76	2,320.65	0.00	0.00	0.00
10,100.00	0.96	240.02	9,752.35	1,691.67	1,586.31	2,319.05	0.00	0.00	0.00
10,200.00	0.96	240.02	9,852.33	1,690.83	1,584.86	2,317.45	0.00	0.00	0.00
10,300.00	0.96	240.02	9,952.32	1,689.99	1,583.41	2,315.85	0.00	0.00	0.00
10,400.00	0.96	240.02	10,052.31	1,689.16	1,581.96	2,314.25	0.00	0.00	0.00
10,500.00	0.96	240.02	10,152.29	1,688.32	1,580.51	2,312.65	0.00	0.00	0.00
10,600.00	0.96	240.02	10,252.28	1,687.48	1,579.06	2,311.05	0.00	0.00	0.00
10,700.00	0.96	240.02	10,352.26	1,686.65	1,577.61	2,309.45	0.00	0.00	0.00
10,800.00	0.96	240.02	10,452.25	1,685.81	1,576.16	2,307.85	0.00	0.00	0.00
10,900.00	0.96	240.02	10,552.24	1,684.97	1,574.71	2,306.25	0.00	0.00	0.00
11,000.00	0.96	240.02	10,652.22	1,684.14	1,573.26	2,304.65	0.00	0.00	0.00
11,100.00	0.96	240.02	10,752.21	1,683.30	1,571.81	2,303.05	0.00	0.00	0.00
11,200.00	0.96	240.02	10,852.19	1,682.46	1,570.36	2,301.45	0.00	0.00	0.00
11,300.00	0.96	240.02	10,952.18	1,681.63	1,568.91	2,299.85	0.00	0.00	0.00
11,347.83	0.96	240.02	11,000.00	1,681.23	1,568.22	2,299.08	0.00	0.00	0.00
<b>CAMEO.NPC</b>									
11,400.00	0.96	240.02	11,052.17	1,680.79	1,567.46	2,298.25	0.00	0.00	0.00
11,500.00	0.96	240.02	11,152.15	1,679.95	1,566.01	2,296.65	0.00	0.00	0.00
11,600.00	0.96	240.02	11,252.14	1,679.12	1,564.56	2,295.05	0.00	0.00	0.00
11,700.00	0.96	240.02	11,352.12	1,678.28	1,563.11	2,293.45	0.00	0.00	0.00
11,800.00	0.96	240.02	11,452.11	1,677.44	1,561.66	2,291.85	0.00	0.00	0.00
11,900.00	0.96	240.02	11,552.10	1,676.61	1,560.21	2,290.25	0.00	0.00	0.00
12,000.00	0.96	240.02	11,652.08	1,675.77	1,558.76	2,288.65	0.00	0.00	0.00
12,100.00	0.96	240.02	11,752.07	1,674.93	1,557.31	2,287.05	0.00	0.00	0.00
12,200.00	0.96	240.02	11,852.05	1,674.10	1,555.86	2,285.45	0.00	0.00	0.00
12,300.00	0.96	240.02	11,952.04	1,673.26	1,554.41	2,283.85	0.00	0.00	0.00
12,400.00	0.96	240.02	12,052.03	1,672.42	1,552.96	2,282.25	0.00	0.00	0.00
12,421.98	0.96	240.02	12,074.00	1,672.24	1,552.64	2,281.90	0.00	0.00	0.00
<b>ROLLINS.NPC</b>									
12,500.00	0.96	240.02	12,152.01	1,671.59	1,551.51	2,280.65	0.00	0.00	0.00
12,600.00	0.96	240.02	12,252.00	1,670.75	1,550.06	2,279.05	0.00	0.00	0.00
12,622.01	0.96	240.02	12,274.00	1,670.57	1,549.74	2,278.70	0.00	0.00	0.00
<b>TD at 12622.01</b>									

<b>Database:</b>	USA EDM 5000 Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well ELU J14 FED 22B-14 496
<b>Company:</b>	Caerus Oil & Gas	<b>TVD Reference:</b>	RKB @ 7932.00usft
<b>Project:</b>	Rio Blanco County, CO (UTM 12N)	<b>MD Reference:</b>	RKB @ 7932.00usft
<b>Site:</b>	SEC 14-T4S-R96W ELU FED J14 496	<b>North Reference:</b>	True
<b>Well:</b>	ELU J14 FED 22B-14 496	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	OH		
<b>Design:</b>	Plan 1		

## Design Targets

### Target Name

- hit/miss target	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- Shape									
BHL - ELU J14 22B-14 - plan hits target center - Ellipse (radii L75.00 W50.00 on 240.00 azi)	0.00	0.00	12,274.00	1,670.57	1,549.74	14,431,705.40	2,447,496.80	39.705444	-108.130685

## Formations

Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
3,284.17	3,162.00	WASATCH.NPC			
5,797.90	5,562.00	WASATCH_G.NPC			
6,354.06	6,093.00	FORT_UNION.NPC			
8,365.43	8,019.00	OHIO_CREEK.NPC			
8,793.47	8,446.00	WILLIAMS_FORK.NPC			
8,843.48	8,496.00	TOP_GAS.NPC			
11,347.83	11,000.00	CAMEO.NPC			
12,421.98	12,074.00	ROLLINS.NPC		0.00	
12,622.01	12,274.00	TD.MBL		0.00	

## Plan Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
200.00	200.00	0.00	0.00	Begin 3.00° Build
776.69	767.97	62.86	59.29	Hold 17.30 Inc at 43.33 Azm
8,070.76	7,732.03	1,640.76	1,547.74	Begin 3.00° Drop
8,647.45	8,300.00	1,703.62	1,607.03	Hold Vertical, Begin 2.00° Turn
8,695.42	8,347.96	1,703.42	1,606.68	Hold 0.96 Inc at 240.00 Azm
12,622.01	12,274.00	1,670.57	1,549.74	TD at 12622.01