



1120 Lincoln Street, STE 801
Denver, CO 80203

December 23, 2019

Vanessa Chase
PDC Energy Inc
1775 Sherman St, Ste 3000
Denver, CO 80203

Dear Ms. Chase,

PDC is receiving this letter because, based on COGCC records, the COGCC has reason to believe that in addition to the well on the Warning Letter the wells listed below present one or more compliance issues as well. The wells provided below must be compliant by the Corrective Action date provided on the Warning Letter.

Please do not hesitate to contact me with any questions regarding these compliance issues, or if these wells were incorrectly identified.

1. 123-20705 BLOSKAS/BOND 9D
2. 123-18888 KIRBY 33-36
3. 123-21412 SAKATA 22-36
4. 123-23748 KIRBY 43-36
5. 123-30705 WELLS RANCH 44-12
6. 123-37281 Albrighton 3-10
7. 123-37282 Albrighton 2-10

Sincerely,

Deborah Abrams
Engineering Technician



P 303.894.2100 x5158 | F 303.894.2109
1120 Lincoln Street, Suite 801, Denver, CO 80203
deborah.abrams@state.co.us | www.colorado.gov/cogcc

P 303.894.2100 F 303.894.2109 www.colorado.gov/cogcc
Commissioners: Howard L. Boigon , Pam Eaton, Dan Gibbs, Brenda Haun, DVM, Mark Hopkins,
John Putnam, Liane Jollon, John Messner, Erin Overturf
Jared Polis, Governor | Dan Gibbs, Executive Director, DNR | Jeff Robbins, Director

