

RECEIVED

JUL 23 1973

COLO. OIL & GAS CONS. COMM.



02496727

*

* SCHLUMBERGER *

BEST IMAGE
AVAILABLE

HIGH RESOLUTION

DIPMETER

D-11. RESULT TAPE

HDT-C 4-ARM EPS 6050 PROGRAM

CITIES SERVICE OIL COMPANY

WILDCAT

CHESLEY A NO. 1

JACKSON, COLORADO

RUN NUMBER ONE

JANUARY 2, 1972

CORRELATION INTERVAL

8 FEET

STEP LENGTH

4 FEET

SEARCH ANGLE

65 DEGREES

[Handwritten signature]

BEST IMAGE
AVAILABLE

ZONE 1=

PAGE 1= 1

```
*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LG   O   PLA   CLO   MAX   *
*           AZM           AZM   1-3   2-4   GI                      *
*****
*
*   552     1.5   240     .7   347     8.8   9.0   **   *   100   100   73   *
*   556     4.3   276     .6   347     8.8   9.0           *   0     0   75   *
*   560    33.4    99     .6   345     8.7   9.0           *   0    85   84   *
*   564    23.7   254     .6   342     8.6   9.2           *   0    14   67   *
*   568    12.7    99     .7   344     8.8   9.2   **   *   10    59   81   *
*   572     9.4    94     .7   346     8.8   9.0   **   *   12   100   90   *
*   576     9.5   271     .7   350     8.6   8.8           *   34   100   61   *
*   580     6.2   121     .8   351     8.4   8.7   **   *   100   100   92   *
*   584     6.0   116     .9   349     8.6   9.0   **   *   100   100   80   *
*   588     3.6   221     .9   348     8.7   9.1           *   0    13   86   *
*   592     2.8   202     .8   347     8.6   9.0   **   *   100   100   86   *
*   596     2.2   296     .8   346     8.6   9.1           *   0    12   86   *
*   600      .3   279     .9   349     8.7   9.2           A   100   100   72   *
*   604    58.8    56     .8   350     9.0   9.3           *   11    11   54   *
*   608     9.6   119     .7   347     9.1   9.2           *   56    24   68   *
*   612    15.4   205     .7   342     8.8   9.2           D     0   100   68   *
*   616    18.0   220     .7   337     8.5   9.1           D     0   100   75   *
*   620    14.7   226     .8   333     8.5   9.0           *   0    72   84   *
*   624    17.7   116     .8   335     8.6   9.0           *   0    72   88   *
*   628     3.4    63     .9   338     8.3   8.9           *   0    15   67   *
*   632    17.5   115     .8   342     8.0   8.8           *   0   100   52   *
*   636    41.3   298     .8   347     7.9   8.7           *   0   100   30   *
*   640    19.0   203     1.0   348     8.1   8.7           *   0   100   90   *
*   644    14.2   192     1.0   344     8.4   8.9   **   *   10   100   90   *
*   648     8.9   108     .9   338     8.4   8.8   **   *   100   100   74   *
*   652     9.0   105     .9   335     8.3   8.8   **   *   100   100   86   *
*   656     9.2   103     .9   336     8.3   8.8   **   *   100   100   91   *
*   660     9.7   104     1.1   337     8.4   8.8   **   *   100   100   86   *
*   664     5.8   104     .9   335     8.4   8.7   **   D   100   100   88   *
*   668     5.3   104     .8   335     8.4   8.7   **   A   100   100   83   *
*   672     5.1   107     .8   337     8.4   8.5   **   A   100   100   59   *
*   676     7.8   105     .7   335     8.4   8.4           C   100   100   73   *
*   680     9.1   105     .5   333     8.5   8.3   **   *   100   100   79   *
*   684     8.5   103     .8   332     8.5   8.3   **   A   100   100   72   *
*   688     9.1   101     .7   332     8.4   8.3   **   *   100   100   77   *
*   696     9.8   107     .8   331     8.4   8.3   **   *   100   100   70   *
*   700     9.9    90     .6   332     8.4   8.4   **   *   78   100   62   *
*   704    11.6    82     .6   330     8.5   8.3           *   0    10   49   *
*   708    20.1   190     .6   329     8.4   8.2           *   100    0   52   *
*   712    62.2   254     .5   327     8.5   8.1   **   *   10   100   32   *
*****
```


BEST IMAGE
AVAILABLE

ZONE 1=

PAGE 1= 2

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LO	Q	PLA	CLQ	MAX	*
	AZH		AZH		1-3	2-4	01					*
* 716	7.4	114	.6	326	8.6	8.3	**	A	100	100	32	*
* 720	14.3	114	.7	325	8.6	8.4	**	*	100	100	45	*
* 724	11.1	106	.6	325	8.6	8.3		B	0	100	37	*
* 728	6.1	108	.6	325	8.6	8.3	**	*	100	100	23	*
* 732	41.8	121	.6	326	8.5	8.2		*	0	12	35	*
* 736	49.8	121	.7	324	8.3	8.2		A	0	100	31	*
* 740	66.4	121	.8	321	8.3	8.3		*	0	100	36	*
* 744	60.3	304	.9	319	8.4	8.4		*	0	10	34	*
* 748	63.8	302	1.0	319	8.4	8.5		*	0	23	40	*
* 752	5.5	103	.8	320	8.4	8.4	**	B	100	100	55	*
* 756	9.5	105	.7	319	8.4	8.3	**	*	100	100	56	*
* 760	9.4	101	.6	317	8.4	8.3	**	*	22	100	65	*
* 764	8.9	100	.6	317	8.4	8.3	**	*	100	100	78	*
* 768	9.0	102	.7	316	8.4	8.3	**	*	100	100	57	*
* 772	8.8	105	.7	314	8.4	8.3	**	*	100	100	52	*
* 776	4.8	106	.6	313	8.4	8.3	**	A	100	100	74	*
* 780	8.1	109	.5	313	8.4	8.3		*	100	100	67	*
* 784	10.0	112	.6	315	8.4	8.2	**	*	10	64	77	*
* 788	8.7	108	.7	313	8.3	8.1	**	*	100	100	82	*
* 792	8.3	103	.6	309	8.3	8.1	**	*	100	100	45	*
* 796	7.3	104	.3	305	8.4	8.0	**	*	10	86	41	*
* 800	9.2	99	.3	304	8.4	8.1		*	0	100	55	*
* 804	47.8	246	.3	305	8.4	8.1		*	0	26	23	*
* 808	7.1	118	.4	305	8.3	8.1		*	0	0	41	*
* 812	5.8	122	.6	305	8.3	8.2	**	A	100	100	98	*
* 816	6.5	116	.4	306	8.2	8.3	**	*	100	100	98	*
* 820	7.5	117	.4	308	8.3	8.3	**	*	100	100	60	*
* 824	7.9	115	.5	313	8.3	8.6	**	*	100	100	77	*
* 828	7.9	113	.4	313	8.3	8.7	**	*	100	100	73	*
* 832	5.5	118	.3	309	8.3	8.7		*	100	100	69	*
* 836	8.1	114	.4	307	8.4	8.8		*	0	100	75	*
* 840	8.5	109	.4	305	8.3	8.8		*	0	100	75	*
* 844	5.5	116	.4	304	8.3	8.8		A	11	100	62	*
* 848	8.8	124	.6	303	8.3	8.9		*	100	100	67	*
* 852	9.0	114	.5	303	8.2	8.9	**	*	100	100	67	*
* 856	4.6	112	.5	305	8.2	8.9	**	B	100	100	71	*
* 860	7.2	114	.5	305	8.2	8.9	**	B	100	100	72	*
* 864	9.1	112	.5	304	8.3	8.9	**	*	100	100	72	*
* 868	5.2	119	.5	303	8.3	9.0	**	*	100	100	74	*
* 872	13.5	117	.7	304	8.3	9.1	**	C	47	100	39	*

BEST IMAGE
AVAILABLE

ZONE 1-

PAGE 1- 3

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLG	MAX	*
		AZH		AZH	1-3	2-4	GI					*
* 876	13.0	87	.9	304	8.1	9.1	**	C	20	76	33	*
* 880	7.1	101	.9	304	8.2	8.9	**	B	100	100	55	*
* 884	6.6	104	.8	306	8.3	8.9	**	A	100	100	67	*
* 888	8.9	104	.9	308	8.4	8.9	**	*	100	100	64	*
* 892	9.4	107	1.0	308	8.4	8.8	**	*	100	100	66	*
* 900	8.2	103	.9	308	8.3	8.5		C	100	100	59	*
* 904	20.9	104	1.0	309	8.3	8.4		B	100	100	63	*
* 908	8.8	105	1.0	309	8.3	8.4	**	*	100	100	82	*
* 912	8.8	103	1.3	311	8.3	8.3	**	*	100	100	88	*
* 916	9.0	99	1.1	314	8.3	8.3	**	*	100	100	83	*
* 920	8.8	101	1.0	317	8.3	8.3	**	*	100	100	78	*
* 924	8.7	107	1.0	321	8.4	8.3	**	*	100	100	78	*
* 928	9.1	111	1.0	324	8.3	8.3	**	*	100	100	74	*
* 932	8.6	110	.9	328	8.2	8.3	**	*	100	100	69	*
* 936	5.9	113	.8	332	8.2	8.3	**	A	100	100	63	*
* 940	9.7	112	1.0	331	8.2	8.4	**	C	100	100	79	*
* 944	16.0	307	1.0	329	8.1	8.3		B	15	100	81	*
* 948	15.0	309	.9	331	8.1	8.3		B	0	100	79	*
* 952	6.3	123	.7	332	8.3	8.4	**	*	100	100	84	*
* 956	7.7	122	.7	332	8.3	8.5	**	*	100	100	78	*
* 960	4.2	120	.8	331	8.2	8.6		A	36	100	49	*
* 964	4.7	118	1.1	327	8.2	8.7		A	0	100	54	*
* 968	4.8	117	1.1	324	8.2	8.7	**	B	100	100	74	*
* 972	6.3	108	1.0	323	8.2	8.8	**	B	100	100	59	*
* 976	8.2	112	1.0	324	8.2	8.8	**	*	100	100	67	*
* 980	6.3	118	1.0	326	8.1	8.7	**	A	100	100	62	*
* 984	6.7	115	1.0	327	8.1	8.7	**	A	100	100	67	*
* 988	7.1	114	1.0	326	8.1	8.7	**	A	100	100	81	*
* 992	8.6	113	1.1	323	8.1	8.7	**	*	100	100	86	*
* 996	10.0	109	1.0	320	8.1	8.7		C	100	100	59	*
* 1000	8.4	111	1.0	318	8.1	8.7		*	0	100	51	*
* 1004	8.1	113	1.0	317	7.9	8.7	**	*	100	100	82	*
* 1008	5.2	113	1.0	316	7.9	8.7	**	A	100	100	84	*
* 1012	5.7	106	1.0	317	7.9	8.8	**	*	100	100	89	*
* 1016	6.7	109	1.0	318	7.9	8.7	**	*	100	100	92	*
* 1020	8.1	110	1.1	317	8.0	8.5	**	*	100	100	72	*
* 1024	8.2	111	1.0	312	8.0	8.4	**	*	100	100	79	*
* 1028	8.1	109	1.0	309	8.0	8.4	**	*	100	100	87	*
* 1032	8.1	111	1.3	310	8.0	8.4	**	*	64	100	89	*
* 1036	7.2	118	1.4	311	8.0	8.5		*	100	100	68	*

BEST IMAGE
AVAILABLE

ZONE 1=

PAGE 1- 4

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLG	MAX	*
	AZM		AZM		1-3	2-4	GI					*
* 1040	7.5	118	1.3	313	7.9	8.6		*	100	100	56	*
* 1044	6.9	122	1.3	312	7.9	8.7		*	56	100	79	*
* 1048	7.2	121	1.4	308	7.9	8.6		*	0	100	46	*
* 1052	16.1	122	1.4	307	7.9	8.6		*	0	33	76	*
* 1056	10.3	126	1.3	307	8.0	8.7		*	0	87	67	*
* 1060	7.9	118	1.3	307	8.0	8.6	**	*	100	100	69	*
* 1064	9.1	109	1.4	307	7.9	8.5	**	*	100	100	95	*
* 1068	9.6	106	1.4	305	7.9	8.4	**	*	100	100	96	*
* 1072	10.6	102	1.5	304	8.0	8.3	**	*	100	100	91	*
* 1076	8.6	104	1.7	302	8.0	8.3	**	A	100	100	78	*
* 1080	8.7	115	1.8	302	8.0	8.3	**	A	100	100	63	*
* 1084	5.1	114	1.6	304	8.0	8.3		*	0	100	52	*
* 1088	69.1	28	1.6	305	8.0	8.3		*	0	10	39	*
* 1092	6.2	112	1.6	304	8.0	8.2	**	*	100	100	65	*
* 1096	6.9	109	1.6	303	8.0	8.1	**	*	100	100	68	*
* 1100	7.1	96	1.6	301	8.0	8.1	**	*	100	100	59	*
* 1104	3.8	104	1.7	300	8.0	8.0	**	A	100	100	77	*
* 1108	4.1	105	1.8	301	8.0	8.0	**	A	100	100	88	*
* 1112	6.5	100	1.9	302	8.0	8.0	**	*	100	100	73	*
* 1114	6.1	96	2.0	302	8.0	8.0		*	0	100	63	*
* 1118	3.5	212	1.8	302	8.0	8.2	**	*	19	100	79	*
* 1122	4.0	218	1.8	303	8.0	8.4		*	100	100	71	*
* 1126	6.1	231	1.8	304	8.0	8.6	**	*	100	100	70	*
* 1130	9.2	107	1.8	301	7.9	8.6	**	*	100	100	80	*
* 1134	9.4	107	1.9	298	8.0	8.4	**	*	100	100	90	*
* 1138	9.5	108	1.9	298	8.1	8.3	**	*	100	100	82	*
* 1142	9.9	109	2.0	300	8.1	8.3	**	*	100	100	79	*
* 1146	9.3	114	2.1	302	8.0	8.3	**	*	100	100	76	*
* 1154	9.6	112	2.1	303	8.0	8.4	**	*	100	100	79	*
* 1158	9.4	113	2.2	302	8.0	8.2	**	*	100	100	94	*
* 1162	10.0	113	2.1	302	7.9	8.1	**	*	100	100	87	*
* 1166	8.7	113	2.1	302	8.0	8.3	**	*	100	100	64	*
* 1170	17.0	114	2.3	303	7.9	8.5	**	A	100	100	93	*
* 1174	10.9	115	2.3	302	7.9	8.4	**	A	100	100	94	*
* 1178	7.8	113	2.3	302	8.0	8.3	**	B	100	100	63	*
* 1182	10.4	113	2.4	301	8.0	8.4	**	*	100	100	84	*
* 1186	9.6	115	2.4	300	7.9	8.5	**	*	100	100	84	*
* 1190	7.8	113	2.4	299	7.9	8.5	**	A	100	100	96	*
* 1194	10.8	110	2.4	299	7.9	8.4	**	B	100	100	93	*
* 1198	15.9	106	2.5	298	8.0	8.4	**	B	100	100	83	*

BEST IMAGE
AVAILABLE

ZONE 1-										PAGE 1- 5			
* DEPTH	DIP	DIP	DEV	DEV	DIAH	DIAH	LB	Q	PLA	CLO	MAX	*	
*		AZH		AZH	1-3	2-4		GI				*	

*												*	
*	1202	11.0	107	2.5	297	8.0	8.4	**	*	100	100	93	*
*	1206	9.7	107	2.4	297	8.0	8.3	**	*	100	100	82	*
*	1210	9.6	107	2.4	296	8.0	8.3	**	*	100	100	82	*
*	1214	9.5	105	2.5	294	8.0	8.3	**	*	100	100	78	*
*	1218	7.0	106	2.6	293	8.0	8.3	**	B	100	100	61	*
*	1222	9.6	102	2.6	293	8.0	8.4		*	0	100	44	*
*	1226	67.6	42	2.7	293	8.0	8.5		*	0	49	40	*
*	1230	29.5	110	2.7	294	8.0	8.6		*	0	38	36	*
*	1234	12.1	99	2.6	293	8.0	8.8	**	A	100	100	78	*
*	1238	6.6	105	2.7	292	8.0	8.8	**	A	100	100	74	*
*	1242	9.5	105	2.8	290	7.9	8.8		*	0	37	71	*
*	1246	11.4	100	2.8	290	7.9	8.9	**	*	71	100	93	*
*	1250	12.9	103	2.9	290	7.8	9.1	**	A	100	100	96	*
*	1254	11.0	102	2.8	291	7.8	8.9	**	*	81	100	96	*
*	1258	8.4	99	2.7	290	7.8	8.8	**	*	60	100	93	*
*	1262	17.3	89	2.8	289	7.8	9.0	**	*	100	100	86	*
*	1266	18.6	90	2.9	287	7.8	9.1	**	*	100	100	91	*
*	1270	14.2	89	3.0	287	7.8	9.1	**	*	64	100	70	*
*	1274	12.4	99	3.2	287	7.8	9.1		*	0	100	77	*
*	1278	13.5	100	3.3	287	7.8	9.1		*	0	100	77	*
*	1282	20.4	91	3.1	286	7.8	8.9	**	A	100	100	74	*
*	1286	14.9	90	3.0	285	7.8	8.8	**	*	100	100	84	*
*	1290	19.6	94	3.1	285	7.8	9.1	**	B	100	100	87	*
*	1294	18.5	95	3.1	285	7.8	9.3	**	C	100	100	84	*
*	1298	14.9	89	3.3	282	7.9	9.3		*	100	100	73	*
*	1302	17.6	85	3.3	280	7.9	9.0		*	0	49	55	*
*	1306	64.1	183	3.3	280	7.8	9.2		*	0	17	13	*
*	1310	63.9	186	3.3	281	7.8	9.3		*	0	0	29	*
*	1314	18.5	95	3.3	281	7.8	9.2		A	0	76	30	*
*	1318	NS CORR		3.7	279	7.8	9.3						*
*	1322	5.8	117	3.8	280	7.9	9.1		*	20	100	63	*
*	1326	7.2	114	3.6	279	7.9	8.8		*	0	100	72	*
*	1330	7.5	110	3.4	279	7.9	8.7	**	A	100	100	79	*
*	1334	8.3	110	3.5	280	7.9	8.6	**	*	100	100	85	*
*	1338	7.8	108	3.6	281	7.9	8.6	**	*	44	100	74	*
*	1342	8.2	106	3.6	280	8.0	8.5	**	*	100	58	69	*
*	1346	8.4	113	3.6	279	8.0	8.4	**	*	100	100	74	*
*	1350	8.6	115	3.7	279	8.0	8.3	**	*	100	100	80	*
*	1354	8.7	109	3.7	279	8.0	8.3	**	*	100	100	82	*
*	1358	8.8	108	3.7	279	8.0	8.3	**	*	100	100	81	*

BEST IMAGE
AVAILABLE

ZONE 1=											PAGE 1= 6	
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LB	Q	PLA	CLO	MAX	*
	AZH		AZH		1-3	2-4	GI					*

* 1362	71.6	72	3.7	279	8.0	8.3		*	0	98	24	*
* 1366	10.1	108	3.7	280	8.0	8.1	**	C	100	100	84	*
* 1370	9.3	112	3.7	281	8.0	8.1	**	B	100	100	85	*
* 1374	8.2	106	3.9	281	8.0	8.0	**	*	100	100	71	*
* 1378	6.6	109	4.0	280	8.1	8.1		*	100	100	80	*
* 1382	7.4	111	4.0	280	8.2	8.1	**	A	100	100	52	*
* 1390	8.9	121	4.1	282	8.1	8.1		*	54	100	83	*
* 1394	8.6	122	4.0	278	8.1	8.1		*	50	100	85	*
* 1398	6.6	105	4.1	276	8.0	8.0		B	0	100	37	*
* 1402	10.1	114	4.1	277	8.1	8.0		A	0	100	60	*
* 1406	7.4	103	4.1	276	8.4	8.2	**	A	100	100	55	*
* 1410	10.2	105	4.1	274	8.7	8.4	**	*	100	100	48	*
* 1414	10.3	125	4.2	275	8.9	8.5	**	*	10	58	26	*
* 1418	9.0	101	4.4	275	9.0	8.7	**	B	100	100	71	*
* 1422	8.3	103	4.3	275	8.9	8.6	**	A	100	100	74	*
* 1426	9.2	97	4.2	275	8.8	8.5		*	0	10	55	*
* 1430	13.5	106	4.3	276	8.7	8.5		*	0	12	38	*
* 1434	6.7	107	4.3	277	8.5	8.5		A	100	100	60	*
* 1438	8.0	108	4.3	277	8.5	8.6		*	100	100	62	*
* 1442	8.6	106	5.0	277	8.5	8.6		*	10	100	58	*
* 1446	14.1	56	5.1	277	8.5	8.7		*	0	19	47	*
* 1450	13.0	51	4.3	278	8.6	8.8		*	0	46	44	*
* 1454	45.4	21	4.3	278	8.5	8.7		*	0	12	46	*
* 1458	9.4	101	4.9	277	8.6	8.7		*	0	10	41	*
* 1462	9.1	106	5.1	277	8.7	8.8		*	0	0	41	*
* 1466	9.8	105	4.6	277	8.4	8.6	**	*	100	100	55	*
* 1470	6.8	106	4.2	277	8.5	8.7		A	100	100	69	*
* 1474	7.7	119	4.5	278	8.7	8.8		*	0	100	33	*
* 1478	9.1	104	4.5	278	8.7	8.9	**	*	100	100	70	*
* 1482	8.7	106	4.5	278	8.8	9.0	**	*	100	100	74	*
* 1486	9.1	100	4.8	278	8.9	9.0	**	*	100	100	64	*
* 1490	12.9	97	4.8	278	8.7	9.0	**	*	100	100	91	*
* 1494	12.9	97	4.8	278	8.6	8.9	**	*	100	100	90	*
* 1498	5.6	97	5.0	278	8.7	8.7		*	0	13	69	*
* 1502	8.0	107	4.7	279	8.5	8.6		*	13	100	64	*
* 1506	8.2	105	4.6	280	8.5	8.7		*	10	100	69	*
* 1510	10.4	93	4.7	278	8.5	8.7	**	*	17	53	66	*
* 1514	11.1	101	4.9	280	8.4	8.6	**	*	100	100	86	*
* 1518	11.0	102	5.0	282	8.3	8.5	**	*	100	100	87	*
* 1522	9.2	108	5.0	282	8.3	8.4	**	*	100	100	68	*

BEST IMAGE
AVAILABLE

ZONE 1-

PAGE 1- 7

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LB	Q	PLA	CLC	MAX	*
	AZH		AZH		1-3	2-4	DI					*
* 1525	9.1	110	5.1	285	8.3	8.4	**	*	100	100	73	*
* 1530	9.5	110	5.0	286	8.4	8.5	**	*	100	100	80	*
* 1534	8.7	108	5.0	286	8.4	8.5		*	0	20	86	*
* 1538	9.6	108	5.1	287	8.4	8.5	**	*	100	100	90	*
* 1542	9.9	109	5.3	288	8.3	8.5	**	*	100	100	91	*
* 1546	10.5	109	5.3	289	8.3	8.4	**	*	100	100	88	*
* 1550	10.6	109	5.2	289	8.3	8.4	**	*	100	100	88	*
* 1554	13.3	115	5.1	289	8.4	8.4	**	B	10	100	90	*
* 1558	12.3	116	5.3	289	8.3	8.4	**	B	10	100	89	*
* 1562	10.6	111	5.4	287	8.3	8.4	**	*	100	100	87	*
* 1566	10.4	111	5.3	285	8.3	8.4	**	*	100	100	91	*
* 1570	10.2	114	5.4	283	8.3	8.4	**	*	10	100	91	*
* 1574	10.3	110	5.4	284	8.4	8.4	**	*	100	100	93	*
* 1578	10.0	108	5.3	286	8.3	8.4	**	*	100	100	89	*
* 1582	9.2	108	5.6	287	8.4	8.4	**	*	100	100	63	*
* 1586	9.7	109	5.7	289	8.4	8.3	**	*	100	100	84	*
* 1590	9.9	111	5.6	291	8.4	8.3	**	*	100	100	88	*
* 1594	9.8	97	5.7	290	8.3	8.3		*	0	100	87	*
* 1598	8.8	110	5.6	288	8.3	8.3	**	A	10	100	84	*
* 1602	10.2	105	5.5	286	8.3	8.3	**	*	100	100	90	*
* 1606	9.9	104	5.6	286	8.3	8.3	**	*	100	100	93	*
* 1610	9.2	106	5.6	285	8.3	8.2	**	*	100	100	94	*
* 1614	7.5	104	5.5	283	8.3	8.1	**	A	100	100	94	*
* 1618	9.2	92	5.6	281	8.3	8.1		A	100	100	80	*
* 1622	9.6	91	5.6	281	8.2	8.1		*	31	100	62	*
* 1626	9.1	96	5.5	283	8.2	8.0	**	*	100	100	52	*
* 1630	9.2	103	5.5	285	8.3	8.0	**	*	100	100	83	*
* 1634	8.0	106	5.7	286	8.3	8.0	**	*	100	100	78	*
* 1638	NO CORR		5.8	288	8.2	8.0						*
* 1642	9.9	104	5.8	290	8.3	8.0	**	*	100	100	62	*
* 1646	9.0	107	5.8	290	8.3	8.0		*	100	100	81	*
* 1650	8.5	107	5.7	290	8.3	8.0		*	100	100	81	*
* 1654	8.0	107	5.7	290	8.2	7.9		*	25	100	57	*
* 1658	8.8	97	5.6	290	8.3	8.0		*	28	100	81	*
* 1662	8.0	104	5.6	290	8.3	8.0		*	0	100	73	*
* 1666	8.8	108	5.7	289	8.2	8.0	**	*	100	100	71	*
* 1670	10.0	98	5.6	290	8.3	8.0	**	C	100	100	76	*
* 1674	8.8	100	5.5	291	8.3	8.0	**	*	100	100	78	*
* 1678	9.2	103	5.5	290	8.3	7.9		*	100	100	80	*
* 1682	9.4	107	5.7	290	8.4	7.9	**	*	100	100	78	*

BEST IMAGE
AVAILABLE

ZONE 1=											PAGE 1= 8		
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LB	O	PLA	CLB	MAX	*	
	AZM		AZM		1-3	2-4	GI					*	

*	1686	9.1	105	5.8	289	8.4	7.9	**	*	100	100	78	*
*	1690	9.6	101	5.7	288	8.5	8.0		*	100	100	71	*
*	1694	9.8	111	5.5	287	8.5	7.9		*	100	100	61	*
*	1698	8.9	107	5.5	287	8.5	7.9	**	*	100	100	71	*
*	1702	8.9	112	5.5	289	8.3	7.9	**	*	100	100	68	*
*	1706	8.6	102	5.6	289	8.3	8.0	**	B	100	100	46	*
*	1710	8.1	97	5.4	289	8.4	8.0		*	0	100	54	*
*	1714	8.8	109	5.2	289	8.3	7.9	**	*	23	100	85	*
*	1718	9.9	109	5.4	289	8.3	7.9	**	*	100	100	91	*
*	1722	8.5	108	5.5	289	8.2	7.9	**	A	100	100	97	*
*	1726	9.6	107	5.4	289	8.2	7.9	**	*	100	100	98	*
*	1730	9.8	108	5.4	288	8.3	7.9	**	*	100	100	95	*
*	1734	9.5	108	5.3	288	8.3	7.9	**	*	100	100	86	*
*	1738	9.3	106	5.1	288	8.2	7.9	**	*	100	100	82	*
*	1742	9.6	111	5.3	286	8.3	7.9	**	*	22	100	93	*
*	1746	9.4	110	5.3	288	8.3	7.9	**	*	29	100	95	*
*	1750	9.5	109	5.2	288	8.3	7.9	**	*	100	100	96	*
*	1754	8.5	107	5.2	288	8.3	7.9	**	A	100	100	97	*
*	1758	9.2	104	5.3	287	8.3	7.9	**	*	100	100	97	*
*	1762	9.8	107	5.3	287	8.3	7.9	**	*	100	100	95	*
*	1766	10.1	108	5.2	287	8.2	7.9	**	*	100	100	95	*
*	1770	8.8	97	5.1	286	8.2	7.9		*	100	100	70	*
*	1774	9.5	101	5.1	283	8.3	7.9	**	*	100	100	80	*
*	1778	9.5	103	5.1	281	8.3	7.9	**	*	100	100	91	*
*	1782	9.5	102	5.2	281	8.4	8.0	**	*	100	100	89	*
*	1786	9.3	104	5.2	281	8.4	8.0	**	*	100	100	92	*
*	1790	9.0	108	5.2	282	8.4	8.0	**	*	100	100	90	*
*	1794	9.5	107	5.3	284	8.5	8.0		*	0	100	44	*
*	1798	8.6	101	5.1	284	8.5	8.0	**	*	100	100	28	*
*	1802	8.8	107	5.2	283	8.4	8.0		*	100	100	51	*
*	1806	9.6	99	5.3	280	8.3	8.0	**	*	100	100	85	*
*	1810	9.5	98	5.2	279	8.3	8.0	**	*	100	100	90	*
*	1814	9.4	101	5.2	279	8.3	8.0	**	*	100	100	93	*
*	1818	8.6	100	5.2	279	8.3	8.0	**	*	100	100	76	*
*	1822	9.2	104	5.2	279	8.3	8.0		*	100	100	87	*
*	1826	9.5	95	5.3	278	8.3	8.0		*	0	100	67	*
*	1830	8.0	122	5.5	278	8.3	8.0	**	*	10	100	58	*
*	1834	9.9	94	5.4	278	8.3	8.0		*	0	26	49	*
*	1838	8.4	99	5.3	278	8.3	8.0		*	0	38	46	*
*	1842	9.2	99	5.1	278	8.2	8.0		*	0	100	74	*

BEST IMAGE
AVAILABLE

ZONE 1=										PAGE 1= 9		
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLD	MAX	*
		AZM		AZM	1=3	2=4	GI					*

* 1846	9.1	102	4.9	278	8.3	8.0		*	0	100	79	*
* 1850	9.6	99	5.1	278	8.4	8.0	**	*	100	100	61	*
* 1854	7.4	95	5.2	278	8.4	8.0		A	100	100	69	*
* 1858	9.4	100	5.3	278	8.3	8.0	**	*	100	100	70	*
* 1862	9.6	97	5.3	277	8.3	8.0		*	100	100	70	*
* 1866	9.9	99	5.2	277	8.3	8.0	**	*	100	100	78	*
* 1870	7.5	99	5.1	277	8.3	8.0	**	A	100	100	93	*
* 1874	9.3	99	5.0	277	8.2	8.0	**	*	100	100	91	*
* 1878	8.7	97	5.0	277	8.3	8.0		*	100	100	48	*
* 1882	8.0	95	5.1	276	8.3	8.0	**	A	100	100	83	*
* 1886	9.3	93	5.2	275	8.4	8.1	**	A	100	100	88	*
* 1890	9.5	97	5.3	275	8.4	8.1	**	*	100	100	82	*
* 1894	9.1	96	5.3	274	8.3	8.0		*	100	100	75	*
* 1898	9.1	90	5.2	275	8.3	8.0		*	100	100	80	*
* 1902	9.1	97	5.0	275	8.3	8.0	**	*	100	100	80	*
* 1906	8.8	94	4.9	276	8.3	8.0	**	*	100	100	77	*
* 1910	8.8	96	4.9	276	8.3	8.0	**	*	100	100	79	*
* 1914	9.0	93	4.9	276	8.3	8.0	**	*	100	100	77	*
* 1918	9.6	100	5.0	275	8.3	8.0	**	*	100	100	89	*
* 1922	9.3	97	5.0	275	8.4	8.0	**	*	100	100	89	*
* 1926	8.8	95	5.0	275	8.3	8.0	**	*	100	100	69	*
* 1930	8.9	98	5.1	275	8.3	8.0		*	100	100	63	*
* 1934	9.6	105	5.0	275	8.3	8.0		*	0	100	60	*
* 1938	9.2	94	4.9	274	8.3	8.0	**	*	100	100	73	*
* 1942	9.5	101	4.8	274	8.3	8.0		*	100	100	61	*
* 1946	49.8	197	4.9	275	8.3	8.1	**	*	10	100	17	*
* 1950	9.4	108	5.0	275	8.4	8.1		*	0	100	11	*
* 1954	10.3	100	5.1	273	8.3	8.1	**	*	100	100	27	*
* 1958	9.4	99	5.1	272	8.3	8.1	**	*	100	100	88	*
* 1962	9.2	99	5.1	272	8.4	8.1	**	*	100	100	84	*
* 1966	16.7	128	5.1	273	8.3	8.1		*	0	19	60	*
* 1970	9.1	90	5.3	272	8.3	8.1	**	*	100	100	73	*
* 1974	8.5	95	5.1	272	8.4	8.1	**	A	100	100	89	*
* 1978	8.4	95	5.0	272	8.4	8.1	**	A	100	100	91	*
* 1982	8.7	94	4.9	273	8.4	8.1		*	100	100	86	*
* 1986	9.9	100	4.9	274	8.3	8.1		*	100	100	77	*
* 1990	9.7	102	5.0	276	8.3	8.1		*	100	100	87	*
* 1994	8.5	94	5.0	275	8.3	8.1	**	*	100	100	74	*
* 1998	8.6	95	4.9	274	8.3	8.1	**	*	100	100	78	*
* 2002	8.6	94	4.8	272	8.3	8.1	**	*	100	100	89	*

BEST IMAGE
AVAILABLE

ZONE 1=												PAGE 1= 10
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	G	PLA	CLB	MAX	*
	AZH		AZH		1-3	2-4	G1					*

*	2005	8.8	90	4.8	272	8.3	8.1	**	*	100	100	90 *
*	2010	9.6	94	4.8	273	8.4	8.1		*	100	100	69 *
*	2014	8.7	92	4.7	273	8.3	8.1	**	*	100	100	86 *
*	2018	9.2	92	4.6	273	8.3	8.1	**	*	100	100	75 *
*	2022	7.7	93	4.7	272	8.3	8.1		*	0	100	57 *
*	2026	4.8	101	4.8	272	8.3	8.1		*	100	100	52 *
*	2030	10.2	102	4.9	272	8.3	8.1	**	*	100	100	70 *
*	2034	10.6	101	5.0	273	8.3	8.1	**	*	100	100	88 *
*	2038	10.1	93	4.7	273	8.3	8.1	**	*	100	100	83 *
*	2042	9.3	87	4.6	273	8.4	8.1	**	*	100	100	92 *
*	2046	9.1	87	4.6	272	8.4	8.1	**	*	100	100	90 *
*	2050	10.9	94	4.7	272	8.3	8.1		*	0	100	60 *
*	2054	9.7	90	4.6	272	8.3	8.1	**	*	100	100	88 *
*	2062	9.6	84	4.5	273	8.3	8.1	**	*	100	100	70 *
*	2066	9.6	94	4.5	273	8.4	8.1	**	*	41	100	75 *
*	2070	9.1	98	4.6	273	8.4	8.1	**	*	29	100	72 *
*	2074	7.0	87	4.6	273	8.5	8.1	**	C	100	100	86 *
*	2078	6.8	82	4.5	272	8.4	8.2	**	B	100	100	91 *
*	2082	9.5	80	4.7	270	8.3	8.1	**	*	100	100	81 *
*	2086	9.4	83	4.4	270	8.3	8.1	**	*	100	100	80 *
*	2094	9.3	82	4.4	271	8.4	8.1	**	*	100	100	91 *
*	2098	10.0	84	4.5	271	8.5	8.2	**	*	100	100	93 *
*	2102	9.5	85	4.3	271	8.5	8.2	**	*	100	100	91 *
*	2106	8.5	76	4.2	271	8.4	8.1	**	*	100	100	89 *
*	2110	14.6	72	4.4	271	8.4	8.0	**	D	100	100	90 *
*	2114	9.6	78	4.5	271	8.4	8.1	**	C	100	100	83 *
*	2118	8.3	81	4.4	272	8.4	8.1	**	B	100	100	76 *
*	2126	9.4	82	4.5	273	8.5	8.2	**	A	100	100	93 *
*	2130	13.5	82	4.4	273	8.5	8.2	**	B	100	100	72 *
*	2134	8.1	79	4.4	271	8.5	8.1		*	100	100	82 *
*	2138	10.1	78	4.6	270	8.5	8.1	**	*	52	100	88 *
*	2142	29.7	146	4.5	269	8.4	8.1	**	*	10	100	77 *
*	2146	34.0	144	4.5	269	8.4	8.1	**	D	14	100	69 *
*	2150	13.3	73	4.3	269	8.4	8.1	**	C	100	100	80 *
*	2158	12.3	74	4.5	269	8.4	8.1		*	100	100	61 *
*	2162	12.2	77	4.6	268	8.3	8.1		*	0	100	61 *
*	2166	12.4	79	4.5	267	8.2	8.1		*	69	100	66 *
*	2170	13.0	86	4.6	267	8.2	8.1		*	0	10	44 *
*	2174	13.2	85	4.7	267	8.4	8.1		*	0	10	35 *
*	2178	12.4	84	4.6	266	8.4	8.1		*	100	100	87 *

BEST IMAGE
AVAILABLE

ZONE 1=

PAGE 1- 11

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LO	Q	PLA	CLQ	MAX	*
		AZN		AZN	1-3	2-4	61					*

* 2182	11.7	82	4.5	266	8.3	8.0	**	*	100	100	83	*
* 2186	17.3	108	4.6	267	8.3	8.0		*	10	100	63	*
* 2190	11.9	90	4.6	268	8.3	8.0	**	*	100	100	77	*
* 2194	11.5	87	4.6	269	8.3	8.1	**	*	100	100	73	*
* 2198	11.6	87	4.6	269	8.3	8.1		*	100	100	80	*
* 2202	7.9	87	4.7	269	8.3	8.0	**	A	100	100	89	*
* 2206	8.9	86	4.5	268	8.3	8.0	**	A	100	100	84	*
* 2210	11.3	82	4.5	267	8.2	8.0		*	0	100	61	*
* 2214	10.0	60	4.6	266	8.2	8.0	**	*	44	55	65	*
* 2218	12.1	84	4.7	266	8.2	8.0	**	*	100	100	65	*
* 2226	12.1	87	4.8	267	8.2	8.0	**	*	100	100	82	*
* 2230	13.2	91	4.7	267	8.3	8.0	**	*	100	57	69	*
* 2234	12.5	96	4.9	266	8.3	8.1		*	0	52	53	*
* 2238	11.6	86	5.0	266	8.3	8.1		*	100	100	54	*
* 2242	12.0	89	4.9	268	8.3	8.1		*	100	100	80	*
* 2246	11.6	91	4.9	268	8.3	8.1	**	*	100	100	93	*
* 2250	11.6	90	5.0	267	8.3	8.0	**	*	100	100	88	*
* 2254	11.8	88	5.0	267	8.3	8.0	**	*	100	100	89	*
* 2258	7.8	89	4.9	268	8.2	8.0	**	A	100	100	95	*
* 2262	10.4	91	4.9	268	8.5	8.2	**	*	100	100	93	*
* 2266	12.2	92	5.0	268	8.8	8.3	**	A	100	100	86	*
* 2270	11.0	92	5.0	268	8.6	8.3	**	*	100	100	88	*
* 2274	10.3	98	5.2	269	8.9	8.3	**	*	100	100	93	*
* 2278	11.3	94	5.2	271	8.8	8.4	**	*	100	100	92	*
* 2282	11.9	96	5.0	270	8.6	8.4	**	*	100	100	95	*
* 2286	13.2	93	5.2	269	8.5	8.3	**	A	100	100	94	*
* 2290	9.4	92	5.3	269	8.6	8.3	**	D	100	100	95	*
* 2294	11.1	92	5.3	269	8.7	8.3	**	*	100	100	96	*
* 2298	11.2	79	5.4	268	8.6	8.3		*	0	57	91	*
* 2302	12.4	87	5.4	269	8.6	8.3	**	B	100	100	95	*
* 2306	14.2	88	5.4	270	8.7	8.3	**	D	100	100	93	*
* 2310	12.5	89	5.5	272	8.7	8.2	**	*	100	82	81	*
* 2314	17.2	76	5.6	272	8.7	8.3		*	0	13	23	*
* 2318	11.8	93	5.5	273	8.6	8.3	**	*	100	100	75	*
* 2322	12.0	97	5.4	273	8.6	8.3		C	100	100	91	*
* 2326	11.6	95	5.4	273	8.6	8.3		*	100	100	79	*
* 2330	11.1	95	5.4	273	8.7	8.3	**	*	100	100	70	*
* 2334	13.2	87	5.4	273	8.6	8.3		*	100	100	38	*
* 2338	13.5	83	5.5	273	8.6	8.3		*	0	11	24	*
* 2342	11.8	97	5.5	274	8.7	8.3	**	*	43	100	63	*

AVAILABLE

PAGE 1- 12

* DEPTH	DIP	DIP	DEV	DEV	DIAH	DIAH	LD	Q	PLA	CLD	MAX	*
		AZH		AZH	1-3	2-4	GI					
2346	12.6	94	5.5	274	8.6	8.3	**	*	49	100	63	*
2350	11.3	93	5.5	275	8.6	8.3	**	*	40	100	64	*
2354	11.1	92	5.5	276	8.5	8.3	**	*	32	100	63	*
2358	11.7	68	5.5	277	8.5	8.3		D	0	50	53	*
2362	64.8	144	5.7	278	8.5	8.3		*	10	0	63	*
2366	15.3	78	5.8	279	8.5	8.3		*	0	15	17	*
2370	10.9	95	5.5	279	8.6	8.3		*	0	63	72	*
2374	8.5	100	5.6	279	8.7	8.3	**	B	100	100	75	*
2378	11.5	99	5.7	279	8.7	8.3	**	*	100	100	84	*
2382	11.3	98	5.6	280	8.5	8.3	**	*	100	82	83	*
2386	10.2	92	5.8	280	8.5	8.3		*	0	100	46	*
2390	10.2	94	5.8	279	8.6	8.3		*	0	100	40	*
2394	9.8	107	5.7	279	8.6	8.2		*	0	12	31	*
2398	11.9	98	5.8	280	8.6	8.2	**	*	100	100	73	*
2402	11.8	96	5.8	279	8.5	8.1	**	*	100	100	85	*
2406	11.8	94	5.7	277	8.5	8.1	**	*	100	70	40	*
2410	10.1	97	5.7	279	8.4	8.2		A	100	100	54	*
2414	15.1	95	5.7	280	8.3	8.3	**	C	100	74	69	*
2418	13.1	82	5.7	276	8.3	8.3	**	*	100	100	77	*
2422	13.0	81	5.8	275	8.3	8.3	**	*	100	100	86	*
2426	13.9	90	5.7	277	8.3	8.5	**	*	38	100	87	*
2430	13.8	92	5.7	276	8.3	8.5	**	*	39	100	86	*
2434	12.6	86	5.9	274	8.3	8.5		*	40	100	56	*
2438	11.5	89	5.8	274	8.3	8.4	**	*	100	100	56	*
2442	26.5	66	5.8	274	8.2	8.4		*	0	57	59	*
2446	13.3	84	5.8	274	8.2	8.5		*	85	25	76	*
2450	11.8	86	5.7	275	8.2	8.6	**	A	46	100	93	*
2454	14.3	84	6.3	276	8.2	8.6	**	*	65	100	93	*
2458	11.1	85	6.3	276	8.2	8.5	**	*	100	100	44	*
2462	10.5	92	5.9	277	8.2	8.5	**	A	100	100	76	*
2466	9.7	90	6.0	279	8.2	8.3		A	100	100	74	*
2470	11.3	88	6.0	279	8.3	8.3		B	100	100	80	*
2474	12.1	87	6.0	279	8.3	8.2	**	*	100	100	69	*
2478	11.2	85	5.9	276	8.3	8.2	**	*	100	100	78	*
2482	11.5	83	6.0	272	8.3	8.2	**	*	100	100	79	*
2486	14.8	83	5.9	274	8.2	8.2	**	*	100	100	62	*
2490	9.7	89	6.0	277	8.2	8.2	**	A	100	100	83	*
2494	12.4	87	6.1	276	8.3	8.3	**	*	100	100	93	*
2498	13.4	94	6.1	275	8.2	8.2	**	A	100	100	99	*
2502	12.7	94	6.1	274	8.1	8.1	**	*	100	100	96	*

BEST IMAGE
AVAILABLE

ZONE 1=

PAGE 1= 13

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	D	PLA	CLS	MAX	*
		AZH		AZH	1=3	2=4	GI					*
* 2506	11.8	82	6.2	271	8.2	8.1	**	*	100	100	93	*
* 2510	16.2	76	6.3	270	8.2	8.1	**	C	14	100	92	*
* 2514	11.7	80	6.1	270	8.2	8.2	**	*	10	100	97	*
* 2518	10.5	84	6.0	273	8.1	8.2	**	*	100	100	99	*
* 2522	11.5	82	6.1	276	8.0	8.1	**	*	10	100	91	*
* 2526	12.6	89	6.0	275	8.1	8.1	**	*	100	100	70	*
* 2530	10.0	89	6.0	273	8.1	8.1	**	A	100	100	71	*
* 2534	10.1	78	6.0	270	8.0	8.0		A	100	100	65	*
* 2538	11.8	77	5.9	268	8.0	8.0	**	A	100	100	74	*
* 2542	19.9	77	5.9	269	8.1	8.0	**	C	100	100	77	*
* 2546	12.7	82	6.1	270	8.2	8.1	**	*	18	100	88	*
* 2550	10.9	83	6.2	269	8.2	8.1	**	A	100	100	89	*
* 2554	12.2	82	6.4	269	8.2	8.1	**	*	100	100	86	*
* 2558	11.4	82	6.4	269	8.2	8.1	**	*	100	100	84	*
* 2562	11.6	81	6.4	268	8.2	8.1	**	*	100	100	87	*
* 2566	11.7	80	6.5	266	8.3	8.2	**	*	100	100	73	*
* 2570	11.6	80	6.4	266	8.3	8.1		*	100	100	72	*
* 2574	11.3	80	6.5	265	8.3	8.1	**	*	100	100	80	*
* 2578	11.0	78	6.6	265	8.3	8.1	**	A	100	100	79	*
* 2582	11.0	79	6.6	265	8.4	8.2	**	*	100	100	85	*
* 2586	11.1	75	6.7	266	8.4	8.2	**	*	100	100	90	*
* 2590	10.3	77	6.8	266	8.3	8.2	**	*	100	100	95	*
* 2594	9.9	78	6.6	266	8.4	8.2	**	*	100	100	97	*
* 2602	10.1	75	6.8	267	8.4	8.1	**	*	100	100	66	*
* 2606	9.9	78	6.9	269	8.4	8.1	**	*	100	100	71	*
* 2610	9.7	87	6.9	271	8.3	8.1		*	0	36	59	*
* 2614	9.2	86	7.0	270	8.3	8.1	**	A	100	100	94	*
* 2618	9.7	86	7.1	270	8.3	8.2	**	A	100	100	97	*
* 2622	10.3	83	7.0	272	8.3	8.1	**	*	100	100	89	*
* 2626	9.1	87	7.0	275	8.2	8.1	**	A	100	100	95	*
* 2630	8.6	93	7.2	277	8.2	8.2	**	C	100	100	78	*
* 2634	8.3	91	7.1	277	8.2	8.2		*	0	100	37	*
* 2638	8.0	94	7.1	278	8.2	8.1		A	0	100	56	*
* 2642	14.6	78	7.2	278	8.1	8.0		*	10	93	60	*
* 2646	5.8	30	7.2	278	8.1	8.0	**	*	10	97	54	*
* 2650	15.3	87	7.1	278	8.1	8.1	**	*	100	100	93	*
* 2654	6.8	100	7.1	277	8.2	8.1	**	*	100	100	87	*
* 2658	21.0	80	7.2	277	8.3	8.1	**	*	100	99	97	*
* 2662	17.6	80	7.2	277	8.2	8.2	**	*	36	76	98	*
* 2666	11.5	92	7.2	277	8.2	8.2	**	*	100	100	95	*

BEST IMAGE
AVAILABLE

ZONE 1=										PAGE 1= 14		
* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLD	MAX	*
		AZH		AZH	1=3	2=4	GI					*

* 2670	11.6	94	7.2	277	8.3	8.3	**	*	100	100	98	*
* 2674	13.2	78	7.2	278	8.5	8.4	**	*	100	100	93	*
* 2678	12.8	85	7.2	277	8.5	8.4	**	A	100	100	73	*
* 2682	11.9	86	7.4	278	8.3	8.3	**	*	100	100	57	*
* 2686	10.4	82	7.4	279	8.2	8.2		*	0	100	70	*
* 2690	42.2	182	7.4	280	8.2	8.2	**	*	10	100	47	*
* 2694	8.2	97	7.4	279	8.2	8.2		*	0	100	94	*
* 2698	8.1	95	7.4	277	8.3	8.2		*	0	100	96	*
* 2702	10.0	79	7.5	276	8.5	8.2		*	0	46	88	*
* 2706	9.4	78	7.5	276	8.5	8.3	**	A	100	100	85	*
* 2710	7.9	86	7.5	276	8.4	8.4	**	A	100	100	81	*
* 2714	8.7	79	7.6	277	8.4	8.4	**	A	13	100	82	*
* 2718	7.5	91	7.6	277	8.3	8.4		*	0	100	94	*
* 2726	6.5	86	7.6	277	8.3	8.4	**	A	100	100	83	*
* 2730	6.5	89	7.7	276	8.3	8.4		*	100	100	81	*
* 2734	66.5	241	7.7	277	8.4	8.5		*	0	100	63	*
* 2738	20.6	63	7.7	275	8.4	8.4	**	*	29	90	87	*
* 2742	17.2	68	7.8	274	8.4	8.4	**	*	15	100	90	*
* 2746	13.5	68	7.8	274	8.3	8.3	**	*	100	100	85	*
* 2750	12.6	69	7.8	274	8.3	8.3	**	*	100	100	84	*
* 2754	31.8	67	8.0	274	8.3	8.3	**	*	10	74	38	*
* 2758	34.4	67	8.0	275	8.2	8.3		*	0	100	37	*
* 2762	10.6	83	8.0	277	8.2	8.3	**	A	100	100	76	*
* 2766	13.2	73	8.1	278	8.1	8.3	**	*	100	100	83	*
* 2770	14.9	75	8.1	278	8.1	8.3	**	*	100	100	83	*
* 2774	11.7	83	8.1	279	8.2	8.2	**	*	100	100	90	*
* 2778	14.3	77	8.2	279	8.2	8.3	**	A	100	100	88	*
* 2782	17.1	81	8.3	280	8.2	8.3	**	C	100	100	76	*
* 2786	13.1	96	8.3	280	8.2	8.3		*	100	100	82	*
* 2790	12.2	71	8.3	281	8.3	8.3		*	100	100	71	*
* 2798	13.3	76	8.4	280	8.3	8.4	**	*	100	100	67	*
* 2802	15.9	71	8.2	280	8.3	8.5	**	*	100	100	76	*
* 2806	14.9	83	8.3	281	8.3	8.5	**	A	100	100	86	*
* 2810	12.8	73	8.5	282	8.3	8.5		*	0	56	32	*
* 2814	18.5	74	8.7	282	8.3	8.5	**	*	100	53	29	*
* 2818	29.1	73	8.7	281	8.3	8.6		*	0	0	45	*
* 2822	7.1	90	8.7	281	8.2	8.6	**	*	100	100	53	*
* 2826	5.0	124	8.6	281	8.3	8.6		*	0	0	70	*
* 2830	11.4	85	8.7	282	8.3	8.6		*	10	14	73	*
* 2834	10.0	24	8.8	282	8.2	8.6		*	0	16	68	*

BEST IMAGE
AVAILABLE

ZONE 1=

PAGE 1= 15

```
*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LG   Q   PLA   CLR   MAX   *
*           AZM           AZM   1-3   2-4   GI
*****
*
*   2838   16.6   22   8.9   283   8.1   8.5   **   *   46   100   91   *
*   2842   17.0   34   8.8   282   8.1   8.5   **   D   41   100   91   *
*   2846   11.6   91   8.8   280   8.2   8.5   **   *   10   57   88   *
*   2850   10.7   87   8.8   280   8.3   8.7   *   A   0   100   49   *
*   2854   4.6   352   8.8   282   8.2   8.8   *   *   37   100   44   *
*   2858   10.5   68   8.9   281   8.1   8.7   *   *   0   16   42   *
*   2862   13.6   80   8.9   280   8.1   8.5   **   *   100   100   87   *
*   2866   13.6   86   9.0   280   8.1   8.4   **   *   100   100   94   *
*   2870   14.6   84   9.1   281   8.0   8.3   **   *   100   100   98   *
*   2874   14.2   87   9.1   283   8.0   8.3   **   *   100   100   97   *
*   2878   11.6   93   9.2   283   7.9   8.3   **   A   100   100   96   *
*   2882   11.0   91   9.1   283   7.9   8.3   **   A   100   100   95   *
*   2886   11.9   89   9.1   284   7.9   8.2   **   B   100   100   97   *
*   2890   10.6   94   9.1   284   7.9   8.2   **   C   100   100   99   *
*   2894   10.2   96   9.1   284   8.0   8.1   **   A   100   100   99   *
*   2898   11.5   92   9.1   283   7.9   8.0   **   *   100   100   97   *
*   2902   12.5   87   9.1   283   7.9   8.0   **   B   100   100   96   *
*   2906   11.7   92   9.2   283   7.9   8.0   **   *   100   100   91   *
*   2910   11.8   89   9.3   283   8.0   8.0   **   *   100   100   88   *
*   2914   11.9   90   9.3   283   8.0   8.1   **   *   100   100   94   *
*   2918   11.9   93   9.4   283   8.0   8.1   **   A   100   100   95   *
*   2922   13.7   91   9.4   283   8.0   8.0   **   A   100   100   93   *
*   2926   12.3   92   9.3   283   8.0   8.1   **   *   100   100   87   *
*   2930   10.9   95   9.2   283   7.9   8.2   **   A   100   100   95   *
*   2934   11.0   93   9.2   283   7.9   8.2   **   A   100   100   97   *
*   2938   12.6   83   9.2   284   7.9   8.1   **   *   100   100   97   *
*   2942   12.2   88   9.1   284   7.9   8.1   **   *   10   100   94   *
*   2946   12.1   88   9.1   283   7.9   8.0   **   *   100   100   95   *
*   2950   11.7   87   9.1   283   7.9   8.0   **   *   100   100   95   *
*   2954   11.2   89   9.1   283   7.9   8.0   **   *   100   100   93   *
*   2958   10.4   88   9.0   283   7.9   8.0   **   *   100   100   91   *
*   2962   12.4   85   9.1   284   7.9   8.0   **   *   100   100   91   *
*   2966   16.9   88   9.1   284   7.9   8.0   **   *   100   100   90   *
*   2970   17.2   95   9.1   284   7.9   8.1   **   *   100   100   83   *
*   2974   24.6   59   9.1   283   7.9   8.1   *   *   0   20   86   *
*   2978   19.7   79   9.1   282   7.9   8.0   **   *   10   100   82   *
*   2982   43.1   122   9.2   282   8.0   8.1   *   *   100   100   79   *
*   2986   11.1   30   9.2   282   8.0   8.1   *   D   43   100   79   *
*   2990   66.1   140   9.2   282   8.1   8.1   *   *   0   0   49   *
*   2998   19.7   89   9.3   281   8.2   8.1   **   *   100   100   95   *
*****
```


BEST IMAGE
AVAILABLE

ZONE 1=

PAGE 1= 16

* DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	Q	PLA	CLB	MAX	*
	AZM		AZM		1-3	2-4	GI					*
* 3002	17.5	79	9.2	279	8.2	8.2	**	*	19	100	82	*
* 3006	8.3	68	9.2	278	8.2	8.3		*	0	24	49	*
* 3010	8.6	90	9.1	278	8.2	8.2	**	*	10	100	54	*
* 3014	16.4	86	9.2	280	8.0	8.3		*	0	100	78	*
* 3018	14.8	89	9.2	282	8.0	8.3	**	*	100	100	89	*
* 3022	13.5	90	9.1	281	8.1	8.2	**	*	100	100	61	*
* 3026	13.9	100	9.1	281	8.1	8.2		*	0	39	94	*
* 3030	11.5	102	9.0	282	8.2	8.2	**	*	10	100	92	*
* 3034	13.0	92	8.9	282	8.2	8.1	**	*	13	58	82	*
* 3038	11.4	77	8.8	279	8.3	8.1	**	*	16	57	85	*
* 3042	9.4	16	8.8	277	8.4	8.1		*	0	39	90	*
* 3046	47.4	150	8.7	276	8.3	8.1	**	*	100	100	90	*
* 3050	20.0	80	8.7	276	8.3	8.1	**	*	100	100	73	*
* 3054	21.6	84	8.6	276	8.2	8.1		*	0	36	67	*
* 3058	6.5	69	8.6	274	8.3	8.2	**	*	100	100	99	*
* 3062	8.0	72	8.7	273	8.4	8.3		*	0	100	97	*
* 3066	16.7	69	8.7	275	8.5	8.2	**	*	100	100	91	*
* 3074	9.2	103	8.7	280	8.7	8.3		*	0	100	81	*
* 3078	31.8	30	8.7	281	9.0	8.6	**	*	10	100	79	*
* 3082	36.5	344	8.6	281	9.2	8.7		*	0	10	62	*
* 3086	13.3	80	8.6	280	9.2	8.8		*	0	42	66	*
* 3090	15.8	77	8.5	279	9.0	8.6		C	10	94	80	*
* 3094	9.7	103	8.4	279	8.7	8.6		*	0	25	77	*
* 3098	11.2	84	8.4	280	8.4	8.4		*	0	100	89	*
* 3106	18.9	112	8.4	280	8.5	8.4		*	0	21	78	*
* 3110	16.4	88	8.3	280	8.2	8.1	**	*	100	100	82	*
* 3114	15.4	82	8.4	280	8.2	8.1	**	*	100	100	90	*
* 3118	10.4	89	8.5	279	8.1	8.1	**	*	100	100	88	*
* 3122	12.4	79	8.5	279	8.0	8.0	**	*	10	51	74	*
* 3126	13.9	85	8.4	279	7.9	8.0	**	*	16	100	68	*
* 3130	17.5	82	8.3	281	7.9	8.0		*	0	100	65	*
* 3134	17.7	132	8.3	282	7.8	7.9		*	0	100	63	*
* 3138	26.8	50	8.2	281	7.8	7.9	**	*	27	100	57	*
* 3142	27.0	49	8.3	281	7.8	7.9	**	*	23	100	79	*
* 3146	12.5	117	8.2	282	7.8	7.9	**	*	100	100	93	*
* 3150	12.2	115	8.2	280	7.8	7.9	**	*	100	100	93	*
* 3154	11.9	72	8.2	280	7.8	7.9	**	*	11	100	84	*
* 3158	10.4	56	8.1	281	7.9	7.9		A	30	100	61	*
* 3162	26.7	111	8.1	280	7.9	7.9		*	0	10	32	*
* 3166	28.9	201	8.1	280	7.9	7.8		*	0	100	37	*

BEST IMAGE
AVAILABLE

ZONE 1=

PAGE 1= 17

```
*****
* DEPTH  DIP  DIP  DEV  DEV  DIAM  DIAM  LG  Q  PLA  CLS  MAX  *
*          AZM          AZM  1-3  2-4  GI          *
*****
*
* 3170  14.1  122  8.0  281  7.9  7.8  *  0  24  69  *
* 3174  10.7   50  8.1  281  7.8  7.8  ** D  11 100  82  *
*****
```


BEST IMAGE
AVAILABLE

ZONE 1=												PAGE 2= 1
* DEPTH	DIP	DIP	DEV	DEV	DIAH	DIAH	LG	Q	PLA	CLG	MAX	*
	AZH		AZH		1-3	2-4	GI					*

* 3014	14.2	96	9.1	289	7.8	8.0	**	A	100	100	78	*
* 3022	13.4	96	9.1	289	7.8	7.9	**	*	100	100	88	*
* 3026	11.7	104	9.1	288	8.0	7.9	**	*	10	100	93	*
* 3030	13.0	88	9.0	289	8.0	8.0		*	0	100	94	*
* 3034	12.4	98	8.9	289	8.1	8.1		*	0	100	91	*
* 3038	10.9	71	8.8	287	8.2	8.0	**	*	38	100	86	*
* 3042	29.2	274	8.8	286	8.2	8.0	**	*	22	100	92	*
* 3046	18.3	46	8.8	286	8.0	8.0		*	0	34	84	*
* 3050	17.2	88	8.8	285	7.9	8.0		*	0	100	77	*
* 3054	31.9	76	8.7	285	7.9	8.0		*	0	0	39	*
* 3058	7.2	86	8.7	284	8.2	8.2	**	*	29	100	98	*
* 3062	8.5	82	8.8	284	8.5	8.2	**	*	100	100	91	*
* 3066	12.3	120	8.8	284	8.5	8.1		*	0	100	86	*
* 3070	12.4	122	8.7	284	8.7	8.1		*	0	11	94	*
* 3074	27.8	134	8.7	286	8.8	8.4		*	0	21	73	*
* 3078	38.0	40	8.7	287	9.0	8.3	**	*	10	100	78	*
* 3082	22.0	99	8.7	287	9.2	8.3		*	0	58	64	*
* 3086	42.0	57	8.6	287	9.0	8.7		*	0	60	77	*
* 3090	13.6	97	8.6	288	8.7	8.7	**	*	100	51	79	*
* 3094	13.0	107	8.5	288	8.5	8.5		*	0	100	72	*
* 3098	12.7	96	8.5	289	8.4	8.4		*	0	50	85	*
* 3102	23.9	123	8.5	289	8.4	8.4		*	19	30	75	*
* 3106	16.8	96	8.4	289	8.3	8.1	**	*	100	100	78	*
* 3110	15.2	88	8.5	288	8.2	7.9	**	*	100	100	87	*
* 3114	11.0	87	8.5	288	8.1	7.9	**	*	100	100	91	*
* 3118	12.3	94	8.5	288	7.9	7.8	**	*	10	100	87	*
* 3122	14.3	111	8.5	288	7.9	7.7		*	0	79	86	*
* 3126	9.5	60	8.5	289	7.9	7.8		*	0	10	81	*
* 3130	46.1	240	8.4	289	7.9	7.9		*	0	100	41	*
* 3134	NO CORR		8.4	288	7.8	7.9						*
* 3138	24.5	138	8.4	288	7.8	7.7		*	0	100	85	*
* 3142	12.9	111	8.4	288	7.8	7.7		*	0	100	84	*
* 3146	14.8	127	8.3	288	7.7	7.8	**	D	100	100	95	*
* 3150	13.4	119	8.4	288	7.7	7.8	**	*	35	72	91	*
* 3154	17.2	42	8.3	287	7.9	7.8		*	27	42	70	*
* 3158	15.5	40	8.2	286	7.9	7.9		*	100	20	67	*
* 3162	18.6	121	8.3	286	7.9	7.8		*	0	18	48	*
* 3166	12.6	129	8.3	286	7.9	7.8		*	0	18	68	*
* 3170	12.0	127	8.3	287	7.9	7.8		*	0	18	92	*
* 3174	11.2	89	8.2	287	7.8	7.9		*	0	10	71	*

BEST IMAGE
AVAILABLE

PAGE 3- 1

DEPTH	DIP	DIP	DEV	DEV	DIAM	DIAM	LG	O	PLA	CLB	MAX	*
	AZM		AZM		1-3	2-4	GI					*

1116	3.4	211	1.9	301	8.0	8.1	**	*	100	100	69	*
1120	3.1	210	1.8	302	8.0	8.3	**	A	100	100	76	*
1124	4.3	211	1.7	303	8.0	8.6		*	100	100	51	*
1128	4.4	123	1.6	303	7.9	8.7		*	0	100	91	*
1132	9.3	106	1.7	301	7.9	8.5	**	*	100	100	87	*
1136	10.1	106	1.7	298	7.9	8.4	**	*	100	100	88	*
1140	10.1	104	1.8	298	7.9	8.3	**	*	86	100	78	*
1144	9.9	106	2.0	299	7.9	8.3	**	*	100	100	73	*
1148	6.9	112	2.0	299	7.9	8.3	**	A	100	100	72	*
1152	9.0	111	2.1	300	7.9	8.4	**	*	100	100	66	*
1156	9.4	110	2.2	300	7.9	8.4	**	*	100	100	77	*
1160	9.9	109	2.1	300	8.0	8.2	**	*	100	100	71	*
1164	7.3	108	2.1	300	8.0	8.2		A	100	100	69	*
1168	9.1	108	2.1	300	8.0	8.4	**	*	100	100	83	*
1172	9.9	112	2.1	301	8.0	8.5	**	*	100	100	94	*
1176	10.1	111	2.2	300	8.0	8.4	**	*	100	100	96	*
1180	7.4	107	2.2	298	7.9	8.4		A	100	100	76	*
1184	8.6	112	2.2	298	8.0	8.4		*	0	100	94	*
1188	9.1	111	2.2	298	7.9	8.6	**	A	100	100	94	*
1192	10.0	112	2.2	297	7.9	8.5	**	*	100	100	97	*
1196	21.6	50	2.3	297	8.0	8.4		*	0	19	60	*
1200	10.5	106	2.4	297	8.0	8.5	**	*	100	100	85	*
1204	10.6	107	2.4	296	8.0	8.5	**	*	100	100	95	*
1208	9.5	105	2.4	295	8.0	8.3	**	*	100	100	86	*
1212	9.3	103	2.4	294	8.0	8.3	**	*	100	100	83	*
1216	7.0	104	2.5	293	8.0	8.3	**	A	100	100	74	*
1220	9.5	104	2.6	292	8.0	8.4		*	100	100	69	*
1224	6.5	105	2.5	293	7.9	8.6		*	0	0	57	*
1228	65.7	47	2.6	293	7.9	8.6		*	0	64	35	*
1232	10.0	100	2.5	293	8.0	8.7		*	0	100	68	*
1236	9.9	101	2.5	292	7.9	8.8	**	*	100	100	73	*
1240	7.2	103	2.7	291	8.0	8.8	**	A	100	100	69	*
1244	8.6	88	2.7	291	7.9	8.9		*	0	0	84	*
1248	11.5	102	2.7	290	7.9	9.0	**	*	100	100	96	*
1252	7.7	99	2.8	291	7.8	9.1	**	B	100	100	97	*
1256	10.7	97	2.9	290	7.8	8.9	**	B	82	100	97	*
1260	12.5	90	2.9	290	7.8	8.9	**	*	100	100	78	*
1264	15.0	88	3.0	289	7.8	9.1	**	*	100	100	91	*
1268	16.9	91	3.0	288	7.8	9.1	**	*	100	100	90	*
1272	12.0	98	3.0	287	7.9	9.1		*	0	100	80	*

BEST IMAGE
AVAILABLE

ZONE 1-

PAGE 3- 2

```
*****
*   DEPTH   DIP   DIP   DEV   DEV   DIAM   DIAM   LG   G   PLA   CLG   MAX   *
*           AZM           AZM   1-3   2-4   GI           *
*****
*
*   1276   19.0   53   3.0   287   7.9   9.1   *   14   28   68   *
*   1280   13.5   90   3.0   286   7.9   9.0   **  8   100  100  72   *
*   1284   21.5   88   3.1   286   7.9   8.9   **  C   100  100  73   *
*   1288   20.4   91   3.1   287   7.9   8.9   **  8   100  100  91   *
*   1292   25.8   93   3.1   286   7.9   9.2   **  C   100  100  88   *
*   1296   14.5   98   3.2   285   7.9   9.5   **  *   100  100  80   *
*   1300   15.6   93   3.4   283   8.0   9.3   *   100  100  71   *
*****
```