



02496726

BEST IMAGE  
AVAILABLE

\*\*\*\*\*  
\* \*  
\*\*\*\*\*  
\* SCHLUMBERGER \*  
\*\*\*\*\*

HIGH RESOLUTION

DIPMETER

\*\*\*\*\*



BEST IMAGE  
AVAILABLE

\*\*\*\*\*  
\*  
\* DIP FREQUENCY BY AZIMUTH \*  
\* 0-10 DEGREE DIPS \*  
\*  
\*\*\*\*\*

QUALITY CONTROL- LISTED ARE DIPS WITHIN A QUALITY RANGE OF 10% TO 100%

-----

PRESENTATION 210 240 W 300 330 N 30 60 E 120 150 S

-----

500- 600	2		1	1				1	2	
600- 700			1				1	6	7	
700- 800								7	7	
800- 900								4	16	
900- 1000								4	17	
1000- 1100								1	20	
1100- 1200	2	1						4	12	
1200- 1300								2	6	
1300- 1400									17	
1400- 1500								8	7	
1500- 1600								1	12	
1600- 1700								12	10	
1700- 1800								9	15	
1800- 1900								23	2	
1900- 2000								20	2	
2000- 2100								18		
2100- 2200								6		
2200- 2300								4		
2300- 2400								1	1	
2400- 2500								2		
2500- 2600								1		



BEST IMAGE  
AVAILABLE

2600- 2700	1	11
2700- 2800		6
2800- 2900	1	1
2900- 3000		
3000- 3100	1	3 3
3100- 3200		1



BEST IMAGE  
AVAILABLE

\*\*\*\*\*  
\*  
\* DIP FREQUENCY BY AZIMUTH \*  
\* 10-90 DEGREE DIPS \*  
\*  
\*\*\*\*\*

QUALITY CONTROL- LISTED ARE DIPS WITHIN A QUALITY RANGE OF 10% TO 100%  
-----

PRESENTATION	210	240	W	300	330	N	30	60	E	120	150	S
500- 600		1							2			
600- 700	3	1		1				1		2		1
700- 800		1		2					1	6		
800- 900		1							1	1		
900- 1000				2					1	1		
1000- 1100							1		1	2		
1100- 1200										6		
1200- 1300							1		14	2		
1300- 1400								1	2	1		1
1400- 1500							1	2	2	4		
1500- 1600									3	9		
1600- 1700									1	1		
1700- 1800										1		
1800- 1900												
1900- 2000	1								1	1		
2000- 2100									5			
2100- 2200								3	11	1	2	
2200- 2300								1	19			
2300- 2400								1	21			
2400- 2500								1	22			
2500- 2600									23			



BEST IMAGE  
AVAILABLE

2600- 2700					12		1
2700- 2800	1				8	8	
2800- 2900				3	4	14	
2900- 3000				1	1	20	1
3000- 3100			1	1	1	13	1
3100- 3200	1	1		2	6	11	14 1



BEST IMAGE  
AVAILABLE

\*\*\*\*\*  
\*  
\* DIP FREQUENCY BY AZIMUTH \*  
\* 0-10 DEGREE DIPS \*  
\*  
\*\*\*\*\*

QUALITY CONTROL- LISTED ARE DIPS WITHIN A QUALITY RANGE OF 10% TO 100%

\*\*\*\*\*

PRESENTATION	30	60	E	120	150	S	210	240	W	300	330	N
*****												
500- 600			1	2			2		1	1		
600- 700		1	6	7					1			
700- 800			7	7								
800- 900			4	16								
900- 1000			4	17								
1000- 1100			1	20								
1100- 1200			4	12			2	1				
1200- 1300			2	6								
1300- 1400				17								
1400- 1500			8	7								
1500- 1600			1	12								
1600- 1700			12	10								
1700- 1800			9	15								
1800- 1900			23	2								
1900- 2000			20	2								
2000- 2100			18									
2100- 2200			6									
2200- 2300			4									
2300- 2400			1	1								
2400- 2500			2									
2500- 2600												



BEST IMAGE  
AVAILABLE

2600- 2700	1	11	
2700- 2800		6	
2800- 2900		1	1
2900- 3000			
3000- 3100	1	3	3
3100- 3200		1	



BEST IMAGE  
AVAILABLE

\*\*\*\*\*  
\*  
\* DIP FREQUENCY BY AZIMUTH \*  
\* 0-90 DEGREE DIPS \*  
\*  
\*\*\*\*\*

QUALITY CONTROL- LISTED ARE DIPS WITHIN A QUALITY RANGE OF 10% TO 100%

-----

PRESENTATION	30	60	E	120	150	S	210	240	W	300	330	N
-----												
500- 600			3	2			2	1	1	1		
600- 700		2	6	9		1	3	1	1	1		
700- 800			8	13				1		2		
800- 900			5	17				1				
900- 1000			5	18						2		
1000- 1100	1		2	22								
1100- 1200			4	18			2	1				
1200- 1300	1		16	8								
1300- 1400		1	2	18		1						
1400- 1500	1	2	10	11								
1500- 1600			4	21								
1600- 1700			13	11								
1700- 1800			9	16								
1800- 1900			23	2								
1900- 2000			21	3			1					
2000- 2100			23									
2100- 2200		3	17	1	2							
2200- 2300		1	23									
2300- 2400		1	22	1								
2400- 2500		1	24									
2500- 2600												



BEST IMAGE  
AVAILABLE

2600- 2700	1		23		1				
2700- 2800		8	14				1		
2800- 2900	3	4	15						1
2900- 3000	1	1	20	1					
3000- 3100	2	4	16		1				1
3100- 3200	2	7	11	14	1		1	1	