

Sanford 30N-30B-m

401859084

123-45508

Sanford 30C-30-m

401859215

123-45509

Sanford 30N-30A-m

401859300

123-45510

Sanford 4N-30C-m

401859475

123-45511

Sanford 4N-30B-m

401859513

123-45532

Sanford 4C-30-m

401871831

123-45533

Sanford 4N-30A-m

401872090

123-45534

Sanford 31N-30C-m

401872120

123-45545

SURFACE CASING CHECK

Well Name Sanford 21-29 Pad West

☒ New Drill ☒ Refiling ☐ Deepen ☐ Re-Enter ☐ Recomplete and Operate ☐ Plug and Abandon ☐ Casing Repair SRC

SB5 Base of Fox Hills N/A

Cheyenne Basin Map Base of Fox Hills _____

Fox Hills Protection Area 5% Rule _____

Deepest Water Well w/in One Mile 900' + 50' = 950'

Operator-Proposed Surface Casing Depth 1750'

Actual Surface Casing Depth _____

Change Permit Surface Casing Depth from _____ to _____

OK on ☐ this well's or ☐ offset well's induction log at _____

No Sussex Production w/in 1 mile

Sanford 3N-30B-m
#401 872 205

Sanford 5N-30C-m
#401 873 451

Sanford 5C-30-m
#401 874 104

Sanford 5N-30B-m
#401 874 107

Sanford 32N-30C-m
#401 874 119

Sanford 32N-30B-m
#401 874 208

SURFACE CASING CHECK

Well Name Sanford 21-29 PAs *west*
SKC

☒ New Drill ☐ Refiling ☐ Deepen ☐ Re-Enter ☐ Recomplete and Operate ☐ Plug and Abandon ☐ Casing Repair

SB5 Base of Fox Hills _____

Cheyenne Basin Map Base of Fox Hills _____

Fox Hills Protection Area 5% Rule _____

Deepest Water Well w/in One Mile _____

Operator-Proposed Surface Casing Depth _____

Actual Surface Casing Depth _____

Change Permit Surface Casing Depth from _____ to _____

OK on ☐ this well's or ☐ offset well's induction log at _____

Bedrock Aquifer Evaluation Determination Tool**Denver Basin Aquifer - Specific Location Determination Tool****Applicant:** Sanford 21-29 Pad**Receipt No:****Evaluated By:****Location:** NE 1/4 of NW 1/4 of Sec. 29, T.5N, R.66W. (611 NSL, 2395 WSL)**Basin Designation:** Location is within the UNKNOWN Designated Ground Water Basin.**Ground Surface Elevation:** 4904 Feet **Number of Acres:** 160

Warning! The depth intervals estimated in this area may vary from actual conditions due to lack of data and/or structural complexity.

Aquifer	Elevation (ft)		Net Sand	DEPTH (ft)		ANNUAL APRPROP. (A-F)	STATUS
	<i>Bot</i>	<i>Top</i>		<i>Bot</i>	<i>Top</i>		
Upper Dawson	--	--	--	--	--	--	--
Lower Dawson	--	--	--	--	--	--	--
Denver	--	--	--	--	--	--	--
Upper Arapahoe	--	--	--	--	--	--	--
Lower Arapahoe	--	--	--	--	--	--	--
Laramie-Fox Hills	--	--	--	--	--	--	--

NOTE: 'E' indicates a location is at an aquifer boundary and the values may be more approximate.

**COLORADO****Oil & Gas Conservation
Commission**

Department of Natural Resources

(Save as pdf)

Selected Items Report

Oil and Gas Wells Selected			
Filter Results by Formation Include ▾ Filter			
WELL DESCRIPTION	LOCATION ID	LOCATION	WELL INFORMATION

Water Wells Selected From Map					
Filter Results by Depth Greater than ▾ 0 Filter					
WELL DESCRIPTION	LOCATION	WELL INFORMATION			
		Depth	Top Perf	Bottom Perf	Aquifer
Receipt=9064629, Permit=49352--- ELDRED L LEE	SENE 20 5.0 N -66.0 W	20	0	0	ALL UNNAMED AQUIFERS
Receipt=3665867A, Permit=-- TELEP FAMILY LIMITED PARTNERSHIP LLLP	SESW 29 5.0 N -66.0 W	40	0	0	ALL UNNAMED AQUIFERS
Receipt=3604345, Permit=260219--A-- MORGAN, MICHAEL W	NWNE 30 5.0 N -66.0 W	900	600	900	ALL UNNAMED AQUIFERS
Receipt=0529962, Permit=260219--- MORGAN, MICHAEL W	NWNE 30 5.0 N -66.0 W	105	65	105	ALL UNNAMED AQUIFERS
Receipt=0533023, Permit=261054--- MORGAN, MICHAEL W	SENE 30 5.0 N -66.0 W	440	200	440	ALL UNNAMED AQUIFERS
Receipt=0534763, Permit=261824--- MORGAN, MICHAEL W	SENE 30 5.0 N -66.0 W	440	0	0	ALL UNNAMED AQUIFERS
Receipt=0058715, Permit=58715-MH-- EXTRACTION OIL & GAS INC	SENE 30 5.0 N -66.0 W	20	0	0	
Receipt=0525850, Permit=257641--- MOSSBERG GD & JANET LEE SHERROD-MOSSBERG	SESE 30 5.0 N -66.0 W	400	160	400	ALL UNNAMED AQUIFERS
Receipt=0059003, Permit=59003-MH-- EXTRACTION OIL AND GAS LLC	NWNW 32 5.0 N -66.0 W	15	0	0	QUATERNARY ALLUVIUM
Receipt=0240480, Permit=133726--A-- KNISTER FARMS	NWNW 32 5.0 N -66.0 W	40	20	40	ALL UNNAMED AQUIFERS

Sanford 26C-27-XR
#401 874 209

Sanford 26N-27A-XR

#401 874 234
Sanford 26N-27C-XR
#401 874 254

Sanford 1N-27B-XR
#401 874 257

Sanford 1C-27-XR
#401 874 259

Sanford ~~1N~~ 1N-27A-XR
#401 874 265

Sanford 1N-27C-XR
#401 874 268

Sanford 21N-27B-XR

#401 874 270

Sanford 41N-27C-XR

#401 874 272

- Sanford 8C-27-XR
#401 874 278

Sanford 8N-27B-XR
#401 874 279

Sanford 8N-27C-XR
#401 874 280

Sanford 40N-27B-XR
#401 874 281

Sanford 40N-27C-XR
#401 874 282

SURFACE CASING CHECK

Well Name Sanford 21-29 Pad EAST

☒ New Drill ☐ Refiling ☐ Deepen ☐ Re-Enter ☐ Recomplete and
Operate ☐ Plug and Abandon ☐ Casing Repair

SB5 Base of Fox Hills N/A

Cheyenne Basin Map Base of Fox Hills

Fox Hills Protection Area 5% Rule

Deepest Water Well w/in One Mile 900' + 50' - 950'

Operator-Proposed Surface Casing Depth 1750'

Actual Surface Casing Depth

Change Permit Surface Casing Depth from to

OK on ☐ this well's or ☐ offset well's induction log at

