


Data Collection Report

	Chassis	Left Scale	Right Scale
Serial Number	479321	563423	563850
Datatype		Lower	Upper
Units		PSI G	°F

Lower

Upper



	Chassis	Lower Module	Upper Module	BARO Module	Left Scale	Right Scale
Serial Number	479321	563423	563850		563423	563850
Model	NV	10KPSI	RTD100			
Message Store						
Userspan		1.00000	1.00000			
Offset						
Datatype						
Units		PSI G	°C		Lower PSI G	Upper °F
Tare						
Average						
User Factor						
User Offset						
User Resolution						
Firmware Version	R080015	R090009	R100006			
Calibration Due		4-Mar-16	9-Mar-16			
Run Index	2					
Run Start Time			21-May-15/06:43:38			
Run Duration			11 hours 50 minutes			
Run Tag			Colt/Aggie			
Logging Interval	60.0					

Data Points				
Point #	Time	Left - PSI G	Right - °F	
1	00:00:00.0	218	41.71	
2	00:01:00.0	218	41.72	
3	00:02:00.0	218	41.74	
4	00:03:00.0	218	41.75	
5	00:04:00.0	218	41.75	
6	00:05:00.0	218	41.77	
7	00:06:00.0	218	41.79	
8	00:07:00.0	218	41.82	
9	00:08:00.0	218	41.84	
10	00:09:00.0	218	41.87	

11	00:10:00.0	218	41.88
12	00:11:00.0	218	41.88
13	00:12:00.0	218	41.89
14	00:13:00.0	234	41.91
15	00:14:00.0	245	41.94
16	00:15:00.0	255	41.97
17	00:16:00.0	264	41.98
18	00:17:00.0	274	42.00
19	00:18:00.0	283	42.02
20	00:19:00.0	292	42.05
21	00:20:00.0	302	42.05
22	00:21:00.0	312	42.05
23	00:22:00.0	321	42.08
24	00:23:00.0	331	42.09
25	00:24:00.0	342	42.09
26	00:25:00.0	352	42.10
27	00:26:00.0	361	42.13
28	00:27:00.0	370	42.15
29	00:28:00.0	378	42.15
30	00:29:00.0	389	42.18
31	00:30:00.0	398	42.17
32	00:31:00.0	407	42.16
33	00:32:00.0	417	42.32
34	00:33:00.0	427	42.41
35	00:34:00.0	434	42.45
36	00:35:00.0	444	42.48
37	00:36:00.0	453	42.55
38	00:37:00.0	463	42.60
39	00:38:00.0	473	42.63
40	00:39:00.0	482	42.64
41	00:40:00.0	492	42.77
42	00:41:00.0	499	42.87
43	00:42:00.0	496	42.80
44	00:43:00.0	496	42.82
45	00:44:00.0	495	42.88
46	00:45:00.0	495	42.97
47	00:46:00.0	495	43.11

48	00:47:00.0	495	43.33
49	00:48:00.0	495	43.40
50	00:49:00.0	495	43.53
51	00:50:00.0	495	43.65
52	00:51:00.0	495	43.71
53	00:52:00.0	495	43.83
54	00:53:00.0	495	43.94
55	00:54:00.0	508	44.11
56	00:55:00.0	518	44.26
57	00:56:00.0	528	44.37
58	00:57:00.0	538	44.43
59	00:58:00.0	547	44.39
60	00:59:00.0	557	44.37
61	01:00:00.0	567	44.38
62	01:01:00.0	576	44.44
63	01:02:00.0	586	44.43
64	01:03:00.0	595	44.46
65	01:04:00.0	605	44.48
66	01:05:00.0	614	44.51
67	01:06:00.0	624	44.48
68	01:07:00.0	634	44.55
69	01:08:00.0	643	44.59
70	01:09:00.0	653	44.64
71	01:10:00.0	663	44.73
72	01:11:00.0	672	44.74
73	01:12:00.0	682	44.71
74	01:13:00.0	691	44.84
75	01:14:00.0	701	44.83
76	01:15:00.0	710	44.76
77	01:16:00.0	720	44.67
78	01:17:00.0	730	44.58
79	01:18:00.0	739	44.53
80	01:19:00.0	749	44.60
81	01:20:00.0	750	44.70
82	01:21:00.0	748	44.84
83	01:22:00.0	748	45.05
84	01:23:00.0	747	45.14

85	01:24:00.0	747	45.33
86	01:25:00.0	747	45.47
87	01:26:00.0	747	45.67
88	01:27:00.0	747	45.78
89	01:28:00.0	746	45.92
90	01:29:00.0	746	45.99
91	01:30:00.0	746	46.21
92	01:31:00.0	746	46.11
93	01:32:00.0	746	46.24
94	01:33:00.0	750	46.40
95	01:34:00.0	761	46.10
96	01:35:00.0	772	46.01
97	01:36:00.0	782	46.04
98	01:37:00.0	791	46.14
99	01:38:00.0	800	46.17
100	01:39:00.0	810	46.16
101	01:40:00.0	819	46.27
102	01:41:00.0	829	46.23
103	01:42:00.0	839	46.15
104	01:43:00.0	848	46.19
105	01:44:00.0	858	46.09
106	01:45:00.0	867	46.18
107	01:46:00.0	877	46.26
108	01:47:00.0	886	46.24
109	01:48:00.0	896	46.15
110	01:49:00.0	905	46.19
111	01:50:00.0	915	46.22
112	01:51:00.0	924	46.37
113	01:52:00.0	934	46.50
114	01:53:00.0	943	46.66
115	01:54:00.0	953	46.72
116	01:55:00.0	962	46.88
117	01:56:00.0	972	46.90
118	01:57:00.0	981	46.92
119	01:58:00.0	991	47.00
120	01:59:00.0	1000	47.12
121	02:00:00.0	1010	47.23

122	02:01:00.0	1019	47.32
123	02:02:00.0	1029	47.30
124	02:03:00.0	1038	47.41
125	02:04:00.0	1044	47.44
126	02:05:00.0	1041	47.40
127	02:06:00.0	1040	47.48
128	02:07:00.0	1039	47.58
129	02:08:00.0	1039	47.64
130	02:09:00.0	1039	47.82
131	02:10:00.0	1038	47.87
132	02:11:00.0	1038	48.01
133	02:12:00.0	1038	48.15
134	02:13:00.0	1038	48.10
135	02:14:00.0	1038	48.25
136	02:15:00.0	1038	48.56
137	02:16:00.0	1038	48.90
138	02:17:00.0	1038	49.31
139	02:18:00.0	1038	49.52
140	02:19:00.0	1037	49.48
141	02:20:00.0	1037	49.39
142	02:21:00.0	1037	49.50
143	02:22:00.0	1037	49.61
144	02:23:00.0	1037	49.82
145	02:24:00.0	1037	49.64
146	02:25:00.0	1037	49.86
147	02:26:00.0	1037	50.00
148	02:27:00.0	1037	49.91
149	02:28:00.0	1037	50.05
150	02:29:00.0	1037	49.96
151	02:30:00.0	1037	50.01
152	02:31:00.0	1037	50.13
153	02:32:00.0	1037	50.31
154	02:33:00.0	1037	50.54
155	02:34:00.0	1037	50.65
156	02:35:00.0	1037	50.79
157	02:36:00.0	1037	51.07
158	02:37:00.0	1037	50.91

159	02:38:00.0	1037	51.24
160	02:39:00.0	1036	51.51
161	02:40:00.0	1037	51.59
162	02:41:00.0	1036	51.56
163	02:42:00.0	1037	51.60
164	02:43:00.0	1036	51.35
165	02:44:00.0	1036	51.42
166	02:45:00.0	1036	51.75
167	02:46:00.0	1036	52.02
168	02:47:00.0	1036	52.05
169	02:48:00.0	1039	51.97
170	02:49:00.0	1045	51.85
171	02:50:00.0	1044	51.92
172	02:51:00.0	1044	52.07
173	02:52:00.0	1044	52.28
174	02:53:00.0	1044	52.46
175	02:54:00.0	1043	52.52
176	02:55:00.0	1043	52.53
177	02:56:00.0	1043	52.62
178	02:57:00.0	1043	52.59
179	02:58:00.0	1043	52.64
180	02:59:00.0	1043	52.51
181	03:00:00.0	1043	52.39
182	03:01:00.0	1043	52.50
183	03:02:00.0	1043	52.69
184	03:03:00.0	1043	52.87
185	03:04:00.0	1043	52.96
186	03:05:00.0	1043	52.98
187	03:06:00.0	1043	52.88
188	03:07:00.0	1043	52.80
189	03:08:00.0	1043	52.83
190	03:09:00.0	1043	52.77
191	03:10:00.0	1043	52.66
192	03:11:00.0	1043	52.73
193	03:12:00.0	1043	52.88
194	03:13:00.0	1043	53.06
195	03:14:00.0	1043	53.12

196	03:15:00.0	1043	53.25
197	03:16:00.0	1043	53.50
198	03:17:00.0	1043	53.74
199	03:18:00.0	1043	53.99
200	03:19:00.0	1043	54.08
201	03:20:00.0	1043	54.06
202	03:21:00.0	1043	54.05
203	03:22:00.0	1043	54.08
204	03:23:00.0	1043	54.22
205	03:24:00.0	1043	54.39
206	03:25:00.0	1043	54.46
207	03:26:00.0	1043	54.35
208	03:27:00.0	1043	54.31
209	03:28:00.0	1043	54.45
210	03:29:00.0	1043	54.56
211	03:30:00.0	1043	54.49
212	03:31:00.0	1043	54.37
213	03:32:00.0	1043	54.16
214	03:33:00.0	1043	54.23
215	03:34:00.0	1043	54.25
216	03:35:00.0	1042	54.25
217	03:36:00.0	1043	54.37
218	03:37:00.0	1043	54.34
219	03:38:00.0	1042	54.34
220	03:39:00.0	1042	54.45
221	03:40:00.0	1042	54.55
222	03:41:00.0	1043	54.65
223	03:42:00.0	1042	54.71
224	03:43:00.0	1042	54.76
225	03:44:00.0	1042	54.81
226	03:45:00.0	1042	54.78
227	03:46:00.0	1042	54.85
228	03:47:00.0	1042	54.88
229	03:48:00.0	1043	54.79
230	03:49:00.0	1042	54.75
231	03:50:00.0	1042	54.75
232	03:51:00.0	1042	54.57

233	03:52:00.0	1042	54.78
234	03:53:00.0	1042	54.78
235	03:54:00.0	1042	54.79
236	03:55:00.0	1042	54.78
237	03:56:00.0	1042	54.91
238	03:57:00.0	1042	54.96
239	03:58:00.0	1042	55.12
240	03:59:00.0	1042	55.08
241	04:00:00.0	1042	54.99
242	04:01:00.0	1042	54.98
243	04:02:00.0	1042	54.74
244	04:03:00.0	1042	54.79
245	04:04:00.0	1042	54.81
246	04:05:00.0	1042	54.97
247	04:06:00.0	1042	55.27
248	04:07:00.0	1042	55.42
249	04:08:00.0	1042	55.43
250	04:09:00.0	1042	55.52
251	04:10:00.0	1042	55.53
252	04:11:00.0	1042	55.62
253	04:12:00.0	1042	55.69
254	04:13:00.0	1042	55.67
255	04:14:00.0	1042	55.51
256	04:15:00.0	1042	55.35
257	04:16:00.0	1042	55.60
258	04:17:00.0	1042	55.87
259	04:18:00.0	1042	55.78
260	04:19:00.0	1042	55.75
261	04:20:00.0	1042	55.88
262	04:21:00.0	1042	55.87
263	04:22:00.0	1042	55.71
264	04:23:00.0	1042	55.79
265	04:24:00.0	1042	56.02
266	04:25:00.0	1042	56.22
267	04:26:00.0	1042	56.39
268	04:27:00.0	1042	56.30
269	04:28:00.0	1042	56.28

270	04:29:00.0	1042	56.16
271	04:30:00.0	1042	56.25
272	04:31:00.0	1042	55.98
273	04:32:00.0	1042	56.01
274	04:33:00.0	1042	55.91
275	04:34:00.0	1042	55.76
276	04:35:00.0	1042	55.89
277	04:36:00.0	1042	56.12
278	04:37:00.0	1042	55.77
279	04:38:00.0	1042	55.73
280	04:39:00.0	1042	55.87
281	04:40:00.0	1042	56.31
282	04:41:00.0	1042	56.42
283	04:42:00.0	1042	56.38
284	04:43:00.0	1042	56.58
285	04:44:00.0	1042	56.50
286	04:45:00.0	1042	56.78
287	04:46:00.0	1042	56.63
288	04:47:00.0	1042	56.77
289	04:48:00.0	1042	56.89
290	04:49:00.0	1042	57.13
291	04:50:00.0	1042	57.18
292	04:51:00.0	1042	57.32
293	04:52:00.0	1042	57.62
294	04:53:00.0	1042	57.75
295	04:54:00.0	1042	57.73
296	04:55:00.0	1042	58.05
297	04:56:00.0	1042	58.12
298	04:57:00.0	1042	58.03
299	04:58:00.0	1042	57.91
300	04:59:00.0	1042	57.95
301	05:00:00.0	1042	57.97
302	05:01:00.0	1042	57.99
303	05:02:00.0	1042	57.99
304	05:03:00.0	1042	57.94
305	05:04:00.0	1042	57.91
306	05:05:00.0	1042	58.05

307	05:06:00.0	1042	58.33
308	05:07:00.0	1042	58.47
309	05:08:00.0	1042	58.53
310	05:09:00.0	1042	58.58
311	05:10:00.0	1042	58.69
312	05:11:00.0	1042	58.80
313	05:12:00.0	1042	58.49
314	05:13:00.0	1042	58.57
315	05:14:00.0	1042	58.40
316	05:15:00.0	1042	58.21
317	05:16:00.0	1042	58.32
318	05:17:00.0	1042	58.14
319	05:18:00.0	1042	58.03
320	05:19:00.0	1042	58.15
321	05:20:00.0	1042	58.07
322	05:21:00.0	1042	58.03
323	05:22:00.0	1042	57.84
324	05:23:00.0	1042	57.83
325	05:24:00.0	1042	57.98
326	05:25:00.0	1042	58.14
327	05:26:00.0	1042	58.01
328	05:27:00.0	1042	58.03
329	05:28:00.0	1042	58.01
330	05:29:00.0	1042	57.95
331	05:30:00.0	1042	57.95
332	05:31:00.0	1042	58.23
333	05:32:00.0	1042	58.31
334	05:33:00.0	1042	58.35
335	05:34:00.0	1042	58.37
336	05:35:00.0	1042	58.39
337	05:36:00.0	1042	58.56
338	05:37:00.0	1042	58.61
339	05:38:00.0	1042	58.43
340	05:39:00.0	1042	58.44
341	05:40:00.0	1042	58.40
342	05:41:00.0	1042	58.33
343	05:42:00.0	1042	58.39

344	05:43:00.0	1042	58.40
345	05:44:00.0	1042	58.07
346	05:45:00.0	1042	58.03
347	05:46:00.0	1042	58.20
348	05:47:00.0	1042	58.14
349	05:48:00.0	1042	58.23
350	05:49:00.0	1042	58.24
351	05:50:00.0	1042	58.23
352	05:51:00.0	1042	58.37
353	05:52:00.0	1042	58.53
354	05:53:00.0	1042	58.84
355	05:54:00.0	1042	58.82
356	05:55:00.0	1042	58.95
357	05:56:00.0	1042	59.21
358	05:57:00.0	1042	59.28
359	05:58:00.0	1042	59.32
360	05:59:00.0	1042	59.37
361	06:00:00.0	1042	59.17
362	06:01:00.0	1042	58.92
363	06:02:00.0	1042	58.78
364	06:03:00.0	1042	58.81
365	06:04:00.0	1042	58.96
366	06:05:00.0	1042	58.96
367	06:06:00.0	1042	58.99
368	06:07:00.0	1042	59.07
369	06:08:00.0	1042	59.39
370	06:09:00.0	1042	59.50
371	06:10:00.0	1042	59.30
372	06:11:00.0	1042	59.30
373	06:12:00.0	1042	59.27
374	06:13:00.0	1042	59.22
375	06:14:00.0	1042	59.15
376	06:15:00.0	1042	59.36
377	06:16:00.0	1042	59.60
378	06:17:00.0	1042	59.68
379	06:18:00.0	1042	59.59
380	06:19:00.0	1042	59.80

381	06:20:00.0	1042	59.65
382	06:21:00.0	1042	59.65
383	06:22:00.0	1042	59.93
384	06:23:00.0	1042	60.37
385	06:24:00.0	1042	60.43
386	06:25:00.0	1042	60.60
387	06:26:00.0	1042	60.75
388	06:27:00.0	1042	60.86
389	06:28:00.0	1042	61.22
390	06:29:00.0	1042	61.31
391	06:30:00.0	1042	61.44
392	06:31:00.0	1042	61.67
393	06:32:00.0	1042	61.77
394	06:33:00.0	1042	61.97
395	06:34:00.0	1042	62.07
396	06:35:00.0	1042	61.91
397	06:36:00.0	1042	61.96
398	06:37:00.0	1042	62.29
399	06:38:00.0	1042	62.51
400	06:39:00.0	1042	62.52
401	06:40:00.0	1042	62.37
402	06:41:00.0	1042	62.38
403	06:42:00.0	1042	62.50
404	06:43:00.0	1042	62.34
405	06:44:00.0	1042	62.63
406	06:45:00.0	1042	62.66
407	06:46:00.0	1042	62.61
408	06:47:00.0	1042	62.75
409	06:48:00.0	1042	62.79
410	06:49:00.0	1042	62.83
411	06:50:00.0	1042	63.19
412	06:51:00.0	1042	63.55
413	06:52:00.0	1043	63.51
414	06:53:00.0	1042	63.74
415	06:54:00.0	1043	63.91
416	06:55:00.0	1042	63.96
417	06:56:00.0	1043	63.99

418	06:57:00.0	1043	63.62
419	06:58:00.0	1043	63.78
420	06:59:00.0	1043	64.00
421	07:00:00.0	1043	64.16
422	07:01:00.0	1043	64.20
423	07:02:00.0	1043	63.98
424	07:03:00.0	1043	63.91
425	07:04:00.0	1043	64.08
426	07:05:00.0	1043	64.05
427	07:06:00.0	1043	64.15
428	07:07:00.0	1043	64.33
429	07:08:00.0	1043	64.15
430	07:09:00.0	1043	63.77
431	07:10:00.0	1043	64.21
432	07:11:00.0	1043	64.55
433	07:12:00.0	1043	64.88
434	07:13:00.0	1043	65.22
435	07:14:00.0	1043	-459.67
436	07:15:00.0	1043	65.18
437	07:16:00.0	1043	65.40
438	07:17:00.0	1043	65.20
439	07:18:00.0	1043	65.11
440	07:19:00.0	1043	64.30
441	07:20:00.0	1043	63.49
442	07:21:00.0	1043	63.16
443	07:22:00.0	1043	63.44
444	07:23:00.0	1043	63.75
445	07:24:00.0	1043	64.12
446	07:25:00.0	1043	64.25
447	07:26:00.0	1043	63.91
448	07:27:00.0	1043	64.11
449	07:28:00.0	1043	64.31
450	07:29:00.0	1043	64.75
451	07:30:00.0	1043	64.88
452	07:31:00.0	1043	64.26
453	07:32:00.0	1043	64.36
454	07:33:00.0	1043	64.62

455	07:34:00.0	1043	64.48
456	07:35:00.0	1043	64.46
457	07:36:00.0	1043	64.59
458	07:37:00.0	1043	64.88
459	07:38:00.0	1043	64.82
460	07:39:00.0	1043	65.09
461	07:40:00.0	1043	65.36
462	07:41:00.0	1043	65.64
463	07:42:00.0	1043	65.14
464	07:43:00.0	1043	64.97
465	07:44:00.0	1043	65.22
466	07:45:00.0	1043	65.23
467	07:46:00.0	1043	65.50
468	07:47:00.0	1043	65.28
469	07:48:00.0	1043	64.65
470	07:49:00.0	1043	63.65
471	07:50:00.0	1043	63.28
472	07:51:00.0	1043	63.49
473	07:52:00.0	1043	63.35
474	07:53:00.0	1043	62.94
475	07:54:00.0	1043	62.81
476	07:55:00.0	1042	62.78
477	07:56:00.0	1043	62.34
478	07:57:00.0	1043	62.32
479	07:58:00.0	1043	62.38
480	07:59:00.0	1043	62.26
481	08:00:00.0	1043	62.35
482	08:01:00.0	1043	62.85
483	08:02:00.0	1042	63.26
484	08:03:00.0	1043	63.29
485	08:04:00.0	1043	62.57
486	08:05:00.0	1043	62.63
487	08:06:00.0	1043	62.33
488	08:07:00.0	1043	62.25
489	08:08:00.0	1043	62.39
490	08:09:00.0	1043	62.46
491	08:10:00.0	1042	62.24

492	08:11:00.0	1042	61.91
493	08:12:00.0	1042	61.80
494	08:13:00.0	1042	61.79
495	08:14:00.0	1042	61.60
496	08:15:00.0	1042	61.69
497	08:16:00.0	1042	61.81
498	08:17:00.0	1042	61.74
499	08:18:00.0	1042	61.87
500	08:19:00.0	1042	61.85
501	08:20:00.0	1042	61.99
502	08:21:00.0	1042	62.26
503	08:22:00.0	1042	62.01
504	08:23:00.0	1042	62.03
505	08:24:00.0	1042	62.10
506	08:25:00.0	1042	62.20
507	08:26:00.0	1042	62.36
508	08:27:00.0	1042	62.34
509	08:28:00.0	1042	62.20
510	08:29:00.0	1042	62.15
511	08:30:00.0	1042	62.14
512	08:31:00.0	1042	61.74
513	08:32:00.0	1042	61.74
514	08:33:00.0	1042	61.43
515	08:34:00.0	1042	61.70
516	08:35:00.0	1042	61.61
517	08:36:00.0	1042	61.71
518	08:37:00.0	1042	61.92
519	08:38:00.0	1042	62.11
520	08:39:00.0	1042	62.22
521	08:40:00.0	1042	62.23
522	08:41:00.0	1042	62.40
523	08:42:00.0	1042	62.52
524	08:43:00.0	1042	62.79
525	08:44:00.0	1042	62.63
526	08:45:00.0	1042	62.70
527	08:46:00.0	1042	62.73
528	08:47:00.0	1042	62.68

529	08:48:00.0	1042	62.77
530	08:49:00.0	1042	62.81
531	08:50:00.0	1042	63.07
532	08:51:00.0	1042	63.25
533	08:52:00.0	1043	63.37
534	08:53:00.0	1043	63.57
535	08:54:00.0	1042	63.65
536	08:55:00.0	1042	64.05
537	08:56:00.0	1043	63.80
538	08:57:00.0	1043	63.70
539	08:58:00.0	1043	63.76
540	08:59:00.0	1043	64.20
541	09:00:00.0	1043	64.61
542	09:01:00.0	1043	64.73
543	09:02:00.0	1043	64.54
544	09:03:00.0	1043	64.20
545	09:04:00.0	1043	65.01
546	09:05:00.0	1043	65.78
547	09:06:00.0	1043	66.12
548	09:07:00.0	1043	66.20
549	09:08:00.0	1043	65.91
550	09:09:00.0	1043	66.59
551	09:10:00.0	1043	66.84
552	09:11:00.0	1043	67.43
553	09:12:00.0	1043	67.83
554	09:13:00.0	1043	67.71
555	09:14:00.0	1043	68.08
556	09:15:00.0	1043	68.55
557	09:16:00.0	1043	68.75
558	09:17:00.0	1043	68.87
559	09:18:00.0	1043	68.87
560	09:19:00.0	1043	68.93
561	09:20:00.0	1043	69.11
562	09:21:00.0	1043	68.52
563	09:22:00.0	1043	68.53
564	09:23:00.0	1043	68.61
565	09:24:00.0	1043	69.64

566	09:25:00.0	1043	69.11
567	09:26:00.0	1043	68.76
568	09:27:00.0	1043	68.69
569	09:28:00.0	1043	68.85
570	09:29:00.0	1043	68.81
571	09:30:00.0	1043	69.44
572	09:31:00.0	1043	70.23
573	09:32:00.0	1043	70.11
574	09:33:00.0	1043	70.19
575	09:34:00.0	1043	70.31
576	09:35:00.0	1043	70.95
577	09:36:00.0	1043	71.42
578	09:37:00.0	1043	71.49
579	09:38:00.0	1043	71.78
580	09:39:00.0	1043	71.96
581	09:40:00.0	1043	71.99
582	09:41:00.0	1043	71.50
583	09:42:00.0	1043	71.77
584	09:43:00.0	1043	71.21
585	09:44:00.0	1043	70.84
586	09:45:00.0	1043	70.77
587	09:46:00.0	1043	70.52
588	09:47:00.0	1043	70.73
589	09:48:00.0	1043	70.31
590	09:49:00.0	1043	69.93
591	09:50:00.0	1043	69.84
592	09:51:00.0	1043	69.72
593	09:52:00.0	1043	68.96
594	09:53:00.0	1043	68.35
595	09:54:00.0	1043	68.11
596	09:55:00.0	1043	68.03
597	09:56:00.0	1043	68.06
598	09:57:00.0	1043	68.29
599	09:58:00.0	1043	68.19
600	09:59:00.0	1043	67.92
601	10:00:00.0	1043	67.88
602	10:01:00.0	1043	67.74

603	10:02:00.0	1043	67.73
604	10:03:00.0	1043	67.65
605	10:04:00.0	1043	67.32
606	10:05:00.0	1043	67.08
607	10:06:00.0	1043	66.79
608	10:07:00.0	1043	66.61
609	10:08:00.0	1043	66.83
610	10:09:00.0	1043	66.51
611	10:10:00.0	1043	66.14
612	10:11:00.0	1043	65.57
613	10:12:00.0	1043	65.43
614	10:13:00.0	1043	65.42
615	10:14:00.0	1043	65.36
616	10:15:00.0	1043	65.33
617	10:16:00.0	1043	64.77
618	10:17:00.0	1043	64.59
619	10:18:00.0	1043	64.54
620	10:19:00.0	1043	64.39
621	10:20:00.0	1042	63.95
622	10:21:00.0	1042	63.57
623	10:22:00.0	1042	63.47
624	10:23:00.0	1042	63.15
625	10:24:00.0	1042	63.22
626	10:25:00.0	1042	63.32
627	10:26:00.0	1042	63.06
628	10:27:00.0	1042	62.86
629	10:28:00.0	1042	62.62
630	10:29:00.0	1042	62.27
631	10:30:00.0	1042	62.21
632	10:31:00.0	1042	62.05
633	10:32:00.0	1042	62.04
634	10:33:00.0	1042	62.02
635	10:34:00.0	1042	61.78
636	10:35:00.0	1042	61.66
637	10:36:00.0	1042	61.61
638	10:37:00.0	1042	61.57
639	10:38:00.0	1042	61.64

640	10:39:00.0	1042	61.64
641	10:40:00.0	1042	61.40
642	10:41:00.0	1042	61.38
643	10:42:00.0	1042	61.34
644	10:43:00.0	1042	61.30
645	10:44:00.0	1042	61.23
646	10:45:00.0	1042	61.17
647	10:46:00.0	1042	61.16
648	10:47:00.0	1042	61.24
649	10:48:00.0	1042	61.32
650	10:49:00.0	1042	61.24
651	10:50:00.0	1042	61.35
652	10:51:00.0	1042	61.26
653	10:52:00.0	1042	61.20
654	10:53:00.0	1042	61.22
655	10:54:00.0	1042	61.27
656	10:55:00.0	1042	61.25
657	10:56:00.0	1042	61.08
658	10:57:00.0	1042	61.05
659	10:58:00.0	1042	61.21
660	10:59:00.0	1042	61.26
661	11:00:00.0	1042	60.94
662	11:01:00.0	1042	60.72
663	11:02:00.0	1042	60.66
664	11:03:00.0	1042	60.53
665	11:04:00.0	1042	60.36
666	11:05:00.0	1042	60.27
667	11:06:00.0	1042	60.19
668	11:07:00.0	1042	60.25
669	11:08:00.0	1042	60.02
670	11:09:00.0	1042	59.88
671	11:10:00.0	1042	59.77
672	11:11:00.0	1042	59.47
673	11:12:00.0	1042	59.34
674	11:13:00.0	1042	59.13
675	11:14:00.0	1042	59.08
676	11:15:00.0	1042	59.05

677	11:16:00.0	1042	59.00
678	11:17:00.0	1042	59.04
679	11:18:00.0	1042	59.04
680	11:19:00.0	1042	58.78
681	11:20:00.0	1042	58.64
682	11:21:00.0	1042	58.49
683	11:22:00.0	1042	58.39
684	11:23:00.0	1042	58.26
685	11:24:00.0	1042	58.14
686	11:25:00.0	1042	58.11
687	11:26:00.0	1042	57.93
688	11:27:00.0	1042	57.82
689	11:28:00.0	1041	57.86
690	11:29:00.0	1041	57.81
691	11:30:00.0	1041	57.79
692	11:31:00.0	1041	57.77
693	11:32:00.0	1041	57.63
694	11:33:00.0	1041	57.57
695	11:34:00.0	957	57.51
696	11:35:00.0	830	56.95
697	11:36:00.0	741	55.98
698	11:37:00.0	667	54.95
699	11:38:00.0	601	54.03
700	11:39:00.0	500	53.23
701	11:40:00.0	429	52.35
702	11:41:00.0	371	51.59
703	11:42:00.0	322	51.15
704	11:43:00.0	280	50.71
705	11:44:00.0	218	50.44
706	11:45:00.0	211	50.13
707	11:46:00.0	205	50.13
708	11:47:00.0	200	50.37
709	11:48:00.0	200	50.61
710	11:49:00.0	199	50.78
711	11:50:00.0	201	50.95