



**Location**

Overall Good:

**Signs/Marker:**

Type	WELLHEAD		
Comment:	x 2		
Corrective Action:			Date:
Type	DRILLING/RECOMP		
Comment:			
Corrective Action:			Date:

Emergency Contact Number:

Comment:	<input type="text"/>	
Corrective Action:	<input type="text"/>	Date: _____

Overall Good:

**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment:

Multiple Spills and Releases?

**Fencing/:**

Type	WELLHEAD		
Comment:	Panel x 2		
Corrective Action:			Date:

**Equipment:**

Type			corrective date
Type: Flow Line	# 2		
Comment:			
Corrective Action:			Date:
Type: Plunger Lift	# 1		
Comment:			
Corrective Action:			Date:
Type: Bradenhead	# 2		
Comment:	Bradenhead valves are exposed at surface.		
Corrective Action:			Date:
Type: Other	# 1		
Comment:	Rig pump and tank are grounded.		
Corrective Action:			Date:

**Venting:**

Yes/No		
Comment:		
Corrective Action:		Date:

<b>Flaring:</b>			
Type			
Comment:			
Corrective Action:		Date:	

**Inspected Facilities**

Facility ID: 250808 Type: WELL API Number: 123-18611 Status: PR Insp. Status: WK

**Cement**

Cement Contractor

Contractor Name: A Plus Contractor Phone: \_\_\_\_\_

Surface Casing

Cement Volume (sx): \_\_\_\_\_ Circulate to Surface: \_\_\_\_\_  
 Cement Fall Back: \_\_\_\_\_ Top Job, 1" Volume: \_\_\_\_\_

Intermediate Casing

Cement Volume (sxs): \_\_\_\_\_ Good Return During Job: \_\_\_\_\_

Production Casing

Cement Volume (sx): \_\_\_\_\_ Good Return During Job: \_\_\_\_\_

Plugging Operations

Depth Plugs(feet range): 1061'-761' Cement Volume (sx): 115 sxs

Good Return During Job: YES Cement Type: Class G Neat 15.8#

Comment: Lay down tbg, hold safety meeting, RU Cutters e-line, load and pressure test csg to 500 psig, RIH and jet cut csg @ 1061' KB, POOH with spent cutter, RDMO e-line, condition wellbore, ND BOP, ND WH, spear and unland csg, NU WH, NU BOP, hold safety meeting, MIRU A-Plus Well Service cementers, establish circulation, mix and pump 115 sxs Class G Neat 15.8 ppg cement slurry stub plug (23.5 bbls total) RD cementers, lay down csg to 751' KB and reverse circulate clean, lay down remaining csg.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 284221 Type: WELL API Number: 123-23776 Status: SI Insp. Status: TA

**Idle Well**

Purpose:  Shut In  Temporarily Abandoned Reminder: \_\_\_\_\_

Comment: Well has been plugged, waiting on cut/cap and flowline abandonment.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Seeding	Pass	Seeding	Pass			

Comment:

Corrective Action:

Date: \_\_\_\_\_

**Pits:**     NO SURFACE INDICATION OF PIT

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
696501537	Photos	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5040709">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5040709</a>