

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

401624218

Date Received:

04/30/2018

FIR RESOLUTION FORM

Overall Status: FRQ

CA Summary:

1 of 1 CAs from the FIR responded to on this Form

0 CA Completed
1 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 47120

Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-3779

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: luke_reddy@oxy.com

Additional Operator Contact:

Contact Name

Luke Reddy

Phone

970-515-1292

Email

luke.reddy@anadarko.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 691400241

Inspection Date: 04/27/2018

FIR Submit Date: 04/27/2018

FIR Status: _____

Inspected Operator Information:

Company Name: KERR MCGEE OIL & GAS ONSHORE LP

Company Number: 47120

Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-3779

LOCATION - Location ID: 330751

Location Name: CLINE Number: 27N-2HZ County: WELD

Qtrqr: SESE Sec: 2 Twp: 2N Range: 67W Meridian: 6

Latitude: 40.161009 Longitude: -104.850092

FACILITY - API Number: 05-123- -00 Facility ID: 251755

Facility Name: SPERL Number: 16-2A

Qtrqr: SESE Sec: 2 Twp: 2N Range: 67W Meridian: 6

Latitude: 40.161009 Longitude: -104.850092

CORRECTIVE ACTIONS:

1 ☒ CA# 116124

Corrective Action: Measure gas per Rule 329.

Date: 05/27/2018

Response: FACTUAL REVIEW REQUEST

Basis for Review: Action requested was already completed prior to the inspection

Operator Comment: Gas is being measured and meter was calibrated 11/29/17. This meter is required to be calibrated bi-annually. Calibration will be due 6/30/18. Please see attached picture of meter card on site showing last calibration.

COGCC Decision: Approved

COGCC
Representative: All corrective actions are complete
INSP DOC #691400428

OPERATOR COMMENT AND SUBMITTAL

Comment: Gas is being measured and meter was calibrated 11/29/17. This meter is required to be calibrated bi-annually. Calibration will be due 6/30/18. Please see attached picture of meter card on site showing last calibration.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Luke Reddy

Signed: _____

Title: Regulatory Specialist

Date: 4/30/2018 1:17:23 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
------------------------	--------------------

401624218	FIR RESOLUTION SUBMITTED
401624243	SPERL GAS CALIBRATION

Total Attach: 2 Files