


# Bayswater Exploration & Production, LLC

Well Name: **East Ault 6-7-8HNB**

Surface Location: East Ault 18-C Pad Sec.18-T7N-R65W  
North American Datum 1983 , US State Plane 1983, Colorado Northern Zone  
Ground Elevation: 4909.0  
+N/-S +E/-W Northing Easting Latitude Longitude Slot  
0.0 0.0 1455736.52 3220913.00 40.581676 -104.704663  
Original Well Elev WELL @ 4934.0ft (Original Well Elev)

## WELLBORE TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Shape
SHL 300'FNL, 2292'FEL, Sec.18	1.0	0.0	0.0	Point
BHL 770'FSL, 470'FEL, Sec.8	7234.0	837.2	7106.6	Point
LPL 770'FSL, 470'FWL, Sec.7	7244.0	1135.4	-2638.2	Point




Azimuths to True North  
Magnetic North: 7.78°

Magnetic Field  
Strength: 52176.7nT  
Dip Angle: 66.88°  
Date: 2/6/2020  
Model: HDGM

East Ault 18-C Pad Sec.18-T7N-R65W  
East Ault 6-7-8HNB  
Plan #1 (2-05-20)  
8:37, February 06 2020

## ANNOTATIONS


TVD	MD	Annotation
700.0	700.0	KOP - Start Build 2.00
2363.1	2474.4	Start 4795.5 hold at 2474.4 MD
6267.8	7269.9	Start DLS 9.00 TFO 161.50
7244.0	8649.1	Start 9749.3 hold at 8649.1 MD
7234.0	18398.3	TD at 18398.3



**ENSIGN**  
Directional

## SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	700.0	0.00	0.00	700.0	0.0	0.0	0.00	0.00	0.0	
3	2474.4	35.49	286.98	2363.1	155.4	-509.0	2.00	286.98	-487.3	
4	7269.9	35.49	286.98	6267.8	968.6	-3171.5	0.00	0.00	-3036.4	
5	8649.1	90.06	91.75	7244.0	1135.4	-2638.2	9.00	161.50	-2487.2	LPL 770'FSL, 470'FWL, Sec.7
6	18398.3	90.06	91.75	7234.0	837.2	7106.6	0.00	0.00	7155.7	BHL 770'FSL, 470'FEL, Sec.8





# **Bayswater Exploration & Production, LLC**

**SEC.18-T7N-R65W**

**East Ault 18-C Pad Sec.18-T7N-R65W**

**East Ault 6-7-8HNB**

**Wellbore #1**

**Plan: Plan #1 (2-05-20)**

## **Standard Planning Report**

**06 February, 2020**



**BAYSWATER**  
**EXPLORATION & PRODUCTION, LLC**

<b>Database:</b>	US_EDM	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Project:</b>	SEC.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>North Reference:</b>	True
<b>Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Plan #1 (2-05-20)		

<b>Project</b>	SEC.18-T7N-R65W, Weld County, CO		
<b>Map System:</b>	US State Plane 1983	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	North American Datum 1983		Using Well Reference Point
<b>Map Zone:</b>	Colorado Northern Zone		Using geodetic scale factor

<b>Site</b>	East Ault 18-C Pad Sec.18-T7N-R65W			
<b>Site Position:</b>		<b>Northing:</b>	1,455,737.31 usft	<b>Latitude:</b> 40.581680
<b>From:</b>	Lat/Long	<b>Easting:</b>	3,220,838.00 usft	<b>Longitude:</b> -104.704933
<b>Position Uncertainty:</b>	0.0 ft	<b>Slot Radius:</b>	13-3/16 "	<b>Grid Convergence:</b> 0.51 °

<b>Well</b>	East Ault 6-7-8HNB			
<b>Well Position</b>	<b>+N/-S</b>	-1.5 ft	<b>Northing:</b>	1,455,736.52 usft
	<b>+E/-W</b>	75.0 ft	<b>Easting:</b>	3,220,913.01 usft
<b>Position Uncertainty</b>		0.0 ft	<b>Wellhead Elevation:</b>	0.0 ft
			<b>Ground Level:</b>	4,909.0 ft

<b>Wellbore</b>	Wellbore #1				
<b>Magnetics</b>	<b>Model Name</b>	<b>Sample Date</b>	<b>Declination (°)</b>	<b>Dip Angle (°)</b>	<b>Field Strength (nT)</b>
	HDGM	2/6/2020	7.78	66.88	52,177

<b>Design</b>	Plan #1 (2-05-20)			
<b>Audit Notes:</b>				
<b>Version:</b>	<b>Phase:</b>	PROTOTYPE	<b>Tie On Depth:</b>	0.0
<b>Vertical Section:</b>	<b>Depth From (TVD)</b>	<b>+N/-S</b>	<b>+E/-W</b>	<b>Direction</b>
	(ft)	(ft)	(ft)	(°)
	0.0	0.0	0.0	83.28

<b>Plan Sections</b>										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
700.0	0.00	0.00	700.0	0.0	0.0	0.00	0.00	0.00	0.00	
2,474.4	35.49	286.98	2,363.1	155.4	-509.0	2.00	2.00	0.00	286.98	
7,269.9	35.49	286.98	6,267.8	968.6	-3,171.5	0.00	0.00	0.00	0.00	
8,649.1	90.06	91.75	7,244.0	1,135.4	-2,638.2	9.00	3.96	11.95	161.50	LPL 770'FSL, 470'FW
18,398.3	90.06	91.75	7,234.0	837.2	7,106.6	0.00	0.00	0.00	0.00	BHL 770'FSL, 470'FE

Database:	US_EDM	Local Co-ordinate Reference:	Well East Ault 6-7-8HNB
Company:	Bayswater Exploration & Production, LLC	TVD Reference:	WELL @ 4934.0ft (Original Well Elev)
Project:	SEC.18-T7N-R65W	MD Reference:	WELL @ 4934.0ft (Original Well Elev)
Site:	East Ault 18-C Pad Sec.18-T7N-R65W	North Reference:	True
Well:	East Ault 6-7-8HNB	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Plan #1 (2-05-20)		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
KOP - Start Build 2.00									
800.0	2.00	286.98	800.0	0.5	-1.7	-1.6	2.00	2.00	0.00
900.0	4.00	286.98	899.8	2.0	-6.7	-6.4	2.00	2.00	0.00
1,000.0	6.00	286.98	999.5	4.6	-15.0	-14.4	2.00	2.00	0.00
1,100.0	8.00	286.98	1,098.7	8.1	-26.7	-25.5	2.00	2.00	0.00
1,200.0	10.00	286.98	1,197.5	12.7	-41.6	-39.9	2.00	2.00	0.00
1,300.0	12.00	286.98	1,295.6	18.3	-59.9	-57.3	2.00	2.00	0.00
1,400.0	14.00	286.98	1,393.1	24.9	-81.4	-77.9	2.00	2.00	0.00
1,500.0	16.00	286.98	1,489.6	32.4	-106.1	-101.6	2.00	2.00	0.00
1,600.0	18.00	286.98	1,585.3	41.0	-134.1	-128.4	2.00	2.00	0.00
1,700.0	20.00	286.98	1,679.8	50.5	-165.2	-158.2	2.00	2.00	0.00
1,800.0	22.00	286.98	1,773.2	60.9	-199.5	-191.0	2.00	2.00	0.00
1,900.0	24.00	286.98	1,865.2	72.3	-236.9	-226.8	2.00	2.00	0.00
2,000.0	26.00	286.98	1,955.8	84.7	-277.3	-265.5	2.00	2.00	0.00
2,100.0	28.00	286.98	2,044.9	97.9	-320.7	-307.0	2.00	2.00	0.00
2,200.0	30.00	286.98	2,132.4	112.1	-367.1	-351.4	2.00	2.00	0.00
2,300.0	32.00	286.98	2,218.1	127.1	-416.3	-398.6	2.00	2.00	0.00
2,400.0	34.00	286.98	2,302.0	143.0	-468.4	-448.5	2.00	2.00	0.00
2,474.4	35.49	286.98	2,363.1	155.4	-509.0	-487.3	2.00	2.00	0.00
Start 4795.5 hold at 2474.4 MD									
2,500.0	35.49	286.98	2,383.9	159.8	-523.2	-500.9	0.00	0.00	0.00
2,600.0	35.49	286.98	2,465.4	176.7	-578.7	-554.1	0.00	0.00	0.00
2,700.0	35.49	286.98	2,546.8	193.7	-634.2	-607.2	0.00	0.00	0.00
2,800.0	35.49	286.98	2,628.2	210.6	-689.7	-660.4	0.00	0.00	0.00
2,900.0	35.49	286.98	2,709.6	227.6	-745.3	-713.5	0.00	0.00	0.00
3,000.0	35.49	286.98	2,791.1	244.6	-800.8	-766.7	0.00	0.00	0.00
3,100.0	35.49	286.98	2,872.5	261.5	-856.3	-819.8	0.00	0.00	0.00
3,200.0	35.49	286.98	2,953.9	278.5	-911.8	-873.0	0.00	0.00	0.00
3,300.0	35.49	286.98	3,035.3	295.4	-967.4	-926.1	0.00	0.00	0.00
3,400.0	35.49	286.98	3,116.8	312.4	-1,022.9	-979.3	0.00	0.00	0.00
3,500.0	35.49	286.98	3,198.2	329.3	-1,078.4	-1,032.5	0.00	0.00	0.00
3,600.0	35.49	286.98	3,279.6	346.3	-1,133.9	-1,085.6	0.00	0.00	0.00
3,700.0	35.49	286.98	3,361.0	363.2	-1,189.4	-1,138.8	0.00	0.00	0.00
3,800.0	35.49	286.98	3,442.5	380.2	-1,245.0	-1,191.9	0.00	0.00	0.00
3,900.0	35.49	286.98	3,523.9	397.2	-1,300.5	-1,245.1	0.00	0.00	0.00
4,000.0	35.49	286.98	3,605.3	414.1	-1,356.0	-1,298.2	0.00	0.00	0.00
4,100.0	35.49	286.98	3,686.7	431.1	-1,411.5	-1,351.4	0.00	0.00	0.00
4,200.0	35.49	286.98	3,768.2	448.0	-1,467.0	-1,404.6	0.00	0.00	0.00
4,300.0	35.49	286.98	3,849.6	465.0	-1,522.6	-1,457.7	0.00	0.00	0.00
4,400.0	35.49	286.98	3,931.0	481.9	-1,578.1	-1,510.9	0.00	0.00	0.00
4,500.0	35.49	286.98	4,012.4	498.9	-1,633.6	-1,564.0	0.00	0.00	0.00
4,600.0	35.49	286.98	4,093.8	515.8	-1,689.1	-1,617.2	0.00	0.00	0.00
4,700.0	35.49	286.98	4,175.3	532.8	-1,744.7	-1,670.3	0.00	0.00	0.00
4,800.0	35.49	286.98	4,256.7	549.8	-1,800.2	-1,723.5	0.00	0.00	0.00
4,900.0	35.49	286.98	4,338.1	566.7	-1,855.7	-1,776.7	0.00	0.00	0.00
5,000.0	35.49	286.98	4,419.5	583.7	-1,911.2	-1,829.8	0.00	0.00	0.00

Database:	US_EDM	Local Co-ordinate Reference:	Well East Ault 6-7-8HNB
Company:	Bayswater Exploration & Production, LLC	TVD Reference:	WELL @ 4934.0ft (Original Well Elev)
Project:	SEC.18-T7N-R65W	MD Reference:	WELL @ 4934.0ft (Original Well Elev)
Site:	East Ault 18-C Pad Sec.18-T7N-R65W	North Reference:	True
Well:	East Ault 6-7-8HNB	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Plan #1 (2-05-20)		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,100.0	35.49	286.98	4,501.0	600.6	-1,966.7	-1,883.0	0.00	0.00	0.00
5,200.0	35.49	286.98	4,582.4	617.6	-2,022.3	-1,936.1	0.00	0.00	0.00
5,300.0	35.49	286.98	4,663.8	634.5	-2,077.8	-1,989.3	0.00	0.00	0.00
5,400.0	35.49	286.98	4,745.2	651.5	-2,133.3	-2,042.4	0.00	0.00	0.00
5,500.0	35.49	286.98	4,826.7	668.5	-2,188.8	-2,095.6	0.00	0.00	0.00
5,600.0	35.49	286.98	4,908.1	685.4	-2,244.4	-2,148.8	0.00	0.00	0.00
5,700.0	35.49	286.98	4,989.5	702.4	-2,299.9	-2,201.9	0.00	0.00	0.00
5,800.0	35.49	286.98	5,070.9	719.3	-2,355.4	-2,255.1	0.00	0.00	0.00
5,900.0	35.49	286.98	5,152.4	736.3	-2,410.9	-2,308.2	0.00	0.00	0.00
6,000.0	35.49	286.98	5,233.8	753.2	-2,466.4	-2,361.4	0.00	0.00	0.00
6,100.0	35.49	286.98	5,315.2	770.2	-2,522.0	-2,414.5	0.00	0.00	0.00
6,200.0	35.49	286.98	5,396.6	787.1	-2,577.5	-2,467.7	0.00	0.00	0.00
6,300.0	35.49	286.98	5,478.1	804.1	-2,633.0	-2,520.9	0.00	0.00	0.00
6,400.0	35.49	286.98	5,559.5	821.1	-2,688.5	-2,574.0	0.00	0.00	0.00
6,500.0	35.49	286.98	5,640.9	838.0	-2,744.1	-2,627.2	0.00	0.00	0.00
6,600.0	35.49	286.98	5,722.3	855.0	-2,799.6	-2,680.3	0.00	0.00	0.00
6,700.0	35.49	286.98	5,803.7	871.9	-2,855.1	-2,733.5	0.00	0.00	0.00
6,800.0	35.49	286.98	5,885.2	888.9	-2,910.6	-2,786.6	0.00	0.00	0.00
6,900.0	35.49	286.98	5,966.6	905.8	-2,966.1	-2,839.8	0.00	0.00	0.00
7,000.0	35.49	286.98	6,048.0	922.8	-3,021.7	-2,893.0	0.00	0.00	0.00
7,100.0	35.49	286.98	6,129.4	939.7	-3,077.2	-2,946.1	0.00	0.00	0.00
7,200.0	35.49	286.98	6,210.9	956.7	-3,132.7	-2,999.3	0.00	0.00	0.00
7,269.9	35.49	286.98	6,267.8	968.6	-3,171.5	-3,036.4	0.00	0.00	0.00
Start DLS 9.00 TFO 161.50									
7,300.0	32.93	288.56	6,292.7	973.7	-3,187.6	-3,051.8	9.00	-8.50	5.25
7,400.0	24.63	295.87	6,380.3	991.5	-3,232.2	-3,094.0	9.00	-8.30	7.31
7,500.0	17.00	309.55	6,473.7	1,009.9	-3,262.3	-3,121.8	9.00	-7.63	13.68
7,600.0	11.46	339.27	6,570.7	1,028.6	-3,277.1	-3,134.3	9.00	-5.54	29.73
7,700.0	11.58	25.53	6,668.9	1,047.0	-3,276.3	-3,131.3	9.00	0.11	46.26
7,800.0	17.22	54.55	6,765.9	1,064.6	-3,259.9	-3,113.0	9.00	5.65	29.01
7,900.0	24.89	67.92	6,859.2	1,081.2	-3,228.3	-3,079.6	9.00	7.66	13.37
8,000.0	33.20	75.10	6,946.5	1,096.2	-3,182.2	-3,032.1	9.00	8.31	7.18
8,100.0	41.77	79.63	7,025.8	1,109.2	-3,122.9	-2,971.7	9.00	8.57	4.53
8,200.0	50.47	82.85	7,095.1	1,120.0	-3,051.7	-2,899.7	9.00	8.70	3.22
8,300.0	59.24	85.34	7,152.6	1,128.4	-2,970.5	-2,818.1	9.00	8.77	2.49
8,400.0	68.05	87.41	7,197.0	1,134.0	-2,881.1	-2,728.7	9.00	8.81	2.07
8,500.0	76.88	89.24	7,227.1	1,136.7	-2,785.9	-2,633.8	9.00	8.83	1.83
8,600.0	85.72	90.94	7,242.2	1,136.5	-2,687.2	-2,535.8	9.00	8.84	1.70
8,649.1	90.06	91.75	7,244.0	1,135.4	-2,638.2	-2,487.2	9.00	8.85	1.66
Start 9749.3 hold at 8649.1 MD									
8,700.0	90.06	91.75	7,243.9	1,133.8	-2,587.3	-2,436.8	0.00	0.00	0.00
8,800.0	90.06	91.75	7,243.8	1,130.8	-2,487.3	-2,337.9	0.00	0.00	0.00
8,900.0	90.06	91.75	7,243.7	1,127.7	-2,387.3	-2,239.0	0.00	0.00	0.00
9,000.0	90.06	91.75	7,243.6	1,124.6	-2,287.4	-2,140.1	0.00	0.00	0.00
9,100.0	90.06	91.75	7,243.5	1,121.6	-2,187.4	-2,041.2	0.00	0.00	0.00
9,200.0	90.06	91.75	7,243.4	1,118.5	-2,087.5	-1,942.3	0.00	0.00	0.00
9,300.0	90.06	91.75	7,243.3	1,115.5	-1,987.5	-1,843.4	0.00	0.00	0.00
9,400.0	90.06	91.75	7,243.2	1,112.4	-1,887.6	-1,744.5	0.00	0.00	0.00
9,500.0	90.06	91.75	7,243.1	1,109.4	-1,787.6	-1,645.6	0.00	0.00	0.00
9,600.0	90.06	91.75	7,243.0	1,106.3	-1,687.7	-1,546.7	0.00	0.00	0.00
9,700.0	90.06	91.75	7,242.9	1,103.2	-1,587.7	-1,447.7	0.00	0.00	0.00
9,800.0	90.06	91.75	7,242.8	1,100.2	-1,487.8	-1,348.8	0.00	0.00	0.00
9,900.0	90.06	91.75	7,242.7	1,097.1	-1,387.8	-1,249.9	0.00	0.00	0.00
10,000.0	90.06	91.75	7,242.6	1,094.1	-1,287.9	-1,151.0	0.00	0.00	0.00

<b>Database:</b>	US_EDM	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Project:</b>	SEC.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>North Reference:</b>	True
<b>Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Plan #1 (2-05-20)		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
10,100.0	90.06	91.75	7,242.5	1,091.0	-1,187.9	-1,052.1	0.00	0.00	0.00	
10,200.0	90.06	91.75	7,242.4	1,087.9	-1,088.0	-953.2	0.00	0.00	0.00	
10,300.0	90.06	91.75	7,242.3	1,084.9	-988.0	-854.3	0.00	0.00	0.00	
10,400.0	90.06	91.75	7,242.2	1,081.8	-888.0	-755.4	0.00	0.00	0.00	
10,500.0	90.06	91.75	7,242.1	1,078.8	-788.1	-656.5	0.00	0.00	0.00	
10,600.0	90.06	91.75	7,242.0	1,075.7	-688.1	-557.6	0.00	0.00	0.00	
10,700.0	90.06	91.75	7,241.9	1,072.6	-588.2	-458.7	0.00	0.00	0.00	
10,800.0	90.06	91.75	7,241.8	1,069.6	-488.2	-359.8	0.00	0.00	0.00	
10,900.0	90.06	91.75	7,241.7	1,066.5	-388.3	-260.8	0.00	0.00	0.00	
11,000.0	90.06	91.75	7,241.6	1,063.5	-288.3	-161.9	0.00	0.00	0.00	
11,100.0	90.06	91.75	7,241.5	1,060.4	-188.4	-63.0	0.00	0.00	0.00	
11,200.0	90.06	91.75	7,241.4	1,057.4	-88.4	35.9	0.00	0.00	0.00	
11,300.0	90.06	91.75	7,241.3	1,054.3	11.5	134.8	0.00	0.00	0.00	
11,400.0	90.06	91.75	7,241.2	1,051.2	111.5	233.7	0.00	0.00	0.00	
11,500.0	90.06	91.75	7,241.1	1,048.2	211.4	332.6	0.00	0.00	0.00	
11,600.0	90.06	91.75	7,241.0	1,045.1	311.4	431.5	0.00	0.00	0.00	
11,700.0	90.06	91.75	7,240.9	1,042.1	411.3	530.4	0.00	0.00	0.00	
11,800.0	90.06	91.75	7,240.8	1,039.0	511.3	629.3	0.00	0.00	0.00	
11,900.0	90.06	91.75	7,240.7	1,035.9	611.2	728.2	0.00	0.00	0.00	
12,000.0	90.06	91.75	7,240.6	1,032.9	711.2	827.2	0.00	0.00	0.00	
12,100.0	90.06	91.75	7,240.5	1,029.8	811.2	926.1	0.00	0.00	0.00	
12,200.0	90.06	91.75	7,240.4	1,026.8	911.1	1,025.0	0.00	0.00	0.00	
12,300.0	90.06	91.75	7,240.3	1,023.7	1,011.1	1,123.9	0.00	0.00	0.00	
12,400.0	90.06	91.75	7,240.2	1,020.6	1,111.0	1,222.8	0.00	0.00	0.00	
12,500.0	90.06	91.75	7,240.0	1,017.6	1,211.0	1,321.7	0.00	0.00	0.00	
12,600.0	90.06	91.75	7,239.9	1,014.5	1,310.9	1,420.6	0.00	0.00	0.00	
12,700.0	90.06	91.75	7,239.8	1,011.5	1,410.9	1,519.5	0.00	0.00	0.00	
12,800.0	90.06	91.75	7,239.7	1,008.4	1,510.8	1,618.4	0.00	0.00	0.00	
12,900.0	90.06	91.75	7,239.6	1,005.3	1,610.8	1,717.3	0.00	0.00	0.00	
13,000.0	90.06	91.75	7,239.5	1,002.3	1,710.7	1,816.2	0.00	0.00	0.00	
13,100.0	90.06	91.75	7,239.4	999.2	1,810.7	1,915.2	0.00	0.00	0.00	
13,200.0	90.06	91.75	7,239.3	996.2	1,910.6	2,014.1	0.00	0.00	0.00	
13,300.0	90.06	91.75	7,239.2	993.1	2,010.6	2,113.0	0.00	0.00	0.00	
13,400.0	90.06	91.75	7,239.1	990.1	2,110.5	2,211.9	0.00	0.00	0.00	
13,500.0	90.06	91.75	7,239.0	987.0	2,210.5	2,310.8	0.00	0.00	0.00	
13,600.0	90.06	91.75	7,238.9	983.9	2,310.5	2,409.7	0.00	0.00	0.00	
13,700.0	90.06	91.75	7,238.8	980.9	2,410.4	2,508.6	0.00	0.00	0.00	
13,800.0	90.06	91.75	7,238.7	977.8	2,510.4	2,607.5	0.00	0.00	0.00	
13,900.0	90.06	91.75	7,238.6	974.8	2,610.3	2,706.4	0.00	0.00	0.00	
14,000.0	90.06	91.75	7,238.5	971.7	2,710.3	2,805.3	0.00	0.00	0.00	
14,100.0	90.06	91.75	7,238.4	968.6	2,810.2	2,904.2	0.00	0.00	0.00	
14,200.0	90.06	91.75	7,238.3	965.6	2,910.2	3,003.2	0.00	0.00	0.00	
14,300.0	90.06	91.75	7,238.2	962.5	3,010.1	3,102.1	0.00	0.00	0.00	
14,400.0	90.06	91.75	7,238.1	959.5	3,110.1	3,201.0	0.00	0.00	0.00	
14,500.0	90.06	91.75	7,238.0	956.4	3,210.0	3,299.9	0.00	0.00	0.00	
14,600.0	90.06	91.75	7,237.9	953.3	3,310.0	3,398.8	0.00	0.00	0.00	
14,700.0	90.06	91.75	7,237.8	950.3	3,409.9	3,497.7	0.00	0.00	0.00	
14,800.0	90.06	91.75	7,237.7	947.2	3,509.9	3,596.6	0.00	0.00	0.00	
14,900.0	90.06	91.75	7,237.6	944.2	3,609.8	3,695.5	0.00	0.00	0.00	
15,000.0	90.06	91.75	7,237.5	941.1	3,709.8	3,794.4	0.00	0.00	0.00	
15,100.0	90.06	91.75	7,237.4	938.1	3,809.7	3,893.3	0.00	0.00	0.00	
15,200.0	90.06	91.75	7,237.3	935.0	3,909.7	3,992.2	0.00	0.00	0.00	
15,300.0	90.06	91.75	7,237.2	931.9	4,009.7	4,091.1	0.00	0.00	0.00	
15,400.0	90.06	91.75	7,237.1	928.9	4,109.6	4,190.1	0.00	0.00	0.00	

<b>Database:</b>	US_EDM	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Project:</b>	SEC.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>North Reference:</b>	True
<b>Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Plan #1 (2-05-20)		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
15,500.0	90.06	91.75	7,237.0	925.8	4,209.6	4,289.0	0.00	0.00	0.00	
15,600.0	90.06	91.75	7,236.9	922.8	4,309.5	4,387.9	0.00	0.00	0.00	
15,700.0	90.06	91.75	7,236.8	919.7	4,409.5	4,486.8	0.00	0.00	0.00	
15,800.0	90.06	91.75	7,236.7	916.6	4,509.4	4,585.7	0.00	0.00	0.00	
15,900.0	90.06	91.75	7,236.6	913.6	4,609.4	4,684.6	0.00	0.00	0.00	
16,000.0	90.06	91.75	7,236.5	910.5	4,709.3	4,783.5	0.00	0.00	0.00	
16,100.0	90.06	91.75	7,236.4	907.5	4,809.3	4,882.4	0.00	0.00	0.00	
16,200.0	90.06	91.75	7,236.3	904.4	4,909.2	4,981.3	0.00	0.00	0.00	
16,300.0	90.06	91.75	7,236.2	901.3	5,009.2	5,080.2	0.00	0.00	0.00	
16,400.0	90.06	91.75	7,236.0	898.3	5,109.1	5,179.1	0.00	0.00	0.00	
16,500.0	90.06	91.75	7,235.9	895.2	5,209.1	5,278.1	0.00	0.00	0.00	
16,600.0	90.06	91.75	7,235.8	892.2	5,309.0	5,377.0	0.00	0.00	0.00	
16,700.0	90.06	91.75	7,235.7	889.1	5,409.0	5,475.9	0.00	0.00	0.00	
16,800.0	90.06	91.75	7,235.6	886.0	5,509.0	5,574.8	0.00	0.00	0.00	
16,900.0	90.06	91.75	7,235.5	883.0	5,608.9	5,673.7	0.00	0.00	0.00	
17,000.0	90.06	91.75	7,235.4	879.9	5,708.9	5,772.6	0.00	0.00	0.00	
17,100.0	90.06	91.75	7,235.3	876.9	5,808.8	5,871.5	0.00	0.00	0.00	
17,200.0	90.06	91.75	7,235.2	873.8	5,908.8	5,970.4	0.00	0.00	0.00	
17,300.0	90.06	91.75	7,235.1	870.8	6,008.7	6,069.3	0.00	0.00	0.00	
17,400.0	90.06	91.75	7,235.0	867.7	6,108.7	6,168.2	0.00	0.00	0.00	
17,500.0	90.06	91.75	7,234.9	864.6	6,208.6	6,267.1	0.00	0.00	0.00	
17,600.0	90.06	91.75	7,234.8	861.6	6,308.6	6,366.1	0.00	0.00	0.00	
17,700.0	90.06	91.75	7,234.7	858.5	6,408.5	6,465.0	0.00	0.00	0.00	
17,800.0	90.06	91.75	7,234.6	855.5	6,508.5	6,563.9	0.00	0.00	0.00	
17,900.0	90.06	91.75	7,234.5	852.4	6,608.4	6,662.8	0.00	0.00	0.00	
18,000.0	90.06	91.75	7,234.4	849.3	6,708.4	6,761.7	0.00	0.00	0.00	
18,100.0	90.06	91.75	7,234.3	846.3	6,808.3	6,860.6	0.00	0.00	0.00	
18,200.0	90.06	91.75	7,234.2	843.2	6,908.3	6,959.5	0.00	0.00	0.00	
18,300.0	90.06	91.75	7,234.1	840.2	7,008.2	7,058.4	0.00	0.00	0.00	
18,398.3	90.06	91.75	7,234.0	837.2	7,106.6	7,155.7	0.00	0.00	0.00	
TD at 18398.3										

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
SHL 300'FNL, 2292'FEL - hit/miss target - Shape - plan hits target center - Point	0.00	0.00	1.0	0.0	0.0	1,455,736.53	3,220,913.01	40.581676	-104.704663	
BHL 770'FSL, 470'FEL, : - plan hits target center - Point	0.00	0.00	7,234.0	837.2	7,106.6	1,456,637.36	3,228,011.56	40.583971	-104.679078	
LPL 770'FSL, 470'FWL, - plan hits target center - Point	0.00	0.00	7,244.0	1,135.4	-2,638.2	1,456,848.16	3,218,264.85	40.584792	-104.714161	

<b>Database:</b>	US_EDM	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Project:</b>	SEC.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>North Reference:</b>	True
<b>Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Plan #1 (2-05-20)		

Plan Annotations				
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
700.0	700.0	0.0	0.0	KOP - Start Build 2.00
2,474.4	2,363.1	155.4	-509.0	Start 4795.5 hold at 2474.4 MD
7,269.9	6,267.8	968.6	-3,171.5	Start DLS 9.00 TFO 161.50
8,649.1	7,244.0	1,135.4	-2,638.2	Start 9749.3 hold at 8649.1 MD
18,398.3	7,234.0	837.2	7,106.6	TD at 18398.3





# **Bayswater Exploration & Production, LLC**

**SEC.18-T7N-R65W**

**East Ault 18-C Pad Sec.18-T7N-R65W**

**East Ault 6-7-8HNB**

**Wellbore #1**

**Plan #1 (2-05-20)**

## **Anticollision Report**

**06 February, 2020**



<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

<b>Reference</b>	Plan #1 (2-05-20)		
<b>Filter type:</b>	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
<b>Interpolation Method:</b>	Stations	<b>Error Model:</b>	ISCWSA
<b>Depth Range:</b>	Unlimited	<b>Scan Method:</b>	Closest Approach 3D
<b>Results Limited by:</b>	Maximum center-center distance of 800.0 ft	<b>Error Surface:</b>	Elliptical Conic
<b>Warning Levels Evaluated at:</b>	2.00 Sigma	<b>Casing Method:</b>	Not applied

<b>Survey Tool Program</b>	<b>Date</b>	2/6/2020		
<b>From (ft)</b>	<b>To (ft)</b>	<b>Survey (Wellbore)</b>	<b>Tool Name</b>	<b>Description</b>
0.0	18,398.3	Plan #1 (2-05-20) (Wellbore #1)	MWD	MWD - Standard

Summary						
Site Name	Reference Measured Depth (ft)	Offset Measured Depth (ft)	Distance Between Centres (ft)	Distance Between Ellipses (ft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
East Ault 18-C Pad Sec.18-T7N-R65W						
East Ault 10-18-19HC - Wellbore #1 - Plan #1 (2-05-20)	700.0	700.0	60.0	57.1	20.537	CC, ES
East Ault 10-18-19HC - Wellbore #1 - Plan #1 (2-05-20)	11,600.0	7,020.4	689.0	563.2	5.477	SF
East Ault 11-18-19HNC - Wellbore #1 - Plan #1 (2-05-20)	700.0	700.0	74.7	71.8	25.577	CC, ES
East Ault 11-18-19HNC - Wellbore #1 - Plan #1 (2-05-20)	11,900.0	6,972.4	732.4	603.1	5.666	SF
East Ault 12-18-19HNA - Wellbore #1 - Plan #1 (2-05-20)	600.0	600.0	90.0	87.5	36.408	CC, ES
East Ault 12-18-19HNA - Wellbore #1 - Plan #1 (2-05-20)	12,200.0	6,931.4	786.4	653.4	5.913	SF
East Ault 13-18-19HC - Wellbore #1 - Plan #1 (2-05-20)	500.0	500.0	104.7	102.7	51.779	CC, ES
East Ault 13-18-19HC - Wellbore #1 - Plan #1 (2-05-20)	12,500.0	7,121.0	682.3	528.4	4.435	SF
East Ault 14-18-19HNB - Wellbore #1 - Plan #1 (2-05-20)	400.0	400.0	120.0	118.5	76.285	CC, ES
East Ault 14-18-19HNB - Wellbore #1 - Plan #1 (2-05-20)	12,900.0	7,100.0	753.7	594.0	4.720	SF
East Ault 15-18-19HNC - Wellbore #1 - Plan #1 (2-05-20)	300.0	300.0	135.0	133.9	120.144	CC, ES
East Ault 15-18-19HNC - Wellbore #1 - Plan #1 (2-05-20)	13,100.0	7,200.0	727.5	556.5	4.256	SF
East Ault 16-18-19HNA - Wellbore #1 - Plan #1 (2-05-20)	200.0	200.0	149.7	149.1	222.079	CC, ES
East Ault 16-18-19HNA - Wellbore #1 - Plan #1 (2-05-20)	13,500.0	7,250.0	786.0	607.3	4.398	SF
East Ault 1-7-8HC - Wellbore #1 - Plan #1 (2-05-20)	200.0	200.0	75.0	74.3	111.245	CC, ES
East Ault 1-7-8HC - Wellbore #1 - Plan #1 (2-05-20)	6,300.0	6,116.8	791.4	671.5	6.605	SF
East Ault 2-7-8HNB - Wellbore #1 - Plan #1 (2-05-20)	300.0	300.0	60.0	58.9	53.403	CC, ES
East Ault 2-7-8HNB - Wellbore #1 - Plan #1 (2-05-20)	7,400.0	7,248.3	783.6	634.0	5.239	SF
East Ault 3-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)	400.0	400.0	45.3	43.7	28.785	CC, ES
East Ault 3-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)	18,398.3	18,501.8	705.8	119.1	1.203	Level 2, SF
East Ault 4-7-8HNA - Wellbore #1 - Plan #1 (2-05-20)	500.0	500.0	30.3	28.3	14.972	CC
East Ault 4-7-8HNA - Wellbore #1 - Plan #1 (2-05-20)	18,398.3	18,409.8	480.5	-97.9	0.831	Level 1, ES, SF
East Ault 5-7-8HC - Wellbore #1 - Plan #1 (2-05-20)	600.0	600.0	15.3	12.8	6.181	CC
East Ault 5-7-8HC - Wellbore #1 - Plan #1 (2-05-20)	18,398.3	18,539.4	278.8	-223.0	0.556	Level 1, ES, SF
East Ault 7-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)	700.0	700.0	15.0	12.1	5.135	CC
East Ault 7-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)	18,398.3	18,411.2	237.5	-347.1	0.406	Level 1, ES, SF
East Ault 8-7-8HNA - Wellbore #1 - Plan #1 (2-05-20)	700.0	700.0	29.7	26.8	10.175	CC, ES
East Ault 8-7-8HNA - Wellbore #1 - Plan #1 (2-05-20)	11,400.0	11,317.3	607.8	377.1	2.634	SF
East Ault 9-18-19HNB - Wellbore #1 - Plan #1 (2-05-20)	700.0	700.0	44.7	41.8	15.310	CC, ES
East Ault 9-18-19HNB - Wellbore #1 - Plan #1 (2-05-20)	11,200.0	6,950.0	745.8	632.3	6.569	SF

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	91.05	-1.1	60.0	60.0					
100.0	100.0	100.0	100.0	0.1	0.1	91.05	-1.1	60.0	60.0	59.8	0.22	266.984		
200.0	200.0	200.0	200.0	0.3	0.3	91.05	-1.1	60.0	60.0	59.3	0.67	88.995		
300.0	300.0	300.0	300.0	0.6	0.6	91.05	-1.1	60.0	60.0	58.9	1.12	53.397		
400.0	400.0	400.0	400.0	0.8	0.8	91.05	-1.1	60.0	60.0	58.4	1.57	38.141		
500.0	500.0	500.0	500.0	1.0	1.0	91.05	-1.1	60.0	60.0	58.0	2.02	29.665		
600.0	600.0	600.0	600.0	1.2	1.2	91.05	-1.1	60.0	60.0	57.5	2.47	24.271		
700.0	700.0	700.0	700.0	1.5	1.5	91.05	-1.1	60.0	60.0	57.1	2.92	20.537 CC, ES		
800.0	800.0	800.0	800.0	1.7	1.7	164.50	-1.1	60.0	61.7	58.3	3.37	18.331		
900.0	899.8	899.5	899.5	1.9	1.9	164.59	0.2	60.3	67.0	63.2	3.80	17.619		
1,000.0	999.5	998.6	998.5	2.1	2.1	163.42	3.9	61.3	76.3	72.0	4.25	17.965		
1,100.0	1,098.7	1,097.2	1,096.9	2.4	2.4	161.54	10.1	62.8	89.5	84.8	4.69	19.071		
1,200.0	1,197.5	1,195.1	1,194.4	2.7	2.6	159.45	18.6	65.0	106.8	101.6	5.16	20.717		
1,300.0	1,295.6	1,292.8	1,291.7	3.0	2.8	158.13	27.9	67.3	127.6	122.0	5.63	22.672		
1,400.0	1,393.1	1,389.9	1,388.3	3.4	3.1	157.63	37.1	69.6	151.5	145.4	6.11	24.804		
1,500.0	1,489.6	1,486.2	1,484.1	3.9	3.3	157.63	46.2	71.9	178.6	172.0	6.60	27.058		
1,600.0	1,585.3	1,581.5	1,578.9	4.4	3.6	157.93	55.2	74.1	208.8	201.7	7.10	29.400		
1,700.0	1,679.8	1,675.7	1,672.8	5.0	3.8	158.39	64.1	76.4	242.1	234.5	7.61	31.806		
1,800.0	1,773.2	1,768.8	1,765.4	5.6	4.1	158.93	72.9	78.6	278.5	270.3	8.13	34.268		
1,900.0	1,865.2	1,860.6	1,856.8	6.4	4.3	159.50	81.5	80.8	317.9	309.3	8.65	36.767		
2,000.0	1,955.8	1,951.0	1,946.7	7.2	4.6	160.06	90.1	82.9	360.4	351.2	9.17	39.295		
2,100.0	2,044.9	2,039.9	2,035.2	8.1	4.8	160.59	98.5	85.0	405.9	396.2	9.70	41.843		
2,200.0	2,132.4	2,127.2	2,122.1	9.1	5.0	161.09	106.7	87.1	454.3	444.1	10.23	44.403		
2,300.0	2,218.1	2,212.7	2,207.2	10.2	5.3	161.55	114.8	89.2	505.7	495.0	10.77	46.968		
2,400.0	2,302.0	2,296.5	2,290.5	11.4	5.5	161.96	122.8	91.1	560.0	548.7	11.31	49.531		
2,474.4	2,363.1	2,357.5	2,351.3	12.3	5.7	162.23	128.5	92.6	602.3	590.6	11.71	51.432		
2,500.0	2,383.9	2,378.3	2,372.0	12.6	5.7	162.43	130.5	93.1	617.1	605.2	11.87	51.973		
2,600.0	2,465.4	2,459.7	2,452.9	13.9	6.0	163.11	138.2	95.0	674.9	662.4	12.51	53.936		
2,700.0	2,546.8	2,541.0	2,533.9	15.2	6.2	163.68	145.9	97.0	732.9	719.7	13.16	55.687		
2,800.0	2,628.2	2,622.3	2,614.8	16.5	6.4	164.17	153.6	98.9	790.8	777.0	13.81	57.256		
11,100.0	7,241.5	7,018.4	6,990.1	109.9	17.2	68.31	417.8	176.2	780.4	664.6	115.74	6.743		
11,200.0	7,241.4	7,018.8	6,990.5	111.9	17.2	68.35	417.7	176.2	736.3	618.6	117.69	6.256		
11,300.0	7,241.3	7,019.2	6,990.8	114.0	17.2	68.38	417.5	176.2	703.8	584.1	119.68	5.881		
11,400.0	7,241.2	7,019.6	6,991.2	116.1	17.2	68.41	417.4	176.2	684.4	562.7	121.69	5.624		
11,484.3	7,241.1	7,019.9	6,991.5	117.9	17.2	68.44	417.3	176.2	679.2	555.8	123.41	5.503		
11,500.0	7,241.1	7,020.0	6,991.6	118.2	17.2	68.45	417.2	176.2	679.4	555.7	123.74	5.491		
11,600.0	7,241.0	7,020.4	6,992.0	120.3	17.2	68.48	417.1	176.2	689.0	563.2	125.81	5.477 SF		
11,700.0	7,240.9	7,020.8	6,992.3	122.5	17.2	68.52	416.9	176.2	712.6	584.7	127.90	5.572		
11,800.0	7,240.8	7,021.2	6,992.7	124.7	17.2	68.55	416.8	176.2	749.0	619.0	130.02	5.761		
11,900.0	7,240.7	7,021.6	6,993.1	127.0	17.2	68.59	416.6	176.2	796.3	664.2	132.16	6.025		

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 11-18-19HNC - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	91.12	-1.5	74.7	74.7					
100.0	100.0	100.0	100.0	0.1	0.1	91.12	-1.5	74.7	74.7	74.5	0.22	332.501		
200.0	200.0	200.0	200.0	0.3	0.3	91.12	-1.5	74.7	74.7	74.1	0.67	110.834		
300.0	300.0	300.0	300.0	0.6	0.6	91.12	-1.5	74.7	74.7	73.6	1.12	66.500		
400.0	400.0	400.0	400.0	0.8	0.8	91.12	-1.5	74.7	74.7	73.2	1.57	47.500		
500.0	500.0	500.0	500.0	1.0	1.0	91.12	-1.5	74.7	74.7	72.7	2.02	36.945		
600.0	600.0	600.0	600.0	1.2	1.2	91.12	-1.5	74.7	74.7	72.3	2.47	30.227		
700.0	700.0	700.0	700.0	1.5	1.5	91.12	-1.5	74.7	74.7	71.8	2.92	25.577 CC, ES		
800.0	800.0	798.7	798.7	1.7	1.7	163.75	-0.5	75.6	77.3	73.9	3.36	22.998		
900.0	899.8	897.0	896.9	1.9	1.9	162.74	2.3	78.1	84.8	81.0	3.79	22.358		
1,000.0	999.5	994.6	994.3	2.1	2.1	161.39	7.0	82.3	97.5	93.2	4.24	23.004		
1,100.0	1,098.7	1,091.1	1,090.4	2.4	2.3	159.99	13.5	88.1	115.1	110.4	4.69	24.566		
1,200.0	1,197.5	1,186.6	1,185.3	2.7	2.6	158.69	21.6	95.3	137.8	132.6	5.15	26.763		
1,300.0	1,295.6	1,283.0	1,281.0	3.0	2.9	157.90	30.5	103.3	164.2	158.6	5.62	29.247		
1,400.0	1,393.1	1,378.5	1,375.8	3.4	3.1	157.66	39.3	111.1	193.8	187.7	6.09	31.826		
1,500.0	1,489.6	1,473.1	1,469.6	3.9	3.4	157.75	48.0	118.9	226.4	219.9	6.57	34.456		
1,600.0	1,585.3	1,566.4	1,562.2	4.4	3.7	158.02	56.6	126.6	262.1	255.1	7.06	37.118		
1,700.0	1,679.8	1,658.6	1,653.7	5.0	3.9	158.41	65.0	134.1	300.9	293.3	7.56	39.785		
1,800.0	1,773.2	1,749.4	1,743.8	5.6	4.2	158.83	73.4	141.6	342.6	334.5	8.07	42.470		
1,900.0	1,865.2	1,838.7	1,832.4	6.4	4.5	159.28	81.6	148.9	387.3	378.7	8.58	45.152		
2,000.0	1,955.8	1,926.4	1,919.5	7.2	4.7	159.71	89.7	156.2	435.0	425.9	9.10	47.825		
2,100.0	2,044.9	2,012.5	2,004.9	8.1	5.0	160.12	97.6	163.2	485.6	476.0	9.62	50.484		
2,200.0	2,132.4	2,096.8	2,088.5	9.1	5.3	160.49	105.3	170.2	539.1	528.9	10.15	53.123		
2,300.0	2,218.1	2,179.2	2,170.3	10.2	5.5	160.83	112.9	176.9	595.4	584.7	10.68	55.734		
2,400.0	2,302.0	2,259.6	2,250.1	11.4	5.8	161.13	120.3	183.5	654.4	643.2	11.22	58.314		
2,474.4	2,363.1	2,318.0	2,308.1	12.3	5.9	161.32	125.7	188.3	700.1	688.5	11.63	60.207		
2,500.0	2,383.9	2,338.0	2,327.9	12.6	6.0	161.50	127.5	190.0	716.1	704.3	11.79	60.728		
2,600.0	2,465.4	2,415.8	2,405.1	13.9	6.2	162.16	134.7	196.4	778.6	766.1	12.43	62.614		
11,500.0	7,241.1	6,970.6	6,924.5	118.2	18.4	64.09	388.7	479.2	779.0	658.0	121.04	6.436		
11,600.0	7,241.0	6,971.0	6,925.0	120.3	18.4	64.13	388.5	479.2	747.8	624.8	123.06	6.077		
11,700.0	7,240.9	6,971.5	6,925.4	122.5	18.4	64.16	388.3	479.2	729.1	604.0	125.10	5.828		
11,788.1	7,240.8	6,971.9	6,925.7	124.5	18.4	64.20	388.1	479.2	723.8	596.8	126.92	5.702		
11,800.0	7,240.8	6,972.0	6,925.8	124.7	18.4	64.20	388.0	479.2	723.9	596.7	127.17	5.692		
11,900.0	7,240.7	6,972.4	6,926.2	127.0	18.4	64.24	387.8	479.2	732.4	603.1	129.26	5.666 SF		
12,000.0	7,240.6	6,972.9	6,926.6	129.2	18.4	64.28	387.6	479.2	754.1	622.8	131.37	5.741		
12,100.0	7,240.5	6,973.4	6,927.1	131.5	18.4	64.31	387.4	479.2	788.1	654.6	133.50	5.903		

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 12-18-19HNA - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Semi Major Axis Reference (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Distance Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Warning
0.0	0.0	0.0	0.0	0.0	0.0	0.0	91.16	-1.8	90.0	90.0				
100.0	100.0	100.0	100.0	0.1	0.1	0.1	91.16	-1.8	90.0	90.0	89.8	0.22	400.490	
200.0	200.0	200.0	200.0	0.3	0.3	0.3	91.16	-1.8	90.0	90.0	89.3	0.67	133.497	
300.0	300.0	300.0	300.0	0.6	0.6	0.6	91.16	-1.8	90.0	90.0	88.9	1.12	80.098	
400.0	400.0	400.0	400.0	0.8	0.8	0.8	91.16	-1.8	90.0	90.0	88.4	1.57	57.213	
500.0	500.0	500.0	500.0	1.0	1.0	1.0	91.16	-1.8	90.0	90.0	88.0	2.02	44.499	
600.0	600.0	600.0	600.0	1.2	1.2	1.2	91.16	-1.8	90.0	90.0	87.5	2.47	36.408 CC, ES	
700.0	700.0	698.0	698.0	1.5	1.5	1.5	90.73	-1.2	91.1	91.1	88.2	2.91	31.286	
800.0	800.0	795.9	795.8	1.7	1.7	1.7	162.80	0.8	94.3	96.0	92.7	3.34	28.713	
900.0	899.8	893.1	892.8	1.9	1.9	1.9	161.79	4.1	99.6	106.5	102.7	3.78	28.168	
1,000.0	999.5	989.3	988.6	2.1	2.1	2.1	160.86	8.6	106.9	122.4	118.2	4.22	28.981	
1,100.0	1,098.7	1,084.1	1,082.8	2.4	2.4	2.4	160.08	14.3	116.1	143.7	139.1	4.67	30.756	
1,200.0	1,197.5	1,177.1	1,175.0	2.7	2.6	2.6	159.44	21.0	127.0	170.4	165.2	5.13	33.215	
1,300.0	1,295.6	1,268.3	1,264.9	3.0	2.9	2.9	158.91	28.8	139.6	202.1	196.5	5.59	36.143	
1,400.0	1,393.1	1,361.7	1,356.9	3.4	3.2	3.2	158.62	37.3	153.3	237.8	231.8	6.06	39.238	
1,500.0	1,489.6	1,453.9	1,447.7	3.9	3.5	3.5	158.59	45.7	166.9	276.6	270.0	6.53	42.334	
1,600.0	1,585.3	1,544.7	1,537.1	4.4	3.9	3.9	158.71	53.9	180.3	318.3	311.3	7.01	45.386	
1,700.0	1,679.8	1,634.1	1,625.2	5.0	4.2	4.2	158.92	62.0	193.4	363.0	355.5	7.50	48.385	
1,800.0	1,773.2	1,722.0	1,711.7	5.6	4.5	4.5	159.17	70.0	206.3	410.6	402.6	8.00	51.350	
1,900.0	1,865.2	1,808.2	1,796.6	6.4	4.8	4.8	159.44	77.8	219.0	461.0	452.5	8.50	54.263	
2,000.0	1,955.8	1,892.6	1,879.8	7.2	5.1	5.1	159.70	85.5	231.4	514.4	505.4	9.00	57.121	
2,100.0	2,044.9	1,975.2	1,961.2	8.1	5.5	5.5	159.94	93.0	243.6	570.5	561.0	9.52	59.919	
2,200.0	2,132.4	2,055.8	2,040.5	9.1	5.8	5.8	160.16	100.3	255.4	629.3	619.3	10.04	62.657	
2,300.0	2,218.1	2,134.3	2,117.9	10.2	6.1	6.1	160.34	107.5	267.0	690.9	680.3	10.58	65.329	
2,400.0	2,302.0	2,210.7	2,193.1	11.4	6.3	6.3	160.49	114.4	278.2	755.0	743.9	11.12	67.927	
12,000.0	7,240.6	6,930.4	6,844.2	129.2	21.3	21.3	59.56	355.2	808.8	791.2	662.3	128.85	6.140	
12,100.0	7,240.5	6,930.9	6,844.6	131.5	21.3	21.3	59.60	354.9	808.8	782.4	651.5	130.91	5.977	
12,118.7	7,240.4	6,931.0	6,844.7	131.9	21.3	21.3	59.61	354.9	808.8	782.2	650.9	131.30	5.958	
12,200.0	7,240.4	6,931.4	6,845.1	133.8	21.3	21.3	59.64	354.7	808.8	786.4	653.4	132.99	5.913 SF	

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 13-18-19HC - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Warning	
0.0	0.0	0.0	0.0	0.0	0.0	91.20	-2.2	104.7	104.7					
100.0	100.0	100.0	100.0	0.1	0.1	91.20	-2.2	104.7	104.7	104.5	0.22	466.008		
200.0	200.0	200.0	200.0	0.3	0.3	91.20	-2.2	104.7	104.7	104.1	0.67	155.336		
300.0	300.0	300.0	300.0	0.6	0.6	91.20	-2.2	104.7	104.7	103.6	1.12	93.202		
400.0	400.0	400.0	400.0	0.8	0.8	91.20	-2.2	104.7	104.7	103.2	1.57	66.573		
500.0	500.0	500.0	500.0	1.0	1.0	91.20	-2.2	104.7	104.7	102.7	2.02	51.779 CC, ES		
600.0	600.0	597.5	597.5	1.2	1.2	90.92	-1.7	105.9	105.9	103.5	2.46	43.061		
700.0	700.0	694.9	694.9	1.5	1.4	90.14	-0.3	109.3	109.4	106.5	2.89	37.803		
800.0	800.0	792.0	791.7	1.7	1.7	162.17	2.1	115.0	117.0	113.7	3.33	35.120		
900.0	899.8	888.2	887.5	1.9	1.9	161.36	5.4	122.9	130.2	126.4	3.77	34.532		
1,000.0	999.5	983.1	981.9	2.1	2.1	160.74	9.6	132.9	149.0	144.8	4.22	35.340		
1,100.0	1,098.7	1,076.5	1,074.3	2.4	2.4	160.31	14.6	144.8	173.3	168.6	4.67	37.135		
1,200.0	1,197.5	1,167.8	1,164.4	2.7	2.7	160.00	20.3	158.4	202.9	197.8	5.12	39.635		
1,300.0	1,295.6	1,256.7	1,251.7	3.0	3.0	159.78	26.7	173.6	237.7	232.2	5.58	42.640		
1,400.0	1,393.1	1,342.9	1,336.1	3.4	3.4	159.60	33.6	190.2	277.6	271.6	6.03	45.998		
1,500.0	1,489.6	1,429.0	1,419.9	3.9	3.7	159.46	41.1	208.2	322.2	315.6	6.50	49.525		
1,600.0	1,585.3	1,516.8	1,505.3	4.4	4.1	159.43	49.0	227.0	369.9	362.9	6.97	53.038		
1,700.0	1,679.8	1,603.0	1,589.2	5.0	4.5	159.48	56.7	245.4	420.5	413.1	7.45	56.435		
1,800.0	1,773.2	1,687.4	1,671.3	5.6	4.9	159.57	64.2	263.4	474.0	466.1	7.94	59.728		
1,900.0	1,865.2	1,770.0	1,751.7	6.4	5.3	159.68	71.6	281.0	530.2	521.8	8.43	62.921		
2,000.0	1,955.8	1,850.7	1,830.1	7.2	5.6	159.78	78.8	298.2	589.1	580.2	8.92	66.010		
2,100.0	2,044.9	1,929.3	1,906.6	8.1	6.0	159.87	85.8	315.0	650.7	641.3	9.43	68.994		
2,200.0	2,132.4	2,005.7	1,981.0	9.1	6.4	159.94	92.7	331.3	714.9	704.9	9.95	71.869		
2,300.0	2,218.1	2,079.9	2,053.2	10.2	6.7	159.97	99.3	347.2	781.6	771.1	10.47	74.622		
12,100.0	7,240.5	7,119.4	6,989.6	131.5	26.0	68.39	387.1	1,139.0	763.9	619.0	144.92	5.271		
12,200.0	7,240.4	7,119.8	6,990.0	133.8	26.0	68.42	386.9	1,139.0	723.9	576.8	147.12	4.921		
12,300.0	7,240.3	7,120.2	6,990.3	136.1	26.0	68.46	386.8	1,139.0	696.1	546.7	149.34	4.661		
12,400.0	7,240.2	7,120.6	6,990.7	138.4	26.0	68.49	386.6	1,139.0	681.9	530.3	151.57	4.499		
12,447.6	7,240.1	7,120.8	6,990.9	139.6	26.0	68.51	386.5	1,139.0	680.2	527.6	152.65	4.456		
12,500.0	7,240.0	7,121.0	6,991.1	140.8	26.0	68.53	386.5	1,139.0	682.3	528.4	153.83	4.435 SF		
12,600.0	7,239.9	7,121.4	6,991.4	143.2	26.0	68.56	386.3	1,139.0	697.1	541.0	156.10	4.466		
12,700.0	7,239.8	7,121.8	6,991.8	145.6	26.0	68.59	386.2	1,139.0	725.6	567.2	158.39	4.581		
12,800.0	7,239.7	7,122.2	6,992.2	148.0	26.0	68.63	386.0	1,139.0	766.1	605.4	160.69	4.768		

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	91.22	-2.5	120.0	120.0					
100.0	100.0	100.0	100.0	0.1	0.1	91.22	-2.5	120.0	120.0	119.8	0.22	533.998		
200.0	200.0	200.0	200.0	0.3	0.3	91.22	-2.5	120.0	120.0	119.4	0.67	177.999		
300.0	300.0	300.0	300.0	0.6	0.6	91.22	-2.5	120.0	120.0	118.9	1.12	106.800		
400.0	400.0	400.0	400.0	0.8	0.8	91.22	-2.5	120.0	120.0	118.5	1.57	76.285 CC, ES		
500.0	500.0	497.1	497.1	1.0	1.0	91.03	-2.2	121.2	121.2	119.2	2.01	60.367		
600.0	600.0	594.1	594.0	1.2	1.2	90.49	-1.1	124.7	124.8	122.4	2.44	51.121		
700.0	700.0	690.8	690.5	1.5	1.4	89.66	0.8	130.5	130.9	128.0	2.89	45.327		
800.0	800.0	786.9	786.3	1.7	1.7	161.80	3.3	138.7	141.0	137.7	3.32	42.433		
900.0	899.8	882.1	880.8	1.9	1.9	161.15	6.6	149.0	156.9	153.1	3.77	41.637		
1,000.0	999.5	975.8	973.6	2.1	2.2	160.73	10.4	161.3	178.3	174.1	4.22	42.287		
1,100.0	1,098.7	1,067.7	1,064.3	2.4	2.5	160.47	14.9	175.5	205.2	200.5	4.67	43.961		
1,200.0	1,197.5	1,157.3	1,152.4	2.7	2.8	160.33	19.9	191.4	237.4	232.3	5.12	46.371		
1,300.0	1,295.6	1,244.4	1,237.6	3.0	3.2	160.24	25.3	208.7	274.8	269.3	5.57	49.310		
1,400.0	1,393.1	1,328.7	1,319.6	3.4	3.5	160.18	31.1	227.2	317.2	311.2	6.03	52.630		
1,500.0	1,489.6	1,409.9	1,398.2	3.9	3.9	160.12	37.3	246.6	364.5	358.0	6.48	56.227		
1,600.0	1,585.3	1,487.7	1,473.1	4.4	4.3	160.03	43.6	266.7	416.3	409.3	6.94	59.969		
1,700.0	1,679.8	1,564.7	1,546.8	5.0	4.8	159.93	50.3	288.0	472.4	465.0	7.41	63.724		
1,800.0	1,773.2	1,645.2	1,623.7	5.6	5.2	159.87	57.4	310.6	531.6	523.7	7.89	67.388		
1,900.0	1,865.2	1,723.7	1,698.8	6.4	5.7	159.83	64.3	332.6	593.4	585.0	8.37	70.922		
2,000.0	1,955.8	1,800.1	1,771.7	7.2	6.1	159.79	71.0	354.1	657.8	648.9	8.85	74.290		
2,100.0	2,044.9	1,874.2	1,842.6	8.1	6.6	159.74	77.6	374.9	724.7	715.3	9.35	77.478		
2,200.0	2,132.4	1,946.1	1,911.3	9.1	7.0	159.66	83.9	395.0	794.0	784.2	9.86	80.501		
12,500.0	7,240.0	7,100.0	6,891.3	140.8	30.9	62.07	352.2	1,468.5	794.1	643.0	151.07	5.257		
12,600.0	7,239.9	7,100.0	6,891.3	143.2	30.9	62.07	352.2	1,468.5	764.8	611.6	153.21	4.992		
12,700.0	7,239.8	7,100.0	6,891.3	145.6	30.9	62.07	352.2	1,468.5	747.9	592.5	155.36	4.814		
12,778.2	7,239.8	7,100.0	6,891.3	147.4	30.9	62.07	352.2	1,468.5	743.8	586.8	157.05	4.736		
12,800.0	7,239.7	7,100.0	6,891.3	148.0	30.9	62.07	352.2	1,468.5	744.1	586.6	157.52	4.724		
12,900.0	7,239.6	7,100.0	6,891.3	150.4	30.9	62.07	352.2	1,468.5	753.7	594.0	159.69	4.720 SF		
13,000.0	7,239.5	7,100.0	6,891.3	152.8	30.9	62.07	352.2	1,468.5	776.2	614.3	161.88	4.795		

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis		Highside Toolface (°)	Distance		Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Warning	
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)		Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)						
0.0	0.0	0.0	0.0	0.0	0.0	91.09	-2.6	135.0	135.0					
100.0	100.0	100.0	100.0	0.1	0.1	91.09	-2.6	135.0	135.0	134.8	0.22	600.720		
200.0	200.0	200.0	200.0	0.3	0.3	91.09	-2.6	135.0	135.0	134.3	0.67	200.240		
300.0	300.0	300.0	300.0	0.6	0.6	91.09	-2.6	135.0	135.0	133.9	1.12	120.144 CC, ES		
400.0	400.0	396.7	396.7	0.8	0.8	90.95	-2.3	136.2	136.2	134.7	1.56	87.472		
500.0	500.0	493.2	493.2	1.0	1.0	90.55	-1.3	139.7	139.9	137.9	1.99	70.234		
600.0	600.0	589.6	589.3	1.2	1.2	89.93	0.2	145.6	146.0	143.6	2.44	59.857		
700.0	700.0	685.5	684.9	1.5	1.4	89.15	2.3	153.8	154.6	151.7	2.90	53.235		
800.0	800.0	780.8	779.5	1.7	1.7	161.39	5.0	164.3	167.3	163.9	3.33	50.280		
900.0	899.8	874.8	872.7	1.9	2.0	160.86	8.2	176.8	185.6	181.8	3.77	49.163		
1,000.0	999.5	967.3	963.9	2.1	2.3	160.54	11.9	191.3	209.5	205.3	4.23	49.559		
1,100.0	1,098.7	1,057.7	1,052.7	2.4	2.6	160.38	16.1	207.5	238.8	234.1	4.68	51.028		
1,200.0	1,197.5	1,145.7	1,138.8	2.7	3.0	160.30	20.6	225.3	273.4	268.3	5.13	53.268		
1,300.0	1,295.6	1,231.1	1,221.9	3.0	3.4	160.28	25.5	244.4	313.1	307.5	5.58	56.068		
1,400.0	1,393.1	1,313.5	1,301.6	3.4	3.8	160.27	30.7	264.5	357.8	351.7	6.04	59.274		
1,500.0	1,489.6	1,392.7	1,377.8	3.9	4.2	160.25	36.0	285.3	407.2	400.7	6.49	62.756		
1,600.0	1,585.3	1,468.5	1,450.4	4.4	4.6	160.20	41.5	306.8	461.0	454.1	6.95	66.363		
1,700.0	1,679.8	1,540.8	1,519.1	5.0	5.1	160.11	47.1	328.5	519.2	511.8	7.40	70.202		
1,800.0	1,773.2	1,609.4	1,583.9	5.6	5.5	159.97	52.7	350.2	581.5	573.6	7.85	74.049		
1,900.0	1,865.2	1,678.5	1,648.8	6.4	6.0	159.80	58.6	373.2	647.5	639.2	8.33	77.767		
2,000.0	1,955.8	1,751.0	1,716.9	7.2	6.5	159.66	64.8	397.5	716.1	707.3	8.81	81.289		
2,100.0	2,044.9	1,821.2	1,782.7	8.1	7.0	159.50	70.9	421.0	787.2	777.9	9.30	84.631		
12,800.0	7,239.7	7,200.0	6,919.6	148.0	35.7	63.85	349.3	1,743.6	768.8	604.5	164.27	4.680		
12,900.0	7,239.6	7,200.0	6,919.6	150.4	35.7	63.85	349.3	1,743.6	741.9	575.4	166.47	4.457		
13,000.0	7,239.5	7,200.0	6,919.6	152.8	35.7	63.85	349.3	1,743.6	727.9	559.2	168.69	4.315		
13,053.1	7,239.5	7,200.0	6,919.6	154.1	35.7	63.85	349.3	1,743.6	725.9	556.1	169.88	4.273		
13,100.0	7,239.4	7,200.0	6,919.6	155.3	35.7	63.85	349.3	1,743.6	727.5	556.5	170.92	4.256 SF		
13,200.0	7,239.3	7,200.0	6,919.6	157.7	35.7	63.85	349.3	1,743.6	740.6	567.5	173.16	4.277		
13,300.0	7,239.2	7,200.0	6,919.6	160.2	35.7	63.85	349.3	1,743.6	766.8	591.4	175.41	4.371		



<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

<b>Offset Design</b> East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 16-18-19HNA - Wellbore #1 - Plan #1 (2-05-20)												<b>Offset Site Error:</b>	0.0 ft
Survey Program: 0-MWD												<b>Offset Well Error:</b>	0.0 ft
Reference	Offset	Semi Major Axis		Distance									
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Warning
0.0	0.0	0.0	0.0	0.0	0.0	91.12	-2.9	149.7	149.7				
100.0	100.0	100.0	100.0	0.1	0.1	91.12	-2.9	149.7	149.7	149.5	0.22	666.237	
200.0	200.0	200.0	200.0	0.3	0.3	91.12	-2.9	149.7	149.7	149.1	0.67	222.079 CC, ES	
300.0	300.0	296.3	296.3	0.6	0.5	91.01	-2.7	150.9	151.0	149.9	1.11	136.345	
400.0	400.0	392.5	392.4	0.8	0.8	90.72	-1.9	154.5	154.7	153.1	1.54	100.204	
500.0	500.0	488.4	488.1	1.0	1.0	90.27	-0.7	160.4	160.8	158.8	1.99	80.641	
600.0	600.0	584.0	583.3	1.2	1.2	89.68	0.9	168.6	169.4	167.0	2.46	68.788	
700.0	700.0	679.0	677.8	1.5	1.5	89.02	3.1	179.1	180.5	177.6	2.95	61.097	
800.0	800.0	773.3	771.2	1.7	1.8	161.39	5.7	191.8	195.7	192.3	3.34	58.595	
900.0	899.8	866.2	862.8	1.9	2.1	160.97	8.6	206.5	216.5	212.7	3.79	57.084	
1,000.0	999.5	957.2	952.3	2.1	2.5	160.74	12.0	223.0	242.8	238.5	4.25	57.168	
1,100.0	1,098.7	1,046.2	1,039.3	2.4	2.8	160.64	15.7	241.2	274.5	269.8	4.70	58.387	
1,200.0	1,197.5	1,132.6	1,123.3	2.7	3.2	160.61	19.7	260.7	311.4	306.2	5.15	60.424	
1,300.0	1,295.6	1,216.1	1,204.2	3.0	3.6	160.62	23.9	281.4	353.3	347.7	5.60	63.061	
1,400.0	1,393.1	1,300.0	1,284.9	3.4	4.1	160.65	28.5	303.9	400.2	394.1	6.06	66.034	
1,500.0	1,489.6	1,373.9	1,355.5	3.9	4.5	160.64	32.8	325.1	451.6	445.1	6.50	69.450	
1,600.0	1,585.3	1,447.7	1,425.6	4.4	5.0	160.60	37.4	347.6	507.5	500.6	6.95	73.066	
1,700.0	1,679.8	1,517.8	1,491.8	5.0	5.4	160.52	42.0	370.3	567.6	560.2	7.39	76.804	
1,800.0	1,773.2	1,584.3	1,554.2	5.6	5.9	160.39	46.6	392.8	631.7	623.9	7.84	80.592	
1,900.0	1,865.2	1,647.0	1,612.6	6.4	6.4	160.20	51.1	415.1	699.5	691.2	8.29	84.368	
2,000.0	1,955.8	1,700.0	1,661.7	7.2	6.8	159.90	55.1	434.6	770.8	762.1	8.74	88.205	
13,300.0	7,239.2	7,250.0	6,834.2	160.2	43.1	58.89	318.3	2,128.2	795.8	621.4	174.39	4.563	
13,400.0	7,239.1	7,250.0	6,834.2	162.7	43.1	58.89	318.3	2,128.2	784.5	608.0	176.56	4.444	
13,438.6	7,239.1	7,250.0	6,834.2	163.6	43.1	58.89	318.3	2,128.2	783.6	606.2	177.40	4.417	
13,500.0	7,239.0	7,250.0	6,834.2	165.2	43.1	58.89	318.3	2,128.2	786.0	607.3	178.73	4.398 SF	

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 1-7-8HC - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	-88.89	1.5	-75.0	75.0					
100.0	100.0	100.0	100.0	0.1	0.1	-88.89	1.5	-75.0	75.0	74.8	0.22	333.736		
200.0	200.0	200.0	200.0	0.3	0.3	-88.89	1.5	-75.0	75.0	74.3	0.67	111.245 CC, ES		
300.0	300.0	297.8	297.8	0.6	0.6	-88.23	2.4	-76.4	76.5	75.4	1.12	68.513		
400.0	400.0	395.3	395.2	0.8	0.8	-86.41	5.1	-80.6	80.9	79.3	1.57	51.646		
500.0	500.0	492.4	491.9	1.0	1.0	-83.79	9.5	-87.5	88.4	86.4	2.03	43.537		
600.0	600.0	588.9	587.7	1.2	1.3	-80.82	15.7	-97.2	99.2	96.7	2.52	39.409		
700.0	700.0	684.4	682.1	1.5	1.6	-77.85	23.5	-109.4	113.3	110.3	3.03	37.352		
800.0	800.0	779.2	775.3	1.7	2.0	-2.10	33.0	-124.1	129.0	125.6	3.40	37.924		
900.0	899.8	873.5	867.3	1.9	2.4	0.35	44.1	-141.3	144.7	140.9	3.86	37.496		
1,000.0	999.5	967.2	958.0	2.1	2.8	2.61	56.7	-160.9	160.3	156.0	4.33	37.046		
1,100.0	1,098.7	1,060.4	1,047.5	2.4	3.3	4.72	70.8	-182.9	175.9	171.1	4.81	36.590		
1,200.0	1,197.5	1,153.1	1,135.6	2.7	3.9	6.72	86.4	-207.1	191.4	186.1	5.30	36.124		
1,300.0	1,295.6	1,245.2	1,222.2	3.0	4.5	8.63	103.4	-233.6	207.0	201.1	5.81	35.637		
1,400.0	1,393.1	1,336.9	1,307.3	3.4	5.2	10.46	121.8	-262.3	222.5	216.1	6.33	35.158		
1,500.0	1,489.6	1,428.1	1,390.8	3.9	5.9	12.24	141.6	-293.1	238.0	231.1	6.88	34.590		
1,600.0	1,585.3	1,518.7	1,472.6	4.4	6.7	13.96	162.7	-325.9	253.5	246.1	7.47	33.960		
1,700.0	1,679.8	1,608.9	1,552.8	5.0	7.6	15.63	185.0	-360.6	269.1	261.0	8.09	33.246		
1,800.0	1,773.2	1,700.0	1,632.4	5.6	8.5	17.29	209.0	-397.9	284.7	276.0	8.78	32.413		
1,900.0	1,865.2	1,787.8	1,707.8	6.4	9.5	18.85	233.3	-435.8	300.5	290.9	9.53	31.518		
2,000.0	1,955.8	1,876.6	1,782.5	7.2	10.5	20.40	259.2	-476.1	316.3	305.9	10.37	30.503		
2,100.0	2,044.9	1,969.5	1,859.3	8.1	11.6	22.01	287.5	-520.0	331.8	320.5	11.33	29.300		
2,200.0	2,132.4	2,068.0	1,940.5	9.1	12.8	23.79	317.6	-567.0	345.0	332.6	12.44	27.730		
2,300.0	2,218.1	2,166.7	2,021.9	10.2	14.1	25.68	347.9	-614.0	355.4	341.7	13.72	25.909		
2,400.0	2,302.0	2,265.5	2,103.3	11.4	15.3	27.72	378.1	-661.1	363.1	347.9	15.19	23.909		
2,474.4	2,363.1	2,339.0	2,163.9	12.3	16.2	29.36	400.6	-696.1	367.2	350.8	16.43	22.350		
2,500.0	2,383.9	2,364.3	2,184.7	12.6	16.5	29.95	408.4	-708.1	368.4	351.5	16.89	21.805		
2,600.0	2,465.4	2,463.1	2,266.1	13.9	17.8	32.24	438.6	-755.2	373.4	354.6	18.80	19.856		
2,700.0	2,546.8	2,561.8	2,347.5	15.2	19.0	34.46	468.8	-802.2	379.0	358.1	20.86	18.173		
2,800.0	2,628.2	2,660.6	2,428.9	16.5	20.3	36.61	499.1	-849.3	385.2	362.1	23.03	16.723		
2,900.0	2,709.6	2,759.3	2,510.3	17.8	21.5	38.70	529.3	-896.3	391.9	366.6	25.32	15.476		
3,000.0	2,791.1	2,858.1	2,591.7	19.1	22.8	40.71	559.5	-943.3	399.1	371.4	27.71	14.402		
3,100.0	2,872.5	2,956.8	2,673.1	20.5	24.0	42.65	589.8	-990.4	406.8	376.6	30.19	13.476		
3,200.0	2,953.9	3,055.6	2,754.5	21.8	25.3	44.52	620.0	-1,037.4	415.0	382.2	32.74	12.675		
3,300.0	3,035.3	3,154.3	2,835.8	23.1	26.5	46.32	650.2	-1,084.5	423.6	388.2	35.35	11.981		
3,400.0	3,116.8	3,253.1	2,917.2	24.4	27.8	48.04	680.5	-1,131.5	432.6	394.5	38.02	11.377		
3,500.0	3,198.2	3,351.8	2,998.6	25.8	29.0	49.70	710.7	-1,178.6	441.9	401.2	40.73	10.849		
3,600.0	3,279.6	3,450.6	3,080.0	27.1	30.3	51.28	740.9	-1,225.6	451.7	408.2	43.48	10.387		
3,700.0	3,361.0	3,549.3	3,161.4	28.4	31.5	52.80	771.2	-1,272.6	461.7	415.4	46.26	9.980		
3,800.0	3,442.5	3,648.1	3,242.8	29.8	32.8	54.25	801.4	-1,319.7	472.1	423.0	49.07	9.621		
3,900.0	3,523.9	3,746.8	3,324.2	31.1	34.0	55.64	831.6	-1,366.7	482.7	430.8	51.89	9.303		
4,000.0	3,605.3	3,845.6	3,405.6	32.5	35.3	56.97	861.9	-1,413.8	493.7	438.9	54.73	9.020		
4,100.0	3,686.7	3,944.3	3,487.0	33.8	36.5	58.25	892.1	-1,460.8	504.9	447.3	57.58	8.768		
4,200.0	3,768.2	4,043.1	3,568.4	35.1	37.8	59.46	922.3	-1,507.9	516.3	455.9	60.44	8.543		
4,300.0	3,849.6	4,141.8	3,649.8	36.5	39.1	60.63	952.6	-1,554.9	527.9	464.6	63.30	8.340		
4,400.0	3,931.0	4,240.6	3,731.2	37.8	40.3	61.74	982.8	-1,602.0	539.8	473.6	66.16	8.159		
4,500.0	4,012.4	4,339.3	3,812.5	39.2	41.6	62.81	1,013.0	-1,649.0	551.9	482.8	69.03	7.995		
4,600.0	4,093.8	4,438.1	3,893.9	40.5	42.8	63.83	1,043.3	-1,696.0	564.1	492.2	71.89	7.846		
4,700.0	4,175.3	4,536.8	3,975.3	41.8	44.1	64.81	1,073.5	-1,743.1	576.5	501.7	74.75	7.712		
4,800.0	4,256.7	4,635.6	4,056.7	43.2	45.3	65.75	1,103.7	-1,790.1	589.1	511.4	77.61	7.590		
4,900.0	4,338.1	4,734.3	4,138.1	44.5	46.6	66.65	1,134.0	-1,837.2	601.8	521.3	80.47	7.478		
5,000.0	4,419.5	4,833.1	4,219.5	45.9	47.9	67.51	1,164.2	-1,884.2	614.6	531.3	83.32	7.377		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

<b>Offset Design</b>												Offset Site Error:	0.0 ft
Survey Program: 0-MWD												Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance						Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	
5,100.0	4,501.0	4,931.8	4,300.9	47.2	49.1	68.33	1,194.4	-1,931.3	627.6	541.5	86.16	7.284	
5,200.0	4,582.4	5,030.6	4,382.3	48.6	50.4	69.13	1,224.7	-1,978.3	640.7	551.7	89.00	7.199	
5,300.0	4,663.8	5,129.3	4,463.7	49.9	51.6	69.89	1,254.9	-2,025.3	654.0	562.1	91.83	7.121	
5,400.0	4,745.2	5,228.1	4,545.1	51.3	52.9	70.62	1,285.2	-2,072.4	667.3	572.6	94.66	7.049	
5,500.0	4,826.7	5,326.8	4,626.5	52.6	54.1	71.32	1,315.4	-2,119.4	680.7	583.3	97.48	6.983	
5,600.0	4,908.1	5,425.6	4,707.9	54.0	55.4	72.00	1,345.6	-2,166.5	694.3	594.0	100.30	6.922	
5,700.0	4,989.5	5,524.3	4,789.2	55.3	56.7	72.65	1,375.9	-2,213.5	707.9	604.8	103.10	6.866	
5,800.0	5,070.9	5,623.1	4,870.6	56.6	57.9	73.27	1,406.1	-2,260.6	721.6	615.7	105.91	6.814	
5,900.0	5,152.4	5,721.8	4,952.0	58.0	59.2	73.87	1,436.3	-2,307.6	735.4	626.7	108.70	6.766	
6,000.0	5,233.8	5,820.6	5,033.4	59.3	60.4	74.45	1,466.6	-2,354.6	749.3	637.8	111.49	6.721	
6,100.0	5,315.2	5,919.3	5,114.8	60.7	61.7	75.01	1,496.8	-2,401.7	763.3	649.0	114.27	6.679	
6,200.0	5,396.6	6,018.1	5,196.2	62.0	63.0	75.55	1,527.0	-2,448.7	777.3	660.2	117.05	6.641	
6,300.0	5,478.1	6,116.8	5,277.6	63.4	64.2	76.07	1,557.3	-2,495.8	791.4	671.5	119.82	6.605 SF	

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 2-7-8HNB - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	-88.62	1.4	-60.0	60.0					
100.0	100.0	100.0	100.0	0.1	0.1	-88.62	1.4	-60.0	60.0	59.8	0.22	267.016		
200.0	200.0	200.0	200.0	0.3	0.3	-88.62	1.4	-60.0	60.0	59.3	0.67	89.005		
300.0	300.0	300.0	300.0	0.6	0.6	-88.62	1.4	-60.0	60.0	58.9	1.12	53.403 CC, ES		
400.0	400.0	398.2	398.1	0.8	0.8	-87.87	2.3	-61.5	61.5	60.0	1.56	39.317		
500.0	500.0	496.1	495.9	1.0	1.0	-85.85	4.8	-65.8	66.1	64.1	2.01	32.869		
600.0	600.0	593.5	593.0	1.2	1.2	-83.05	8.9	-73.0	73.9	71.4	2.47	29.890		
700.0	700.0	690.3	689.1	1.5	1.5	-80.02	14.6	-83.1	85.0	82.1	2.96	28.766		
800.0	800.0	786.5	784.1	1.7	1.8	-4.17	21.9	-95.8	97.8	94.4	3.36	29.080		
900.0	899.8	882.2	878.2	1.9	2.2	-1.64	30.7	-111.2	110.5	106.7	3.81	28.998		
1,000.0	999.5	977.5	971.2	2.1	2.6	0.68	41.0	-129.2	123.2	118.9	4.27	28.846		
1,100.0	1,098.7	1,072.3	1,063.0	2.4	3.0	2.84	52.8	-149.9	135.8	131.1	4.74	28.649		
1,200.0	1,197.5	1,166.8	1,153.6	2.7	3.5	4.89	66.0	-173.0	148.4	143.2	5.22	28.417		
1,300.0	1,295.6	1,260.8	1,242.9	3.0	4.1	6.85	80.6	-198.6	161.0	155.2	5.72	28.140		
1,400.0	1,393.1	1,354.4	1,330.7	3.4	4.7	8.74	96.6	-226.6	173.5	167.3	6.23	27.849		
1,500.0	1,489.6	1,447.5	1,417.1	3.9	5.4	10.57	113.9	-256.9	186.1	179.4	6.77	27.483		
1,600.0	1,585.3	1,540.3	1,501.9	4.4	6.2	12.34	132.5	-289.5	198.7	191.4	7.35	27.047		
1,700.0	1,679.8	1,632.6	1,585.1	5.0	7.0	14.07	152.4	-324.4	211.4	203.4	7.97	26.535		
1,800.0	1,773.2	1,724.6	1,666.6	5.6	7.9	15.76	173.5	-361.3	224.1	215.4	8.64	25.937		
1,900.0	1,865.2	1,816.2	1,746.4	6.4	8.8	17.41	195.8	-400.4	236.8	227.4	9.38	25.247		
2,000.0	1,955.8	1,907.4	1,824.3	7.2	9.8	19.02	219.2	-441.4	249.7	239.5	10.20	24.468		
2,100.0	2,044.9	2,000.0	1,902.0	8.1	10.9	20.64	244.3	-485.3	262.6	251.5	11.14	23.582		
2,200.0	2,132.4	2,091.5	1,977.1	9.1	12.0	22.21	270.1	-530.7	275.4	263.3	12.18	22.619		
2,300.0	2,218.1	2,190.5	2,058.0	10.2	13.3	24.02	298.4	-580.2	286.0	272.6	13.41	21.321		
2,400.0	2,302.0	2,289.7	2,139.1	11.4	14.5	26.00	326.7	-629.8	293.8	278.9	14.84	19.793		
2,474.4	2,363.1	2,363.4	2,199.4	12.3	15.5	27.62	347.8	-666.7	297.8	281.7	16.05	18.549		
2,500.0	2,383.9	2,388.8	2,220.2	12.6	15.8	28.20	355.0	-679.4	298.9	282.4	16.51	18.104		
2,600.0	2,465.4	2,488.0	2,301.3	13.9	17.1	30.45	383.3	-729.0	303.7	285.3	18.39	16.509		
2,700.0	2,546.8	2,587.2	2,382.3	15.2	18.4	32.63	411.7	-778.6	308.9	288.5	20.41	15.130		
2,800.0	2,628.2	2,686.4	2,463.4	16.5	19.6	34.74	440.0	-828.2	314.5	292.0	22.56	13.940		
2,900.0	2,709.6	2,785.5	2,544.5	17.8	20.9	36.76	468.3	-877.8	320.6	295.8	24.82	12.916		
3,000.0	2,791.1	2,884.7	2,625.6	19.1	22.2	38.71	496.6	-927.4	327.0	299.8	27.18	12.033		
3,100.0	2,872.5	2,983.9	2,706.7	20.5	23.5	40.59	524.9	-977.0	333.8	304.2	29.62	11.271		
3,200.0	2,953.9	3,083.1	2,787.7	21.8	24.8	42.39	553.2	-1,026.6	341.0	308.9	32.14	10.611		
3,300.0	3,035.3	3,182.2	2,868.8	23.1	26.1	44.11	581.6	-1,076.2	348.5	313.8	34.72	10.037		
3,400.0	3,116.8	3,281.4	2,949.9	24.4	27.4	45.76	609.9	-1,125.8	356.3	318.9	37.36	9.537		
3,500.0	3,198.2	3,380.6	3,031.0	25.8	28.7	47.34	638.2	-1,175.4	364.4	324.3	40.04	9.100		
3,600.0	3,279.6	3,479.8	3,112.1	27.1	30.0	48.85	666.5	-1,225.0	372.7	329.9	42.76	8.716		
3,700.0	3,361.0	3,578.9	3,193.1	28.4	31.2	50.30	694.8	-1,274.6	381.3	335.8	45.51	8.378		
3,800.0	3,442.5	3,678.1	3,274.2	29.8	32.5	51.68	723.1	-1,324.2	390.1	341.8	48.29	8.078		
3,900.0	3,523.9	3,777.3	3,355.3	31.1	33.8	53.00	751.4	-1,373.8	399.1	348.1	51.09	7.813		
4,000.0	3,605.3	3,876.5	3,436.4	32.5	35.1	54.26	779.8	-1,423.4	408.4	354.5	53.91	7.576		
4,100.0	3,686.7	3,975.6	3,517.5	33.8	36.4	55.46	808.1	-1,473.0	417.8	361.1	56.74	7.364		
4,200.0	3,768.2	4,074.8	3,598.5	35.1	37.7	56.61	836.4	-1,522.6	427.4	367.8	59.58	7.174		
4,300.0	3,849.6	4,174.0	3,679.6	36.5	39.0	57.71	864.7	-1,572.2	437.2	374.8	62.43	7.003		
4,400.0	3,931.0	4,273.2	3,760.7	37.8	40.3	58.77	893.0	-1,621.8	447.1	381.8	65.28	6.849		
4,500.0	4,012.4	4,372.3	3,841.8	39.2	41.6	59.77	921.3	-1,671.4	457.2	389.0	68.14	6.710		
4,600.0	4,093.8	4,471.5	3,922.8	40.5	42.9	60.74	949.7	-1,721.0	467.4	396.4	70.99	6.583		
4,700.0	4,175.3	4,570.7	4,003.9	41.8	44.2	61.66	978.0	-1,770.6	477.7	403.8	73.85	6.468		
4,800.0	4,256.7	4,669.9	4,085.0	43.2	45.5	62.54	1,006.3	-1,820.2	488.1	411.4	76.71	6.363		
4,900.0	4,338.1	4,769.1	4,166.1	44.5	46.8	63.39	1,034.6	-1,869.8	498.7	419.1	79.57	6.267		
5,000.0	4,419.5	4,868.2	4,247.2	45.9	48.1	64.20	1,062.9	-1,919.4	509.4	426.9	82.43	6.180		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 2-7-8HNB - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Semi Major Axis Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Warning	
5,100.0	4,501.0	4,967.4	4,328.2	47.2	49.4	64.98	1,091.2	-1,969.0	520.1	434.8	85.28	6.099		
5,200.0	4,582.4	5,066.6	4,409.3	48.6	50.7	65.72	1,119.5	-2,018.6	531.0	442.8	88.13	6.025		
5,300.0	4,663.8	5,165.8	4,490.4	49.9	52.0	66.44	1,147.9	-2,068.2	541.9	450.9	90.97	5.957		
5,400.0	4,745.2	5,264.9	4,571.5	51.3	53.3	67.13	1,176.2	-2,117.8	552.9	459.1	93.82	5.894		
5,500.0	4,826.7	5,364.1	4,652.6	52.6	54.6	67.79	1,204.5	-2,167.4	564.0	467.4	96.65	5.835		
5,600.0	4,908.1	5,463.3	4,733.6	54.0	55.9	68.43	1,232.8	-2,217.0	575.2	475.7	99.49	5.781		
5,700.0	4,989.5	5,562.5	4,814.7	55.3	57.2	69.04	1,261.1	-2,266.6	586.4	484.1	102.32	5.731		
5,800.0	5,070.9	5,661.6	4,895.8	56.6	58.5	69.63	1,289.4	-2,316.2	597.7	492.5	105.14	5.685		
5,900.0	5,152.4	5,760.8	4,976.9	58.0	59.8	70.19	1,317.7	-2,365.8	609.0	501.1	107.96	5.641		
6,000.0	5,233.8	5,860.0	5,058.0	59.3	61.1	70.74	1,346.1	-2,415.4	620.5	509.7	110.78	5.601		
6,100.0	5,315.2	5,959.2	5,139.0	60.7	62.4	71.26	1,374.4	-2,465.0	631.9	518.3	113.59	5.563		
6,200.0	5,396.6	6,058.3	5,220.1	62.0	63.7	71.77	1,402.7	-2,514.6	643.4	527.0	116.39	5.528		
6,300.0	5,478.1	6,157.5	5,301.2	63.4	65.0	72.26	1,431.0	-2,564.2	655.0	535.8	119.20	5.495		
6,400.0	5,559.5	6,256.7	5,382.3	64.7	66.3	72.74	1,459.3	-2,613.8	666.6	544.6	121.99	5.464		
6,500.0	5,640.9	6,355.9	5,463.3	66.1	67.6	73.19	1,487.6	-2,663.4	678.3	553.5	124.79	5.435		
6,600.0	5,722.3	6,455.0	5,544.4	67.4	68.9	73.63	1,516.0	-2,713.0	690.0	562.4	127.58	5.408		
6,700.0	5,803.7	6,554.2	5,625.5	68.8	70.2	74.06	1,544.3	-2,762.6	701.7	571.3	130.36	5.383		
6,800.0	5,885.2	6,653.4	5,706.6	70.1	71.5	74.47	1,572.6	-2,812.2	713.5	580.3	133.14	5.359		
6,900.0	5,966.6	6,752.6	5,787.7	71.5	72.7	74.87	1,600.9	-2,861.8	725.3	589.3	135.92	5.336		
7,000.0	6,048.0	6,851.7	5,868.7	72.8	74.0	75.26	1,629.2	-2,911.4	737.1	598.4	138.69	5.315		
7,100.0	6,129.4	6,950.9	5,949.8	74.2	75.3	75.63	1,657.5	-2,961.0	749.0	607.5	141.46	5.294		
7,200.0	6,210.9	7,050.1	6,030.9	75.5	76.6	76.00	1,685.8	-3,010.6	760.9	616.6	144.23	5.275		
7,269.9	6,267.8	7,119.4	6,087.6	76.5	77.6	76.24	1,705.6	-3,045.3	769.2	623.1	146.16	5.263		
7,300.0	6,292.7	7,149.3	6,112.0	76.8	77.9	75.31	1,714.2	-3,060.3	772.7	625.6	147.18	5.251		
7,350.0	6,335.6	7,198.9	6,152.6	77.3	78.6	72.94	1,728.3	-3,085.1	778.3	629.8	148.55	5.240		
7,400.0	6,380.3	7,248.3	6,192.9	77.7	79.2	69.28	1,742.4	-3,109.8	783.6	634.0	149.58	5.239 SF		
7,450.0	6,426.4	7,297.1	6,232.8	78.1	79.9	63.83	1,756.4	-3,134.2	788.5	638.2	150.28	5.247		
7,500.0	6,473.7	7,345.0	6,272.0	78.3	80.5	55.71	1,770.0	-3,158.1	793.3	642.6	150.67	5.265		
7,550.0	6,521.9	7,391.8	6,310.2	78.5	81.1	43.43	1,783.4	-3,181.5	798.0	647.2	150.79	5.292		

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 3-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	-88.62	1.1	-45.3	45.3					
100.0	100.0	100.0	100.0	0.1	0.1	-88.62	1.1	-45.3	45.3	45.1	0.22	201.498		
200.0	200.0	200.0	200.0	0.3	0.3	-88.62	1.1	-45.3	45.3	44.6	0.67	67.166		
300.0	300.0	300.0	300.0	0.6	0.6	-88.62	1.1	-45.3	45.3	44.2	1.12	40.300		
400.0	400.0	400.0	400.0	0.8	0.8	-88.62	1.1	-45.3	45.3	43.7	1.57	28.785 CC, ES		
500.0	500.0	498.6	498.5	1.0	1.0	-87.73	1.9	-46.8	46.9	44.8	2.01	23.260		
600.0	600.0	596.9	596.7	1.2	1.2	-85.40	4.1	-51.3	51.6	49.1	2.46	20.983		
700.0	700.0	694.7	694.2	1.5	1.5	-82.35	7.9	-58.8	59.6	56.7	2.92	20.437		
800.0	800.0	792.1	790.9	1.7	1.7	-6.37	13.1	-69.2	69.3	66.0	3.34	20.735		
900.0	899.8	889.2	886.8	1.9	2.0	-3.75	19.8	-82.5	79.0	75.2	3.78	20.874		
1,000.0	999.5	985.9	981.8	2.1	2.4	-1.36	27.9	-98.6	88.6	84.3	4.23	20.924		
1,100.0	1,098.7	1,082.2	1,075.8	2.4	2.8	0.87	37.4	-117.5	98.1	93.5	4.69	20.912		
1,200.0	1,197.5	1,178.3	1,168.7	2.7	3.2	2.98	48.3	-139.1	107.7	102.5	5.17	20.853		
1,300.0	1,295.6	1,274.0	1,260.5	3.0	3.7	5.00	60.6	-163.4	117.3	111.6	5.65	20.749		
1,400.0	1,393.1	1,369.4	1,351.0	3.4	4.3	6.95	74.1	-190.4	126.8	120.6	6.16	20.598		
1,500.0	1,489.6	1,464.5	1,440.1	3.9	4.9	8.84	89.0	-219.9	136.4	129.7	6.68	20.420		
1,600.0	1,585.3	1,559.2	1,527.8	4.4	5.6	10.68	105.1	-251.9	145.9	138.7	7.24	20.149		
1,700.0	1,679.8	1,653.7	1,614.0	5.0	6.4	12.48	122.4	-286.4	155.5	147.7	7.85	19.822		
1,800.0	1,773.2	1,747.8	1,698.6	5.6	7.3	14.23	141.0	-323.3	165.2	156.7	8.51	19.422		
1,900.0	1,865.2	1,841.6	1,781.6	6.4	8.2	15.95	160.7	-362.5	174.9	165.7	9.23	18.946		
2,000.0	1,955.8	1,935.2	1,862.8	7.2	9.1	17.64	181.6	-404.0	184.7	174.7	10.04	18.393		
2,100.0	2,044.9	2,028.4	1,942.1	8.1	10.2	19.29	203.6	-447.7	194.6	183.6	10.95	17.768		
2,200.0	2,132.4	2,121.4	2,019.7	9.1	11.3	20.92	226.7	-493.5	204.5	192.5	11.97	17.085		
2,300.0	2,218.1	2,219.2	2,099.9	10.2	12.5	22.67	251.8	-543.4	213.6	200.5	13.17	16.228		
2,400.0	2,302.0	2,318.7	2,181.6	11.4	13.7	24.68	277.4	-594.2	219.9	205.3	14.57	15.098		
2,474.4	2,363.1	2,392.7	2,242.3	12.3	14.7	26.36	296.4	-632.0	222.7	207.0	15.77	14.128		
2,500.0	2,383.9	2,418.2	2,263.2	12.6	15.0	26.98	302.9	-645.1	223.4	207.2	16.23	13.771		
2,600.0	2,465.4	2,517.7	2,344.8	13.9	16.3	29.35	328.5	-695.9	226.5	208.4	18.12	12.499		
2,700.0	2,546.8	2,617.2	2,426.5	15.2	17.6	31.65	354.1	-746.7	229.9	209.7	20.17	11.401		
2,800.0	2,628.2	2,716.8	2,508.1	16.5	18.8	33.88	379.7	-797.5	233.7	211.4	22.35	10.458		
2,900.0	2,709.6	2,816.3	2,589.8	17.8	20.1	36.04	405.3	-848.4	237.8	213.2	24.65	9.648		
3,000.0	2,791.1	2,915.8	2,671.4	19.1	21.4	38.12	430.8	-899.2	242.3	215.2	27.06	8.954		
3,100.0	2,872.5	3,015.3	2,753.1	20.5	22.7	40.13	456.4	-950.0	247.1	217.5	29.56	8.357		
3,200.0	2,953.9	3,114.8	2,834.7	21.8	24.0	42.05	482.0	-1,000.9	252.1	220.0	32.15	7.843		
3,300.0	3,035.3	3,214.3	2,916.3	23.1	25.3	43.90	507.6	-1,051.7	257.5	222.7	34.80	7.398		
3,400.0	3,116.8	3,313.9	2,998.0	24.4	26.5	45.68	533.2	-1,102.5	263.1	225.6	37.51	7.013		
3,500.0	3,198.2	3,413.4	3,079.6	25.8	27.8	47.38	558.8	-1,153.4	268.9	228.6	40.27	6.678		
3,600.0	3,279.6	3,512.9	3,161.3	27.1	29.1	49.00	584.3	-1,204.2	275.0	231.9	43.07	6.385		
3,700.0	3,361.0	3,612.4	3,242.9	28.4	30.4	50.56	609.9	-1,255.0	281.3	235.4	45.90	6.128		
3,800.0	3,442.5	3,711.9	3,324.5	29.8	31.7	52.04	635.5	-1,305.9	287.7	239.0	48.75	5.902		
3,900.0	3,523.9	3,811.4	3,406.2	31.1	33.0	53.46	661.1	-1,356.7	294.4	242.8	51.63	5.702		
4,000.0	3,605.3	3,911.0	3,487.8	32.5	34.3	54.82	686.7	-1,407.5	301.2	246.7	54.52	5.525		
4,100.0	3,686.7	4,010.5	3,569.5	33.8	35.6	56.12	712.2	-1,458.4	308.2	250.8	57.42	5.368		
4,200.0	3,768.2	4,110.0	3,651.1	35.1	36.9	57.35	737.8	-1,509.2	315.4	255.0	60.33	5.227		
4,300.0	3,849.6	4,209.5	3,732.8	36.5	38.2	58.54	763.4	-1,560.0	322.7	259.4	63.24	5.102		
4,400.0	3,931.0	4,309.0	3,814.4	37.8	39.5	59.67	789.0	-1,610.8	330.1	263.9	66.16	4.989		
4,500.0	4,012.4	4,408.5	3,896.0	39.2	40.8	60.75	814.6	-1,661.7	337.6	268.5	69.08	4.887		
4,600.0	4,093.8	4,508.1	3,977.7	40.5	42.1	61.78	840.1	-1,712.5	345.3	273.3	72.00	4.796		
4,700.0	4,175.3	4,607.6	4,059.3	41.8	43.4	62.77	865.7	-1,763.3	353.0	278.1	74.91	4.713		
4,800.0	4,256.7	4,707.1	4,141.0	43.2	44.7	63.72	891.3	-1,814.2	360.9	283.1	77.83	4.637		
4,900.0	4,338.1	4,806.6	4,222.6	44.5	46.0	64.62	916.9	-1,865.0	368.9	288.1	80.74	4.569		
5,000.0	4,419.5	4,906.1	4,304.2	45.9	47.3	65.49	942.5	-1,915.8	376.9	293.3	83.64	4.506		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 3-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
5,100.0	4,501.0	5,005.6	4,385.9	47.2	48.5	66.32	968.1	-1,966.7	385.0	298.5	86.54	4.449		
5,200.0	4,582.4	5,105.2	4,467.5	48.6	49.8	67.11	993.6	-2,017.5	393.2	303.8	89.43	4.397		
5,300.0	4,663.8	5,204.7	4,549.2	49.9	51.1	67.88	1,019.2	-2,068.3	401.5	309.2	92.32	4.349		
5,400.0	4,745.2	5,304.2	4,630.8	51.3	52.4	68.61	1,044.8	-2,119.2	409.9	314.7	95.20	4.305		
5,500.0	4,826.7	5,403.7	4,712.4	52.6	53.7	69.31	1,070.4	-2,170.0	418.3	320.2	98.07	4.265		
5,600.0	4,908.1	5,503.2	4,794.1	54.0	55.0	69.99	1,096.0	-2,220.8	426.7	325.8	100.94	4.228		
5,700.0	4,989.5	5,602.7	4,875.7	55.3	56.3	70.64	1,121.5	-2,271.7	435.3	331.5	103.80	4.193		
5,800.0	5,070.9	5,702.3	4,957.4	56.6	57.6	71.26	1,147.1	-2,322.5	443.8	337.2	106.66	4.161		
5,900.0	5,152.4	5,801.8	5,039.0	58.0	58.9	71.86	1,172.7	-2,373.3	452.5	343.0	109.51	4.132		
6,000.0	5,233.8	5,901.3	5,120.7	59.3	60.2	72.44	1,198.3	-2,424.2	461.2	348.8	112.35	4.105		
6,100.0	5,315.2	6,000.8	5,202.3	60.7	61.5	73.00	1,223.9	-2,475.0	469.9	354.7	115.19	4.079		
6,200.0	5,396.6	6,100.3	5,283.9	62.0	62.8	73.54	1,249.5	-2,525.8	478.6	360.6	118.02	4.056		
6,300.0	5,478.1	6,199.8	5,365.6	63.4	64.1	74.05	1,275.0	-2,576.6	487.5	366.6	120.84	4.034		
6,400.0	5,559.5	6,299.3	5,447.2	64.7	65.4	74.55	1,300.6	-2,627.5	496.3	372.6	123.66	4.013		
6,500.0	5,640.9	6,398.9	5,528.9	66.1	66.7	75.03	1,326.2	-2,678.3	505.2	378.7	126.47	3.994		
6,600.0	5,722.3	6,498.4	5,610.5	67.4	68.0	75.50	1,351.8	-2,729.1	514.1	384.8	129.28	3.977		
6,700.0	5,803.7	6,597.9	5,692.1	68.8	69.3	75.95	1,377.4	-2,780.0	523.0	391.0	132.08	3.960		
6,800.0	5,885.2	6,697.4	5,773.8	70.1	70.6	76.38	1,402.9	-2,830.8	532.0	397.1	134.88	3.944		
6,900.0	5,966.6	6,796.9	5,855.4	71.5	71.9	76.80	1,428.5	-2,881.6	541.0	403.3	137.68	3.930		
7,000.0	6,048.0	6,896.4	5,937.1	72.8	73.2	77.21	1,454.1	-2,932.5	550.1	409.6	140.46	3.916		
7,100.0	6,129.4	6,996.0	6,018.7	74.2	74.5	77.60	1,479.7	-2,983.3	559.1	415.9	143.25	3.903		
7,200.0	6,210.9	7,095.5	6,100.3	75.5	75.8	77.98	1,505.3	-3,034.1	568.2	422.2	146.03	3.891		
7,269.9	6,267.8	7,165.1	6,157.4	76.5	76.7	78.24	1,523.2	-3,069.7	574.6	426.6	147.97	3.883		
7,300.0	6,292.7	7,195.0	6,182.0	76.8	77.1	77.21	1,530.9	-3,085.0	577.2	428.3	148.89	3.877		
7,350.0	6,335.6	7,244.8	6,222.8	77.3	77.8	74.60	1,543.7	-3,110.4	581.3	431.2	150.09	3.873		
7,400.0	6,380.3	7,294.2	6,263.4	77.7	78.4	70.61	1,556.4	-3,135.7	584.9	434.0	150.91	3.876		
7,450.0	6,426.4	7,343.1	6,303.5	78.1	79.0	64.73	1,568.9	-3,160.6	588.1	436.7	151.36	3.885		
7,500.0	6,473.7	7,391.0	6,342.8	78.3	79.7	56.09	1,581.2	-3,185.1	591.2	439.7	151.46	3.903		
7,550.0	6,521.9	7,435.0	6,379.3	78.5	80.2	43.42	1,592.6	-3,206.8	594.4	443.1	151.27	3.929		
7,600.0	6,570.7	7,478.7	6,416.9	78.6	80.6	24.98	1,604.3	-3,225.8	598.1	447.2	150.91	3.964		
7,650.0	6,619.8	7,523.4	6,456.5	78.7	81.0	1.04	1,616.5	-3,242.4	602.3	451.9	150.40	4.005		
7,700.0	6,668.9	7,569.1	6,498.2	78.7	81.3	-22.68	1,629.2	-3,256.3	607.0	457.2	149.80	4.052		
7,750.0	6,717.7	7,616.0	6,541.8	78.7	81.6	-40.72	1,642.3	-3,267.3	612.2	463.1	149.12	4.106		
7,800.0	6,765.9	7,664.2	6,587.4	78.7	81.8	-53.07	1,656.0	-3,275.1	617.9	469.5	148.40	4.164		
7,850.0	6,813.1	7,713.9	6,634.8	78.6	82.0	-61.60	1,670.1	-3,279.3	624.0	476.3	147.65	4.226		
7,900.0	6,859.2	7,765.2	6,684.0	78.5	82.1	-67.77	1,684.6	-3,279.6	630.4	483.5	146.91	4.291		
7,950.0	6,903.7	7,818.1	6,734.7	78.4	82.1	-72.47	1,699.4	-3,275.6	637.2	491.0	146.19	4.359		
8,000.0	6,946.5	7,873.0	6,786.7	78.3	82.1	-76.20	1,714.4	-3,266.9	644.2	498.7	145.54	4.426		
8,050.0	6,987.3	7,929.9	6,839.7	78.2	82.1	-79.25	1,729.6	-3,252.9	651.4	506.4	144.96	4.493		
8,100.0	7,025.8	7,989.1	6,893.3	78.1	82.0	-81.82	1,744.8	-3,233.2	658.6	514.1	144.49	4.558		
8,150.0	7,061.8	8,050.5	6,947.0	78.1	81.9	-84.02	1,759.8	-3,207.4	665.7	521.6	144.14	4.619		
8,200.0	7,095.1	8,114.4	7,000.1	78.0	81.8	-85.92	1,774.5	-3,174.9	672.7	528.7	143.95	4.673		
8,250.0	7,125.4	8,180.9	7,051.7	78.0	81.7	-87.57	1,788.5	-3,135.5	679.3	535.4	143.94	4.720		
8,300.0	7,152.6	8,249.9	7,100.8	78.0	81.6	-88.99	1,801.6	-3,089.0	685.5	541.4	144.13	4.756		
8,350.0	7,176.5	8,321.3	7,146.4	78.0	81.5	-90.18	1,813.3	-3,035.3	691.1	546.6	144.54	4.782		
8,400.0	7,197.0	8,395.0	7,187.1	78.1	81.5	-91.17	1,823.5	-2,974.8	695.9	550.8	145.16	4.794		
8,450.0	7,213.9	8,470.6	7,221.6	78.2	81.4	-91.94	1,831.6	-2,908.0	699.9	553.9	146.02	4.793		
8,500.0	7,227.1	8,547.9	7,248.8	78.3	81.4	-92.49	1,837.5	-2,836.0	702.9	555.8	147.07	4.779		
8,550.0	7,236.5	8,626.3	7,267.7	78.4	81.5	-92.81	1,840.7	-2,760.0	704.8	556.5	148.29	4.753		
8,600.0	7,242.2	8,705.1	7,277.6	78.5	81.6	-92.90	1,841.3	-2,681.8	705.6	556.0	149.62	4.716		
8,649.0	7,244.0	8,770.4	7,279.0	78.7	81.7	-92.84	1,839.7	-2,616.6	705.5	554.6	150.92	4.675		
8,649.1	7,244.0	8,770.4	7,279.0	78.7	81.7	-92.84	1,839.7	-2,616.6	705.5	554.6	150.92	4.675		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design				East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 3-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)									Offset Site Error:		0.0 ft
Survey Program: 0-MWD													Offset Well Error:		0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning	
Measured Depth Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor			
8,700.0	7,243.9	8,821.4	7,278.9	78.8	81.8	-92.84	1,838.2	-2,565.7	705.5	554.2	151.31	4.663			
8,800.0	7,243.8	8,921.4	7,278.8	79.2	82.0	-92.84	1,835.1	-2,465.7	705.5	553.3	152.21	4.635			
8,900.0	7,243.7	9,021.4	7,278.7	79.7	82.4	-92.84	1,832.0	-2,365.8	705.5	552.2	153.31	4.602			
9,000.0	7,243.6	9,121.4	7,278.6	80.3	82.8	-92.84	1,829.0	-2,265.8	705.5	550.9	154.61	4.563			
9,100.0	7,243.5	9,221.4	7,278.5	81.0	83.3	-92.84	1,825.9	-2,165.9	705.5	549.4	156.10	4.520			
9,200.0	7,243.4	9,321.4	7,278.4	81.7	83.8	-92.84	1,822.9	-2,065.9	705.5	547.7	157.78	4.472			
9,300.0	7,243.3	9,421.4	7,278.3	82.6	84.5	-92.84	1,819.8	-1,965.9	705.5	545.9	159.64	4.419			
9,400.0	7,243.2	9,521.4	7,278.2	83.5	85.2	-92.84	1,816.7	-1,866.0	705.5	543.9	161.68	4.364			
9,500.0	7,243.1	9,621.4	7,278.1	84.5	86.1	-92.84	1,813.7	-1,766.0	705.5	541.7	163.88	4.305			
9,600.0	7,243.0	9,721.4	7,278.0	85.6	87.0	-92.84	1,810.6	-1,666.1	705.5	539.3	166.25	4.244			
9,700.0	7,242.9	9,821.4	7,277.9	86.8	88.0	-92.84	1,807.6	-1,566.1	705.5	536.8	168.77	4.180			
9,800.0	7,242.8	9,921.4	7,277.8	88.0	89.0	-92.84	1,804.5	-1,466.2	705.5	534.1	171.44	4.115			
9,900.0	7,242.7	10,021.4	7,277.7	89.4	90.2	-92.84	1,801.5	-1,366.2	705.5	531.3	174.25	4.049			
10,000.0	7,242.6	10,121.4	7,277.6	90.8	91.4	-92.84	1,798.4	-1,266.3	705.5	528.3	177.19	3.982			
10,100.0	7,242.5	10,221.4	7,277.5	92.2	92.7	-92.84	1,795.3	-1,166.3	705.5	525.3	180.27	3.914			
10,200.0	7,242.4	10,321.4	7,277.4	93.8	94.1	-92.84	1,792.3	-1,066.4	705.5	522.1	183.46	3.846			
10,300.0	7,242.3	10,421.4	7,277.3	95.3	95.6	-92.84	1,789.2	-966.4	705.5	518.8	186.77	3.778			
10,400.0	7,242.2	10,521.4	7,277.2	97.0	97.1	-92.84	1,786.2	-866.5	705.5	515.4	190.19	3.710			
10,500.0	7,242.1	10,621.4	7,277.1	98.7	98.6	-92.84	1,783.1	-766.5	705.5	511.8	193.71	3.642			
10,600.0	7,242.0	10,721.4	7,277.0	100.4	100.3	-92.84	1,780.0	-666.6	705.5	508.2	197.33	3.575			
10,700.0	7,241.9	10,821.4	7,276.9	102.3	102.0	-92.84	1,777.0	-566.6	705.5	504.5	201.05	3.509			
10,800.0	7,241.8	10,921.4	7,276.8	104.1	103.7	-92.84	1,773.9	-466.7	705.5	500.7	204.85	3.444			
10,900.0	7,241.7	11,021.4	7,276.7	106.0	105.5	-92.84	1,770.9	-366.7	705.5	496.8	208.73	3.380			
11,000.0	7,241.6	11,121.4	7,276.6	107.9	107.4	-92.84	1,767.8	-266.7	705.5	492.9	212.69	3.317			
11,100.0	7,241.5	11,221.4	7,276.5	109.9	109.3	-92.84	1,764.8	-166.8	705.5	488.8	216.73	3.255			
11,200.0	7,241.4	11,321.4	7,276.4	111.9	111.2	-92.84	1,761.7	-66.8	705.5	484.7	220.84	3.195			
11,300.0	7,241.3	11,421.4	7,276.3	114.0	113.2	-92.84	1,758.6	33.1	705.5	480.5	225.01	3.136			
11,400.0	7,241.2	11,521.4	7,276.2	116.1	115.2	-92.84	1,755.6	133.1	705.6	476.3	229.24	3.078			
11,500.0	7,241.1	11,621.4	7,276.1	118.2	117.3	-92.84	1,752.5	233.0	705.6	472.0	233.54	3.021			
11,600.0	7,241.0	11,721.4	7,276.0	120.3	119.4	-92.84	1,749.5	333.0	705.6	467.7	237.89	2.966			
11,700.0	7,240.9	11,821.4	7,275.8	122.5	121.5	-92.84	1,746.4	432.9	705.6	463.3	242.29	2.912			
11,800.0	7,240.8	11,921.4	7,275.7	124.7	123.7	-92.84	1,743.4	532.9	705.6	458.8	246.74	2.859			
11,900.0	7,240.7	12,021.4	7,275.6	127.0	125.9	-92.84	1,740.3	632.8	705.6	454.3	251.24	2.808			
12,000.0	7,240.6	12,121.4	7,275.5	129.2	128.1	-92.84	1,737.2	732.8	705.6	449.8	255.79	2.758			
12,100.0	7,240.5	12,221.4	7,275.4	131.5	130.4	-92.84	1,734.2	832.7	705.6	445.2	260.38	2.710			
12,200.0	7,240.4	12,321.4	7,275.3	133.8	132.6	-92.84	1,731.1	932.7	705.6	440.6	265.00	2.662			
12,300.0	7,240.3	12,421.4	7,275.2	136.1	134.9	-92.84	1,728.1	1,032.6	705.6	435.9	269.67	2.616			
12,400.0	7,240.2	12,521.4	7,275.1	138.4	137.2	-92.84	1,725.0	1,132.6	705.6	431.2	274.37	2.572			
12,500.0	7,240.0	12,621.4	7,275.0	140.8	139.6	-92.84	1,721.9	1,232.6	705.6	426.5	279.11	2.528			
12,600.0	7,239.9	12,721.4	7,274.9	143.2	141.9	-92.84	1,718.9	1,332.5	705.6	421.7	283.88	2.485			
12,700.0	7,239.8	12,821.4	7,274.8	145.6	144.3	-92.84	1,715.8	1,432.5	705.6	416.9	288.68	2.444			
12,800.0	7,239.7	12,921.4	7,274.7	148.0	146.7	-92.84	1,712.8	1,532.4	705.6	412.1	293.51	2.404			
12,900.0	7,239.6	13,021.4	7,274.6	150.4	149.1	-92.84	1,709.7	1,632.4	705.6	407.2	298.37	2.365			
13,000.0	7,239.5	13,121.4	7,274.5	152.8	151.5	-92.84	1,706.7	1,732.3	705.6	402.3	303.26	2.327			
13,100.0	7,239.4	13,221.4	7,274.4	155.3	154.0	-92.84	1,703.6	1,832.3	705.6	397.4	308.17	2.290			
13,200.0	7,239.3	13,321.4	7,274.3	157.7	156.4	-92.84	1,700.5	1,932.2	705.6	392.5	313.10	2.253			
13,300.0	7,239.2	13,421.4	7,274.2	160.2	158.9	-92.84	1,697.5	2,032.2	705.6	387.5	318.06	2.218			
13,400.0	7,239.1	13,521.4	7,274.1	162.7	161.4	-92.84	1,694.4	2,132.1	705.6	382.5	323.04	2.184			
13,500.0	7,239.0	13,621.4	7,274.0	165.2	163.9	-92.84	1,691.4	2,232.1	705.6	377.5	328.04	2.151			
13,600.0	7,238.9	13,721.4	7,273.9	167.7	166.4	-92.84	1,688.3	2,332.0	705.6	372.5	333.07	2.118			
13,700.0	7,238.8	13,821.4	7,273.8	170.2	168.9	-92.84	1,685.3	2,432.0	705.6	367.5	338.11	2.087			
13,800.0	7,238.7	13,921.4	7,273.7	172.7	171.4	-92.84	1,682.2	2,531.9	705.6	362.4	343.17	2.056			

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 3-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
13,900.0	7,238.6	14,021.4	7,273.6	175.3	173.9	-92.84	1,679.1	2,631.9	705.6	357.3	348.25	2.026		
14,000.0	7,238.5	14,121.4	7,273.5	177.8	176.5	-92.84	1,676.1	2,731.8	705.6	352.2	353.34	1.997		
14,100.0	7,238.4	14,221.4	7,273.4	180.4	179.0	-92.84	1,673.0	2,831.8	705.6	347.1	358.45	1.968		
14,200.0	7,238.3	14,321.4	7,273.3	182.9	181.6	-92.84	1,670.0	2,931.8	705.6	342.0	363.58	1.941		
14,300.0	7,238.2	14,421.4	7,273.2	185.5	184.1	-92.84	1,666.9	3,031.7	705.6	336.9	368.72	1.914		
14,400.0	7,238.1	14,521.4	7,273.1	188.1	186.7	-92.84	1,663.8	3,131.7	705.6	331.7	373.87	1.887		
14,500.0	7,238.0	14,621.4	7,273.0	190.6	189.3	-92.84	1,660.8	3,231.6	705.6	326.5	379.04	1.861		
14,600.0	7,237.9	14,721.4	7,272.9	193.2	191.9	-92.84	1,657.7	3,331.6	705.6	321.4	384.22	1.836		
14,700.0	7,237.8	14,821.4	7,272.8	195.8	194.5	-92.84	1,654.7	3,431.5	705.6	316.2	389.42	1.812		
14,800.0	7,237.7	14,921.4	7,272.7	198.4	197.1	-92.84	1,651.6	3,531.5	705.6	311.0	394.62	1.788		
14,900.0	7,237.6	15,021.4	7,272.6	201.0	199.7	-92.84	1,648.6	3,631.4	705.6	305.7	399.84	1.765		
15,000.0	7,237.5	15,121.4	7,272.5	203.6	202.3	-92.84	1,645.5	3,731.4	705.6	300.5	405.07	1.742		
15,100.0	7,237.4	15,221.4	7,272.4	206.3	204.9	-92.84	1,642.4	3,831.3	705.6	295.3	410.31	1.720		
15,200.0	7,237.3	15,321.4	7,272.3	208.9	207.6	-92.84	1,639.4	3,931.3	705.6	290.0	415.56	1.698		
15,300.0	7,237.2	15,421.4	7,272.2	211.5	210.2	-92.84	1,636.3	4,031.2	705.6	284.8	420.82	1.677		
15,400.0	7,237.1	15,521.4	7,272.1	214.2	212.8	-92.84	1,633.3	4,131.2	705.6	279.5	426.09	1.656		
15,500.0	7,237.0	15,621.4	7,272.0	216.8	215.5	-92.84	1,630.2	4,231.1	705.6	274.2	431.37	1.636		
15,600.0	7,236.9	15,721.4	7,271.9	219.4	218.1	-92.84	1,627.1	4,331.1	705.6	268.9	436.66	1.616		
15,700.0	7,236.8	15,821.4	7,271.7	222.1	220.8	-92.84	1,624.1	4,431.1	705.6	263.6	441.95	1.597		
15,800.0	7,236.7	15,921.4	7,271.6	224.7	223.4	-92.84	1,621.0	4,531.0	705.6	258.3	447.26	1.578		
15,900.0	7,236.6	16,021.4	7,271.5	227.4	226.1	-92.84	1,618.0	4,631.0	705.6	253.0	452.57	1.559		
16,000.0	7,236.5	16,121.4	7,271.4	230.1	228.7	-92.84	1,614.9	4,730.9	705.6	247.7	457.89	1.541		
16,100.0	7,236.4	16,221.4	7,271.3	232.7	231.4	-92.84	1,611.9	4,830.9	705.6	242.4	463.22	1.523		
16,200.0	7,236.3	16,321.4	7,271.2	235.4	234.1	-92.84	1,608.8	4,930.8	705.6	237.0	468.55	1.506		
16,300.0	7,236.2	16,421.4	7,271.1	238.1	236.7	-92.84	1,605.7	5,030.8	705.6	231.7	473.89	1.489 Level 3		
16,400.0	7,236.0	16,521.4	7,271.0	240.7	239.4	-92.84	1,602.7	5,130.7	705.6	226.4	479.24	1.472 Level 3		
16,500.0	7,235.9	16,621.4	7,270.9	243.4	242.1	-92.84	1,599.6	5,230.7	705.6	221.0	484.59	1.456 Level 3		
16,600.0	7,235.8	16,721.4	7,270.8	246.1	244.8	-92.84	1,596.6	5,330.6	705.6	215.6	489.96	1.440 Level 3		
16,700.0	7,235.7	16,821.4	7,270.7	248.8	247.5	-92.84	1,593.5	5,430.6	705.6	210.3	495.32	1.425 Level 3		
16,800.0	7,235.6	16,921.4	7,270.6	251.5	250.2	-92.84	1,590.5	5,530.5	705.6	204.9	500.70	1.409 Level 3		
16,900.0	7,235.5	17,021.4	7,270.5	254.2	252.9	-92.84	1,587.4	5,630.5	705.6	199.5	506.07	1.394 Level 3		
17,000.0	7,235.4	17,121.4	7,270.4	256.9	255.5	-92.84	1,584.3	5,730.4	705.6	194.1	511.46	1.380 Level 3		
17,100.0	7,235.3	17,221.4	7,270.3	259.5	258.2	-92.84	1,581.3	5,830.4	705.6	188.8	516.85	1.365 Level 3		
17,200.0	7,235.2	17,321.4	7,270.2	262.2	260.9	-92.84	1,578.2	5,930.4	705.6	183.4	522.24	1.351 Level 3		
17,300.0	7,235.1	17,421.4	7,270.1	264.9	263.6	-92.84	1,575.2	6,030.3	705.6	178.0	527.64	1.337 Level 3		
17,400.0	7,235.0	17,521.4	7,270.0	267.6	266.4	-92.84	1,572.1	6,130.3	705.6	172.6	533.05	1.324 Level 3		
17,500.0	7,234.9	17,621.4	7,269.9	270.4	269.1	-92.84	1,569.0	6,230.2	705.6	167.2	538.45	1.310 Level 3		
17,600.0	7,234.8	17,721.4	7,269.8	273.1	271.8	-92.84	1,566.0	6,330.2	705.6	161.7	543.87	1.297 Level 3		
17,700.0	7,234.7	17,821.4	7,269.7	275.8	274.5	-92.84	1,562.9	6,430.1	705.6	156.3	549.29	1.285 Level 3		
17,800.0	7,234.6	17,921.4	7,269.6	278.5	277.2	-92.84	1,559.9	6,530.1	705.6	150.9	554.71	1.272 Level 3		
17,900.0	7,234.5	18,021.4	7,269.5	281.2	279.9	-92.84	1,556.8	6,630.0	705.6	145.5	560.14	1.260 Level 3		
18,000.0	7,234.4	18,121.4	7,269.4	283.9	282.6	-92.84	1,553.8	6,730.0	705.6	140.0	565.57	1.248 Level 2		
18,100.0	7,234.3	18,221.4	7,269.3	286.6	285.4	-92.84	1,550.7	6,829.9	705.6	134.6	571.00	1.236 Level 2		
18,200.0	7,234.2	18,321.4	7,269.2	289.4	288.1	-92.84	1,547.6	6,929.9	705.6	129.2	576.44	1.224 Level 2		
18,300.0	7,234.1	18,421.4	7,269.1	292.1	290.8	-92.84	1,544.6	7,029.8	705.6	123.7	581.88	1.213 Level 2		
18,352.7	7,234.0	18,474.1	7,269.0	293.5	292.2	-92.84	1,543.0	7,082.5	705.6	120.9	584.75	1.207 Level 2		
18,398.3	7,234.0	18,501.8	7,269.0	294.8	293.0	-92.84	1,542.1	7,110.2	705.8	119.1	586.75	1.203 Level 2, SF		

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 4-7-8HNA - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	-88.62	0.7	-30.3	30.3					
100.0	100.0	100.0	100.0	0.1	0.1	-88.62	0.7	-30.3	30.3	30.1	0.22	134.744		
200.0	200.0	200.0	200.0	0.3	0.3	-88.62	0.7	-30.3	30.3	29.6	0.67	44.915		
300.0	300.0	300.0	300.0	0.6	0.6	-88.62	0.7	-30.3	30.3	29.2	1.12	26.949		
400.0	400.0	400.0	400.0	0.8	0.8	-88.62	0.7	-30.3	30.3	28.7	1.57	19.249		
500.0	500.0	500.0	500.0	1.0	1.0	-88.62	0.7	-30.3	30.3	28.3	2.02	14.972 CC		
600.0	600.0	599.0	599.0	1.2	1.2	-87.47	1.4	-31.8	31.9	29.4	2.46	12.945		
700.0	700.0	697.7	697.6	1.5	1.4	-84.61	3.4	-36.5	36.8	33.9	2.91	12.655		
800.0	800.0	796.2	795.7	1.7	1.7	-85.4	6.8	-44.3	43.3	40.0	3.34	12.985		
900.0	899.8	894.4	893.2	1.9	1.9	-5.87	11.5	-55.1	49.8	46.1	3.77	13.221		
1,000.0	999.5	992.4	990.0	2.1	2.2	-3.44	17.5	-69.0	56.3	52.1	4.21	13.373		
1,100.0	1,098.7	1,090.1	1,086.0	2.4	2.6	-1.19	24.9	-85.8	62.8	58.1	4.66	13.465		
1,200.0	1,197.5	1,187.7	1,181.1	2.7	3.0	0.94	33.4	-105.6	69.2	64.1	5.12	13.510		
1,300.0	1,295.6	1,285.0	1,275.2	3.0	3.4	2.98	43.3	-128.3	75.7	70.1	5.60	13.515		
1,400.0	1,393.1	1,382.0	1,368.2	3.4	3.9	4.95	54.4	-153.8	82.1	76.0	6.09	13.480		
1,500.0	1,489.6	1,478.9	1,460.0	3.9	4.5	6.87	66.7	-182.2	88.6	81.9	6.61	13.404		
1,600.0	1,585.3	1,575.6	1,550.5	4.4	5.2	8.74	80.2	-213.3	95.0	87.9	7.14	13.299		
1,700.0	1,679.8	1,672.0	1,639.6	5.0	5.9	10.56	94.9	-247.1	101.5	93.7	7.73	13.121		
1,800.0	1,773.2	1,768.2	1,727.2	5.6	6.7	12.36	110.7	-283.6	108.0	99.6	8.37	12.899		
1,900.0	1,865.2	1,864.2	1,813.3	6.4	7.5	14.11	127.7	-322.6	114.5	105.5	9.08	12.620		
2,000.0	1,955.8	1,960.1	1,897.7	7.2	8.5	15.84	145.7	-364.2	121.1	111.3	9.86	12.285		
2,100.0	2,044.9	2,055.7	1,980.4	8.1	9.5	17.54	164.9	-408.3	127.8	117.0	10.74	11.896		
2,200.0	2,132.4	2,151.1	2,061.2	9.1	10.6	19.21	185.0	-454.8	134.5	122.7	11.73	11.460		
2,300.0	2,218.1	2,246.4	2,140.2	10.2	11.7	20.86	206.2	-503.6	141.2	128.4	12.85	10.986		
2,400.0	2,302.0	2,344.9	2,220.6	11.4	13.0	22.64	229.0	-555.9	147.2	133.0	14.16	10.391		
2,474.4	2,363.1	2,419.2	2,281.1	12.3	13.9	24.25	246.1	-595.4	149.7	134.4	15.30	9.782		
2,500.0	2,383.9	2,444.7	2,301.9	12.6	14.2	24.85	252.0	-608.9	150.3	134.6	15.75	9.544		
2,600.0	2,465.4	2,544.5	2,383.2	13.9	15.5	27.14	275.0	-662.0	152.8	135.2	17.58	8.692		
2,700.0	2,546.8	2,644.3	2,464.5	15.2	16.8	29.35	298.0	-715.0	155.5	136.0	19.56	7.952		
2,800.0	2,628.2	2,744.0	2,545.8	16.5	18.1	31.49	321.1	-768.1	158.5	136.8	21.67	7.314		
2,900.0	2,709.6	2,843.8	2,627.2	17.8	19.4	33.54	344.1	-821.1	161.7	137.8	23.90	6.764		
3,000.0	2,791.1	2,943.6	2,708.5	19.1	20.8	35.52	367.1	-874.2	165.0	138.8	26.23	6.291		
3,100.0	2,872.5	3,043.4	2,789.8	20.5	22.1	37.41	390.2	-927.2	168.6	139.9	28.66	5.883		
3,200.0	2,953.9	3,143.2	2,871.1	21.8	23.4	39.22	413.2	-980.3	172.3	141.1	31.16	5.530		
3,300.0	3,035.3	3,243.0	2,952.4	23.1	24.7	40.96	436.2	-1,033.3	176.2	142.5	33.73	5.223		
3,400.0	3,116.8	3,342.8	3,033.8	24.4	26.0	42.62	459.3	-1,086.3	180.3	143.9	36.37	4.957		
3,500.0	3,198.2	3,442.5	3,115.1	25.8	27.3	44.20	482.3	-1,139.4	184.5	145.4	39.05	4.724		
3,600.0	3,279.6	3,542.3	3,196.4	27.1	28.7	45.71	505.3	-1,192.4	188.8	147.0	41.77	4.520		
3,700.0	3,361.0	3,642.1	3,277.7	28.4	30.0	47.16	528.4	-1,245.5	193.2	148.7	44.53	4.340		
3,800.0	3,442.5	3,741.9	3,359.0	29.8	31.3	48.54	551.4	-1,298.5	197.8	150.5	47.31	4.181		
3,900.0	3,523.9	3,841.7	3,440.4	31.1	32.6	49.85	574.4	-1,351.6	202.5	152.4	50.12	4.040		
4,000.0	3,605.3	3,941.5	3,521.7	32.5	34.0	51.11	597.5	-1,404.6	207.3	154.3	52.95	3.915		
4,100.0	3,686.7	4,041.2	3,603.0	33.8	35.3	52.31	620.5	-1,457.6	212.2	156.4	55.79	3.803		
4,200.0	3,768.2	4,141.0	3,684.3	35.1	36.6	53.45	643.5	-1,510.7	217.1	158.5	58.65	3.703		
4,300.0	3,849.6	4,240.8	3,765.6	36.5	37.9	54.54	666.6	-1,563.7	222.2	160.7	61.51	3.612		
4,400.0	3,931.0	4,340.6	3,847.0	37.8	39.3	55.59	689.6	-1,616.8	227.3	162.9	64.38	3.531		
4,500.0	4,012.4	4,440.4	3,928.3	39.2	40.6	56.58	712.6	-1,669.8	232.5	165.3	67.26	3.457		
4,600.0	4,093.8	4,540.2	4,009.6	40.5	41.9	57.54	735.6	-1,722.9	237.8	167.7	70.14	3.390		
4,700.0	4,175.3	4,640.0	4,090.9	41.8	43.2	58.45	758.7	-1,775.9	243.1	170.1	73.02	3.330		
4,800.0	4,256.7	4,739.7	4,172.2	43.2	44.6	59.32	781.7	-1,829.0	248.5	172.6	75.90	3.274		
4,900.0	4,338.1	4,839.5	4,253.5	44.5	45.9	60.16	804.7	-1,882.0	254.0	175.2	78.78	3.224		
5,000.0	4,419.5	4,939.3	4,334.9	45.9	47.2	60.96	827.8	-1,935.0	259.5	177.8	81.66	3.177		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 4-7-8HNA - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
5,100.0	4,501.0	5,039.1	4,416.2	47.2	48.6	61.73	850.8	-1,988.1	265.0	180.5	84.54	3.135		
5,200.0	4,582.4	5,138.9	4,497.5	48.6	49.9	62.46	873.8	-2,041.1	270.6	183.2	87.42	3.095		
5,300.0	4,663.8	5,238.7	4,578.8	49.9	51.2	63.17	896.9	-2,094.2	276.2	185.9	90.29	3.059		
5,400.0	4,745.2	5,338.4	4,660.1	51.3	52.5	63.85	919.9	-2,147.2	281.9	188.7	93.17	3.026		
5,500.0	4,826.7	5,438.2	4,741.5	52.6	53.9	64.50	942.9	-2,200.3	287.6	191.6	96.03	2.995		
5,600.0	4,908.1	5,538.0	4,822.8	54.0	55.2	65.12	966.0	-2,253.3	293.4	194.5	98.90	2.966		
5,700.0	4,989.5	5,637.8	4,904.1	55.3	56.5	65.72	989.0	-2,306.4	299.2	197.4	101.76	2.940		
5,800.0	5,070.9	5,737.6	4,985.4	56.6	57.9	66.30	1,012.0	-2,359.4	305.0	200.4	104.62	2.915		
5,900.0	5,152.4	5,837.4	5,066.7	58.0	59.2	66.86	1,035.1	-2,412.4	310.8	203.3	107.47	2.892		
6,000.0	5,233.8	5,937.2	5,148.1	59.3	60.5	67.39	1,058.1	-2,465.5	316.7	206.4	110.32	2.871		
6,100.0	5,315.2	6,036.9	5,229.4	60.7	61.9	67.91	1,081.1	-2,518.5	322.6	209.4	113.16	2.851		
6,200.0	5,396.6	6,136.7	5,310.7	62.0	63.2	68.41	1,104.2	-2,571.6	328.5	212.5	116.01	2.832		
6,300.0	5,478.1	6,236.5	5,392.0	63.4	64.5	68.89	1,127.2	-2,624.6	334.4	215.6	118.84	2.814		
6,400.0	5,559.5	6,336.3	5,473.3	64.7	65.9	69.35	1,150.2	-2,677.7	340.4	218.7	121.68	2.798		
6,500.0	5,640.9	6,436.1	5,554.7	66.1	67.2	69.80	1,173.2	-2,730.7	346.4	221.9	124.51	2.782		
6,600.0	5,722.3	6,535.9	5,636.0	67.4	68.5	70.23	1,196.3	-2,783.8	352.4	225.1	127.33	2.768		
6,700.0	5,803.7	6,635.6	5,717.3	68.8	69.8	70.65	1,219.3	-2,836.8	358.4	228.3	130.16	2.754		
6,800.0	5,885.2	6,735.4	5,798.6	70.1	71.2	71.05	1,242.3	-2,889.8	364.5	231.5	132.98	2.741		
6,900.0	5,966.6	6,835.2	5,879.9	71.5	72.5	71.44	1,265.4	-2,942.9	370.6	234.8	135.79	2.729		
7,000.0	6,048.0	6,935.0	5,961.3	72.8	73.8	71.82	1,288.4	-2,995.9	376.6	238.0	138.60	2.717		
7,100.0	6,129.4	7,034.8	6,042.6	74.2	75.2	72.19	1,311.4	-3,049.0	382.7	241.3	141.41	2.707		
7,200.0	6,210.9	7,134.6	6,123.9	75.5	76.5	72.54	1,334.5	-3,102.0	388.9	244.6	144.22	2.696		
7,269.9	6,267.8	7,204.3	6,180.7	76.5	77.4	72.78	1,350.6	-3,139.1	393.1	247.0	146.18	2.689		
7,300.0	6,292.7	7,234.4	6,205.2	76.8	77.8	71.64	1,357.5	-3,155.1	395.0	247.9	147.03	2.686		
7,350.0	6,335.6	7,284.2	6,245.8	77.3	78.5	68.73	1,369.0	-3,181.5	397.9	250.0	147.98	2.689		
7,400.0	6,380.3	7,332.5	6,285.8	77.7	79.1	64.51	1,380.3	-3,206.1	401.0	252.5	148.46	2.701		
7,450.0	6,426.4	7,381.0	6,327.7	78.1	79.5	58.78	1,392.0	-3,227.6	404.2	255.4	148.77	2.717		
7,500.0	6,473.7	7,429.9	6,371.4	78.3	79.9	50.65	1,404.1	-3,245.9	407.5	258.6	148.93	2.736		
7,550.0	6,521.9	7,479.2	6,416.8	78.5	80.2	38.60	1,416.5	-3,260.7	411.1	262.1	148.96	2.760		
7,600.0	6,570.7	7,529.0	6,463.6	78.6	80.5	20.76	1,429.2	-3,272.0	414.7	265.9	148.88	2.786		
7,650.0	6,619.8	7,579.3	6,511.5	78.7	80.7	-2.54	1,442.1	-3,279.4	418.5	269.8	148.72	2.814		
7,700.0	6,668.9	7,630.0	6,560.4	78.7	80.8	-25.60	1,455.1	-3,283.0	422.4	273.9	148.49	2.845		
7,750.0	6,717.7	7,681.2	6,610.0	78.7	80.9	-42.97	1,468.2	-3,282.5	426.3	278.1	148.22	2.876		
7,800.0	6,765.9	7,733.0	6,659.8	78.7	80.9	-54.62	1,481.2	-3,277.8	430.3	282.3	147.93	2.909		
7,850.0	6,813.1	7,785.2	6,709.6	78.6	80.9	-62.44	1,494.2	-3,268.8	434.2	286.6	147.64	2.941		
7,900.0	6,859.2	7,838.0	6,759.1	78.5	80.9	-67.89	1,506.8	-3,255.5	438.1	290.8	147.37	2.973		
7,950.0	6,903.7	7,891.3	6,807.8	78.4	80.8	-71.84	1,519.2	-3,237.8	442.0	294.8	147.14	3.004		
8,000.0	6,946.5	7,945.1	6,855.3	78.3	80.7	-74.82	1,531.2	-3,215.8	445.7	298.8	146.97	3.033		
8,050.0	6,987.3	7,999.3	6,901.4	78.2	80.6	-77.11	1,542.6	-3,189.4	449.3	302.5	146.86	3.060		
8,100.0	7,025.8	8,054.1	6,945.4	78.1	80.5	-78.92	1,553.3	-3,158.9	452.8	305.9	146.84	3.083		
8,150.0	7,061.8	8,109.2	6,987.2	78.1	80.4	-80.36	1,563.4	-3,124.2	456.0	309.1	146.90	3.104		
8,200.0	7,095.1	8,164.8	7,026.1	78.0	80.4	-81.52	1,572.6	-3,085.7	459.0	311.9	147.07	3.121		
8,250.0	7,125.4	8,220.8	7,062.0	78.0	80.3	-82.44	1,580.8	-3,043.6	461.8	314.4	147.33	3.134		
8,300.0	7,152.6	8,277.0	7,094.3	78.0	80.3	-83.17	1,588.1	-2,998.1	464.2	316.5	147.69	3.143		
8,350.0	7,176.5	8,333.5	7,122.7	78.0	80.2	-83.73	1,594.2	-2,949.7	466.4	318.2	148.13	3.148		
8,400.0	7,197.0	8,390.3	7,147.0	78.1	80.3	-84.15	1,599.1	-2,898.7	468.2	319.5	148.66	3.149		
8,450.0	7,213.9	8,447.2	7,166.8	78.2	80.3	-84.44	1,602.8	-2,845.5	469.7	320.4	149.26	3.147		
8,500.0	7,227.1	8,504.1	7,182.1	78.3	80.4	-84.61	1,605.3	-2,790.7	470.8	320.9	149.90	3.140		
8,550.0	7,236.5	8,561.1	7,192.5	78.4	80.5	-84.68	1,606.4	-2,734.7	471.5	320.9	150.58	3.131		
8,600.0	7,242.2	8,618.1	7,198.0	78.5	80.6	-84.63	1,606.3	-2,678.0	471.9	320.6	151.27	3.120		
8,649.1	7,244.0	8,672.0	7,198.9	78.7	80.7	-84.52	1,604.9	-2,624.1	471.9	320.0	151.93	3.106		
8,700.0	7,243.9	8,723.0	7,198.6	78.8	80.8	-84.48	1,603.4	-2,573.2	472.0	319.6	152.34	3.098		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 4-7-8HNA - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
8,800.0	7,243.8	8,823.0	7,197.9	79.2	81.1	-84.41	1,600.3	-2,473.2	472.0	318.7	153.27	3.080		
8,900.0	7,243.7	8,923.0	7,197.2	79.7	81.5	-84.35	1,597.3	-2,373.3	472.1	317.7	154.40	3.057		
9,000.0	7,243.6	9,023.0	7,196.6	80.3	82.0	-84.28	1,594.2	-2,273.3	472.1	316.4	155.72	3.032		
9,100.0	7,243.5	9,123.0	7,195.9	81.0	82.5	-84.21	1,591.1	-2,173.4	472.2	314.9	157.24	3.003		
9,200.0	7,243.4	9,222.9	7,195.2	81.7	83.2	-84.14	1,588.1	-2,073.4	472.2	313.3	158.93	2.971		
9,300.0	7,243.3	9,322.9	7,194.6	82.6	83.9	-84.07	1,585.0	-1,973.5	472.3	311.5	160.81	2.937		
9,400.0	7,243.2	9,422.9	7,193.9	83.5	84.8	-84.01	1,582.0	-1,873.5	472.4	309.5	162.85	2.901		
9,500.0	7,243.1	9,522.9	7,193.2	84.5	85.7	-83.94	1,578.9	-1,773.6	472.4	307.4	165.06	2.862		
9,600.0	7,243.0	9,622.9	7,192.6	85.6	86.7	-83.87	1,575.9	-1,673.6	472.5	305.0	167.43	2.822		
9,700.0	7,242.9	9,722.9	7,191.9	86.8	87.7	-83.80	1,572.8	-1,573.7	472.5	302.6	169.95	2.780		
9,800.0	7,242.8	9,822.9	7,191.2	88.0	88.9	-83.73	1,569.7	-1,473.7	472.6	300.0	172.61	2.738		
9,900.0	7,242.7	9,922.9	7,190.6	89.4	90.1	-83.67	1,566.7	-1,373.8	472.7	297.2	175.42	2.694		
10,000.0	7,242.6	10,022.9	7,189.9	90.8	91.4	-83.60	1,563.6	-1,273.8	472.7	294.4	178.35	2.651		
10,100.0	7,242.5	10,122.9	7,189.2	92.2	92.8	-83.53	1,560.6	-1,173.9	472.8	291.4	181.41	2.606		
10,200.0	7,242.4	10,222.9	7,188.6	93.8	94.2	-83.46	1,557.5	-1,073.9	472.9	288.3	184.59	2.562		
10,300.0	7,242.3	10,322.9	7,187.9	95.3	95.7	-83.39	1,554.5	-974.0	472.9	285.0	187.88	2.517		
10,400.0	7,242.2	10,422.9	7,187.2	97.0	97.3	-83.33	1,551.4	-874.0	473.0	281.7	191.27	2.473		
10,500.0	7,242.1	10,522.9	7,186.6	98.7	98.9	-83.26	1,548.3	-774.1	473.1	278.3	194.77	2.429		
10,600.0	7,242.0	10,622.9	7,185.9	100.4	100.6	-83.19	1,545.3	-674.1	473.1	274.8	198.36	2.385		
10,700.0	7,241.9	10,722.9	7,185.2	102.3	102.4	-83.12	1,542.2	-574.2	473.2	271.1	202.04	2.342		
10,800.0	7,241.8	10,822.9	7,184.6	104.1	104.1	-83.06	1,539.2	-474.3	473.3	267.4	205.81	2.299		
10,900.0	7,241.7	10,922.9	7,183.9	106.0	106.0	-82.99	1,536.1	-374.3	473.3	263.7	209.66	2.258		
11,000.0	7,241.6	11,022.9	7,183.2	107.9	107.9	-82.92	1,533.0	-274.4	473.4	259.8	213.58	2.216		
11,100.0	7,241.5	11,122.9	7,182.6	109.9	109.8	-82.85	1,530.0	-174.4	473.5	255.9	217.58	2.176		
11,200.0	7,241.4	11,222.9	7,181.9	111.9	111.8	-82.78	1,526.9	-74.5	473.5	251.9	221.64	2.137		
11,300.0	7,241.3	11,322.9	7,181.2	114.0	113.8	-82.72	1,523.9	25.5	473.6	247.8	225.76	2.098		
11,400.0	7,241.2	11,422.9	7,180.6	116.1	115.9	-82.65	1,520.8	125.4	473.7	243.7	229.95	2.060		
11,500.0	7,241.1	11,522.9	7,179.9	118.2	117.9	-82.58	1,517.8	225.4	473.8	239.6	234.19	2.023		
11,600.0	7,241.0	11,622.9	7,179.2	120.3	120.1	-82.51	1,514.7	325.3	473.8	235.3	238.49	1.987		
11,700.0	7,240.9	11,722.9	7,178.6	122.5	122.2	-82.45	1,511.6	425.3	473.9	231.1	242.84	1.952		
11,800.0	7,240.8	11,822.9	7,177.9	124.7	124.4	-82.38	1,508.6	525.2	474.0	226.7	247.23	1.917		
11,900.0	7,240.7	11,922.9	7,177.2	127.0	126.6	-82.31	1,505.5	625.2	474.1	222.4	251.67	1.884		
12,000.0	7,240.6	12,022.9	7,176.6	129.2	128.8	-82.24	1,502.5	725.1	474.1	218.0	256.16	1.851		
12,100.0	7,240.5	12,122.9	7,175.9	131.5	131.1	-82.18	1,499.4	825.1	474.2	213.5	260.68	1.819		
12,200.0	7,240.4	12,222.9	7,175.2	133.8	133.4	-82.11	1,496.3	925.0	474.3	209.0	265.24	1.788		
12,300.0	7,240.3	12,322.9	7,174.6	136.1	135.7	-82.04	1,493.3	1,025.0	474.4	204.5	269.84	1.758		
12,400.0	7,240.2	12,422.9	7,173.9	138.4	138.0	-81.97	1,490.2	1,124.9	474.4	200.0	274.47	1.729		
12,500.0	7,240.1	12,522.9	7,173.2	140.8	140.4	-81.91	1,487.2	1,224.9	474.5	195.4	279.13	1.700		
12,600.0	7,239.9	12,622.9	7,172.6	143.2	142.7	-81.84	1,484.1	1,324.8	474.6	190.8	283.83	1.672		
12,700.0	7,239.8	12,722.9	7,171.9	145.6	145.1	-81.77	1,481.1	1,424.8	474.7	186.1	288.55	1.645		
12,800.0	7,239.7	12,822.9	7,171.2	148.0	147.5	-81.70	1,478.0	1,524.7	474.8	181.5	293.30	1.619		
12,900.0	7,239.6	12,922.9	7,170.6	150.4	149.9	-81.64	1,474.9	1,624.7	474.8	176.8	298.08	1.593		
13,000.0	7,239.5	13,022.9	7,169.9	152.8	152.3	-81.57	1,471.9	1,724.6	474.9	172.0	302.88	1.568		
13,100.0	7,239.4	13,122.9	7,169.2	155.3	154.8	-81.50	1,468.8	1,824.6	475.0	167.3	307.71	1.544		
13,200.0	7,239.3	13,222.9	7,168.6	157.7	157.2	-81.43	1,465.8	1,924.5	475.1	162.5	312.55	1.520		
13,300.0	7,239.2	13,322.9	7,167.9	160.2	159.7	-81.37	1,462.7	2,024.5	475.2	157.8	317.42	1.497 Level 3		
13,400.0	7,239.1	13,422.9	7,167.2	162.7	162.2	-81.30	1,459.6	2,124.4	475.3	153.0	322.31	1.475 Level 3		
13,500.0	7,239.0	13,522.9	7,166.6	165.2	164.7	-81.23	1,456.6	2,224.4	475.4	148.1	327.22	1.453 Level 3		
13,600.0	7,238.9	13,622.9	7,165.9	167.7	167.2	-81.17	1,453.5	2,324.3	475.4	143.3	332.14	1.431 Level 3		
13,700.0	7,238.8	13,722.9	7,165.2	170.2	169.7	-81.10	1,450.5	2,424.3	475.5	138.4	337.08	1.411 Level 3		
13,800.0	7,238.7	13,822.9	7,164.6	172.7	172.2	-81.03	1,447.4	2,524.2	475.6	133.6	342.04	1.391 Level 3		
13,900.0	7,238.6	13,922.9	7,163.9	175.3	174.7	-80.96	1,444.4	2,624.2	475.7	128.7	347.01	1.371 Level 3		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 4-7-8HNA - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
14,000.0	7,238.5	14,022.9	7,163.2	177.8	177.3	-80.90	1,441.3	2,724.1	475.8	123.8	352.00	1.352 Level 3		
14,100.0	7,238.4	14,122.9	7,162.6	180.4	179.8	-80.83	1,438.2	2,824.1	475.9	118.9	357.00	1.333 Level 3		
14,200.0	7,238.3	14,222.9	7,161.9	182.9	182.4	-80.76	1,435.2	2,924.0	476.0	114.0	362.02	1.315 Level 3		
14,300.0	7,238.2	14,322.9	7,161.2	185.5	185.0	-80.70	1,432.1	3,024.0	476.1	109.0	367.05	1.297 Level 3		
14,400.0	7,238.1	14,422.9	7,160.6	188.1	187.5	-80.63	1,429.1	3,123.9	476.2	104.1	372.09	1.280 Level 3		
14,500.0	7,238.0	14,522.9	7,159.9	190.6	190.1	-80.56	1,426.0	3,223.9	476.3	99.1	377.14	1.263 Level 3		
14,600.0	7,237.9	14,622.9	7,159.2	193.2	192.7	-80.50	1,422.9	3,323.8	476.3	94.1	382.20	1.246 Level 2		
14,700.0	7,237.8	14,722.9	7,158.6	195.8	195.3	-80.43	1,419.9	3,423.8	476.4	89.2	387.27	1.230 Level 2		
14,800.0	7,237.7	14,822.9	7,157.9	198.4	197.9	-80.36	1,416.8	3,523.7	476.5	84.2	392.35	1.215 Level 2		
14,900.0	7,237.6	14,922.9	7,157.2	201.0	200.5	-80.30	1,413.8	3,623.7	476.6	79.2	397.44	1.199 Level 2		
15,000.0	7,237.5	15,022.9	7,156.6	203.6	203.1	-80.23	1,410.7	3,723.6	476.7	74.2	402.54	1.184 Level 2		
15,100.0	7,237.4	15,122.9	7,155.9	206.3	205.7	-80.16	1,407.7	3,823.6	476.8	69.2	407.65	1.170 Level 2		
15,200.0	7,237.3	15,222.9	7,155.2	208.9	208.4	-80.09	1,404.6	3,923.5	476.9	64.2	412.76	1.155 Level 2		
15,300.0	7,237.2	15,322.9	7,154.6	211.5	211.0	-80.03	1,401.5	4,023.5	477.0	59.1	417.88	1.142 Level 2		
15,400.0	7,237.1	15,422.8	7,153.9	214.2	213.6	-79.96	1,398.5	4,123.4	477.1	54.1	423.01	1.128 Level 2		
15,500.0	7,237.0	15,522.8	7,153.2	216.8	216.3	-79.89	1,395.4	4,223.4	477.2	49.1	428.15	1.115 Level 2		
15,600.0	7,236.9	15,622.8	7,152.6	219.4	218.9	-79.83	1,392.4	4,323.3	477.3	44.0	433.29	1.102 Level 2		
15,700.0	7,236.8	15,722.8	7,151.9	222.1	221.6	-79.76	1,389.3	4,423.3	477.4	39.0	438.44	1.089 Level 2		
15,800.0	7,236.7	15,822.8	7,151.2	224.7	224.2	-79.70	1,386.3	4,523.2	477.5	33.9	443.60	1.076 Level 2		
15,900.0	7,236.6	15,922.8	7,150.6	227.4	226.9	-79.63	1,383.2	4,623.2	477.6	28.9	448.75	1.064 Level 2		
16,000.0	7,236.5	16,022.8	7,149.9	230.1	229.5	-79.56	1,380.1	4,723.1	477.7	23.8	453.92	1.052 Level 2		
16,100.0	7,236.4	16,122.8	7,149.2	232.7	232.2	-79.50	1,377.1	4,823.1	477.8	18.7	459.09	1.041 Level 2		
16,200.0	7,236.3	16,222.8	7,148.6	235.4	234.9	-79.43	1,374.0	4,923.0	477.9	13.7	464.26	1.029 Level 2		
16,300.0	7,236.2	16,322.8	7,147.9	238.1	237.5	-79.36	1,371.0	5,023.0	478.0	8.6	469.44	1.018 Level 2		
16,400.0	7,236.0	16,422.8	7,147.2	240.7	240.2	-79.30	1,367.9	5,122.9	478.1	3.5	474.62	1.007 Level 2		
16,500.0	7,235.9	16,522.8	7,146.6	243.4	242.9	-79.23	1,364.8	5,222.9	478.2	-1.6	479.81	0.997 Level 1		
16,600.0	7,235.8	16,622.8	7,145.9	246.1	245.6	-79.16	1,361.8	5,322.8	478.3	-6.6	485.00	0.986 Level 1		
16,700.0	7,235.7	16,722.8	7,145.2	248.8	248.3	-79.10	1,358.7	5,422.8	478.5	-11.7	490.19	0.976 Level 1		
16,800.0	7,235.6	16,822.8	7,144.6	251.5	250.9	-79.03	1,355.7	5,522.7	478.6	-16.8	495.39	0.966 Level 1		
16,900.0	7,235.5	16,922.8	7,143.9	254.2	253.6	-78.96	1,352.6	5,622.7	478.7	-21.9	500.58	0.956 Level 1		
17,000.0	7,235.4	17,022.8	7,143.2	256.9	256.3	-78.90	1,349.6	5,722.6	478.8	-27.0	505.78	0.947 Level 1		
17,100.0	7,235.3	17,122.8	7,142.6	259.5	259.0	-78.83	1,346.5	5,822.6	478.9	-32.1	510.99	0.937 Level 1		
17,200.0	7,235.2	17,222.8	7,141.9	262.2	261.7	-78.77	1,343.4	5,922.5	479.0	-37.2	516.19	0.928 Level 1		
17,300.0	7,235.1	17,322.8	7,141.2	264.9	264.4	-78.70	1,340.4	6,022.5	479.1	-42.3	521.40	0.919 Level 1		
17,400.0	7,235.0	17,422.8	7,140.6	267.6	267.1	-78.63	1,337.3	6,122.4	479.2	-47.4	526.61	0.910 Level 1		
17,500.0	7,234.9	17,522.8	7,139.9	270.4	269.8	-78.57	1,334.3	6,222.4	479.3	-52.5	531.82	0.901 Level 1		
17,600.0	7,234.8	17,622.8	7,139.2	273.1	272.6	-78.50	1,331.2	6,322.3	479.4	-57.6	537.04	0.893 Level 1		
17,700.0	7,234.7	17,722.8	7,138.6	275.8	275.3	-78.44	1,328.1	6,422.3	479.6	-62.7	542.25	0.884 Level 1		
17,800.0	7,234.6	17,822.8	7,137.9	278.5	278.0	-78.37	1,325.1	6,522.2	479.7	-67.8	547.47	0.876 Level 1		
17,900.0	7,234.5	17,922.8	7,137.2	281.2	280.7	-78.30	1,322.0	6,622.2	479.8	-72.9	552.69	0.868 Level 1		
18,000.0	7,234.4	18,022.8	7,136.6	283.9	283.4	-78.24	1,319.0	6,722.1	479.9	-78.0	557.91	0.860 Level 1		
18,100.0	7,234.3	18,122.8	7,135.9	286.6	286.1	-78.17	1,315.9	6,822.1	480.0	-83.1	563.13	0.852 Level 1		
18,200.0	7,234.2	18,222.8	7,135.2	289.4	288.9	-78.11	1,312.9	6,922.0	480.1	-88.2	568.35	0.845 Level 1		
18,300.0	7,234.1	18,322.8	7,134.6	292.1	291.6	-78.04	1,309.8	7,022.0	480.3	-93.3	573.57	0.837 Level 1		
18,352.6	7,234.0	18,375.4	7,134.2	293.5	293.0	-78.01	1,308.2	7,074.5	480.3	-96.0	576.31	0.833 Level 1		
18,398.3	7,234.0	18,409.8	7,134.0	294.8	293.9	-77.98	1,307.1	7,108.9	480.5	-97.9	578.41	0.831 Level 1, ES, SF		

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 5-7-8HC - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	-88.63	0.4	-15.3	15.3	15.3	0.00	N/A		
100.0	100.0	100.0	100.0	0.1	0.1	-88.63	0.4	-15.3	15.3	15.1	0.22	67.990		
200.0	200.0	200.0	200.0	0.3	0.3	-88.63	0.4	-15.3	15.3	14.6	0.67	22.663		
300.0	300.0	300.0	300.0	0.6	0.6	-88.63	0.4	-15.3	15.3	14.2	1.12	13.598		
400.0	400.0	400.0	400.0	0.8	0.8	-88.63	0.4	-15.3	15.3	13.7	1.57	9.713		
500.0	500.0	500.0	500.0	1.0	1.0	-88.63	0.4	-15.3	15.3	13.3	2.02	7.554		
600.0	600.0	600.0	600.0	1.2	1.2	-88.63	0.4	-15.3	15.3	12.8	2.47	6.181 CC		
700.0	700.0	699.5	699.4	1.5	1.5	-86.73	1.0	-16.9	16.9	14.0	2.91	5.812		
800.0	800.0	798.8	798.6	1.7	1.7	-10.55	2.8	-21.7	20.2	16.9	3.34	6.059		
900.0	899.8	898.0	897.4	1.9	1.9	-7.79	5.8	-29.8	23.5	19.8	3.77	6.245		
1,000.0	999.5	997.1	995.8	2.1	2.2	-5.30	9.9	-41.0	26.8	22.6	4.20	6.378		
1,100.0	1,098.7	1,096.0	1,093.6	2.4	2.5	-2.97	15.3	-55.4	30.1	25.4	4.65	6.473		
1,200.0	1,197.5	1,194.9	1,190.6	2.7	2.8	-0.76	21.8	-73.0	33.3	28.2	5.10	6.539		
1,300.0	1,295.6	1,293.6	1,286.9	3.0	3.2	1.36	29.5	-93.6	36.6	31.0	5.56	6.579		
1,400.0	1,393.1	1,392.2	1,382.2	3.4	3.6	3.42	38.3	-117.3	39.9	33.8	6.04	6.596		
1,500.0	1,489.6	1,490.7	1,476.5	3.9	4.2	5.43	48.3	-144.0	43.1	36.6	6.54	6.590		
1,600.0	1,585.3	1,589.1	1,569.6	4.4	4.7	7.40	59.3	-173.7	46.4	39.3	7.07	6.560		
1,700.0	1,679.8	1,687.4	1,661.5	5.0	5.4	9.33	71.5	-206.4	49.7	42.1	7.64	6.503		
1,800.0	1,773.2	1,785.6	1,752.1	5.6	6.1	11.22	84.7	-242.0	53.0	44.8	8.27	6.415		
1,900.0	1,865.2	1,883.7	1,841.2	6.4	6.9	13.09	99.0	-280.4	56.4	47.4	8.96	6.295		
2,000.0	1,955.8	1,981.7	1,928.7	7.2	7.8	14.92	114.3	-321.6	59.8	50.0	9.73	6.143		
2,100.0	2,044.9	2,079.5	2,014.6	8.1	8.8	16.73	130.6	-365.5	63.2	52.6	10.60	5.960		
2,200.0	2,132.4	2,177.3	2,098.8	9.1	9.8	18.51	148.0	-412.1	66.6	55.0	11.59	5.749		
2,300.0	2,218.1	2,275.0	2,181.2	10.2	11.0	20.27	166.3	-461.3	70.1	57.4	12.71	5.515		
2,400.0	2,302.0	2,374.0	2,263.1	11.4	12.2	22.18	185.6	-513.4	73.1	59.1	14.02	5.212		
2,474.4	2,363.1	2,448.3	2,324.5	12.3	13.1	24.17	200.2	-552.6	73.5	58.3	15.23	4.825		
2,500.0	2,383.9	2,473.9	2,345.7	12.6	13.4	24.96	205.3	-566.1	73.3	57.6	15.72	4.666		
2,600.0	2,465.4	2,573.8	2,428.2	13.9	14.6	28.07	224.9	-618.9	72.9	55.1	17.76	4.104		
2,700.0	2,546.8	2,673.8	2,510.8	15.2	15.9	31.21	244.5	-671.7	72.7	52.6	20.04	3.626		
2,750.8	2,588.1	2,724.5	2,552.7	15.9	16.5	32.81	254.5	-698.4	72.6	51.4	21.29	3.413		
2,800.0	2,628.2	2,773.7	2,593.3	16.5	17.2	34.36	264.1	-724.4	72.7	50.1	22.54	3.224		
2,900.0	2,709.6	2,873.6	2,675.9	17.8	18.4	37.51	283.8	-777.2	72.9	47.7	25.23	2.889		
3,000.0	2,791.1	2,973.5	2,758.4	19.1	19.7	40.62	303.4	-830.0	73.3	45.2	28.10	2.610		
3,100.0	2,872.5	3,073.4	2,841.0	20.5	21.0	43.69	323.0	-882.7	74.0	42.9	31.10	2.379		
3,200.0	2,953.9	3,173.4	2,923.5	21.8	22.2	46.69	342.6	-935.5	74.8	40.6	34.22	2.187		
3,300.0	3,035.3	3,273.3	3,006.1	23.1	23.5	49.62	362.3	-988.3	75.9	38.5	37.42	2.028		
3,400.0	3,116.8	3,373.2	3,088.6	24.4	24.8	52.47	381.9	-1,041.0	77.1	36.5	40.69	1.896		
3,500.0	3,198.2	3,473.1	3,171.2	25.8	26.1	55.21	401.5	-1,093.8	78.6	34.6	43.99	1.787		
3,600.0	3,279.6	3,573.0	3,253.7	27.1	27.4	57.85	421.1	-1,146.6	80.2	32.9	47.31	1.695		
3,700.0	3,361.0	3,673.0	3,336.3	28.4	28.6	60.38	440.8	-1,199.3	82.0	31.3	50.62	1.619		
3,800.0	3,442.5	3,772.9	3,418.8	29.8	29.9	62.80	460.4	-1,252.1	83.9	30.0	53.93	1.556		
3,900.0	3,523.9	3,872.8	3,501.4	31.1	31.2	65.11	480.0	-1,304.9	86.0	28.8	57.21	1.503		
4,000.0	3,605.3	3,972.7	3,583.9	32.5	32.5	67.31	499.6	-1,357.6	88.2	27.7	60.46	1.458 Level 3		
4,100.0	3,686.7	4,072.6	3,666.5	33.8	33.8	69.39	519.3	-1,410.4	90.5	26.8	63.67	1.421 Level 3		
4,200.0	3,768.2	4,172.6	3,749.0	35.1	35.1	71.37	538.9	-1,463.2	92.9	26.1	66.84	1.390 Level 3		
4,300.0	3,849.6	4,272.5	3,831.6	36.5	36.4	73.25	558.5	-1,515.9	95.5	25.5	69.97	1.365 Level 3		
4,400.0	3,931.0	4,372.4	3,914.1	37.8	37.6	75.03	578.1	-1,568.7	98.1	25.1	73.05	1.343 Level 3		
4,500.0	4,012.4	4,472.3	3,996.7	39.2	38.9	76.71	597.8	-1,621.5	100.9	24.8	76.09	1.325 Level 3		
4,600.0	4,093.8	4,572.2	4,079.2	40.5	40.2	78.30	617.4	-1,674.2	103.7	24.6	79.08	1.311 Level 3		
4,700.0	4,175.3	4,672.2	4,161.8	41.8	41.5	79.81	637.0	-1,727.0	106.6	24.5	82.03	1.299 Level 3		
4,800.0	4,256.7	4,772.1	4,244.3	43.2	42.8	81.23	656.6	-1,779.8	109.5	24.6	84.95	1.289 Level 3		
4,900.0	4,338.1	4,872.0	4,326.9	44.5	44.1	82.59	676.3	-1,832.5	112.5	24.7	87.82	1.282 Level 3		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 5-7-8HC - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
5,000.0	4,419.5	4,971.9	4,409.4	45.9	45.4	83.86	695.9	-1,885.3	115.6	25.0	90.65	1.275 Level 3		
5,100.0	4,501.0	5,071.8	4,492.0	47.2	46.7	85.08	715.5	-1,938.0	118.8	25.3	93.45	1.271 Level 3		
5,200.0	4,582.4	5,171.8	4,574.5	48.6	48.0	86.23	735.1	-1,990.8	121.9	25.7	96.22	1.267 Level 3		
5,300.0	4,663.8	5,271.7	4,657.1	49.9	49.2	87.32	754.8	-2,043.6	125.2	26.2	98.96	1.265 Level 3		
5,400.0	4,745.2	5,371.6	4,739.6	51.3	50.5	88.35	774.4	-2,096.3	128.5	26.8	101.67	1.264 Level 3		
5,500.0	4,826.7	5,471.5	4,822.2	52.6	51.8	89.34	794.0	-2,149.1	131.8	27.4	104.35	1.263 Level 3		
5,600.0	4,908.1	5,571.4	4,904.7	54.0	53.1	90.27	813.7	-2,201.9	135.1	28.1	107.01	1.263 Level 3		
5,700.0	4,989.5	5,671.4	4,987.3	55.3	54.4	91.16	833.3	-2,254.6	138.5	28.9	109.65	1.263 Level 3		
5,800.0	5,070.9	5,771.3	5,069.8	56.6	55.7	92.01	852.9	-2,307.4	141.9	29.7	112.26	1.264 Level 3		
5,900.0	5,152.4	5,871.2	5,152.4	58.0	57.0	92.82	872.5	-2,360.2	145.4	30.5	114.86	1.266 Level 3		
6,000.0	5,233.8	5,971.1	5,234.9	59.3	58.3	93.58	892.2	-2,412.9	148.9	31.4	117.44	1.268 Level 3		
6,100.0	5,315.2	6,071.0	5,317.5	60.7	59.6	94.32	911.8	-2,465.7	152.4	32.4	120.00	1.270 Level 3		
6,200.0	5,396.6	6,171.0	5,400.0	62.0	60.9	95.02	931.4	-2,518.5	155.9	33.4	122.54	1.272 Level 3		
6,300.0	5,478.1	6,270.9	5,482.6	63.4	62.2	95.69	951.0	-2,571.2	159.5	34.4	125.07	1.275 Level 3		
6,400.0	5,559.5	6,370.8	5,565.2	64.7	63.4	96.33	970.7	-2,624.0	163.0	35.4	127.59	1.278 Level 3		
6,500.0	5,640.9	6,470.7	5,647.7	66.1	64.7	96.94	990.3	-2,676.8	166.6	36.5	130.09	1.281 Level 3		
6,600.0	5,722.3	6,570.6	5,730.3	67.4	66.0	97.53	1,009.9	-2,729.5	170.2	37.6	132.58	1.284 Level 3		
6,700.0	5,803.7	6,670.6	5,812.8	68.8	67.3	98.09	1,029.5	-2,782.3	173.8	38.8	135.06	1.287 Level 3		
6,800.0	5,885.2	6,770.5	5,895.4	70.1	68.6	98.63	1,049.2	-2,835.1	177.5	40.0	137.53	1.290 Level 3		
6,900.0	5,966.6	6,870.4	5,977.9	71.5	69.9	99.15	1,068.8	-2,887.8	181.1	41.1	139.99	1.294 Level 3		
7,000.0	6,048.0	6,970.3	6,060.5	72.8	71.2	99.65	1,088.4	-2,940.6	184.8	42.4	142.45	1.297 Level 3		
7,100.0	6,129.4	7,070.2	6,143.0	74.2	72.5	100.13	1,108.0	-2,993.4	188.5	43.6	144.89	1.301 Level 3		
7,200.0	6,210.9	7,170.2	6,225.6	75.5	73.8	100.59	1,127.7	-3,046.1	192.2	44.9	147.33	1.305 Level 3		
7,269.9	6,267.8	7,240.0	6,283.3	76.5	74.7	100.90	1,141.4	-3,083.0	194.8	45.8	149.02	1.307 Level 3		
7,300.0	6,292.7	7,270.1	6,308.1	76.8	75.1	99.60	1,147.3	-3,098.9	195.6	45.8	149.80	1.305 Level 3		
7,350.0	6,335.6	7,320.0	6,349.3	77.3	75.7	95.97	1,157.1	-3,125.3	195.3	44.1	151.21	1.292 Level 3		
7,400.0	6,380.3	7,369.5	6,390.3	77.7	76.4	90.22	1,166.8	-3,151.4	193.3	40.6	152.73	1.266 Level 3		
7,450.0	6,426.4	7,418.4	6,430.6	78.1	77.0	81.79	1,176.4	-3,177.2	190.0	35.8	154.15	1.232 Level 2		
7,500.0	6,473.7	7,462.8	6,467.8	78.3	77.5	70.34	1,185.2	-3,200.0	186.1	31.2	154.97	1.201 Level 2		
7,550.0	6,521.9	7,506.8	6,506.0	78.5	77.9	54.79	1,194.2	-3,219.9	183.1	28.0	155.07	1.181 Level 2		
7,600.0	6,570.7	7,551.6	6,546.1	78.6	78.3	33.23	1,203.5	-3,237.3	181.0	26.6	154.46	1.172 Level 2		
7,650.0	6,619.8	7,597.2	6,588.2	78.7	78.6	6.03	1,213.1	-3,252.0	180.1	27.0	153.12	1.176 Level 2		
7,665.5	6,635.1	7,611.6	6,601.6	78.7	78.7	-2.75	1,216.1	-3,256.0	180.0	27.5	152.56	1.180 Level 2		
7,700.0	6,668.9	7,643.8	6,632.1	78.7	78.8	-21.01	1,223.0	-3,263.9	180.3	29.2	151.09	1.193 Level 2		
7,750.0	6,717.7	7,691.4	6,677.8	78.7	79.0	-42.41	1,233.3	-3,272.5	181.8	33.4	148.44	1.225 Level 2		
7,800.0	6,765.9	7,740.1	6,725.1	78.7	79.2	-58.05	1,243.8	-3,277.7	184.6	39.3	145.28	1.270 Level 3		
7,850.0	6,813.1	7,790.1	6,773.9	78.6	79.2	-69.76	1,254.5	-3,279.2	188.5	46.8	141.74	1.330 Level 3		
7,900.0	6,859.2	7,841.4	6,824.0	78.5	79.3	-78.93	1,265.3	-3,276.7	193.6	55.6	137.99	1.403 Level 3		
7,950.0	6,903.7	7,894.1	6,875.1	78.4	79.3	-86.41	1,276.3	-3,269.8	199.7	65.5	134.17	1.488 Level 3		
8,000.0	6,946.5	7,948.4	6,926.9	78.3	79.2	-92.67	1,287.2	-3,258.2	206.5	76.1	130.46	1.583		
8,050.0	6,987.3	8,004.2	6,979.1	78.2	79.2	-98.01	1,298.1	-3,241.6	214.0	87.0	126.97	1.685		
8,100.0	7,025.8	8,061.8	7,031.2	78.1	79.1	-102.59	1,308.8	-3,219.7	221.9	98.0	123.84	1.792		
8,150.0	7,061.8	8,121.1	7,082.6	78.1	78.9	-106.55	1,319.2	-3,192.2	229.9	108.8	121.16	1.898		
8,200.0	7,095.1	8,182.2	7,132.9	78.0	78.8	-109.96	1,329.2	-3,158.8	238.0	119.0	119.01	2.000		
8,250.0	7,125.4	8,245.2	7,181.1	78.0	78.7	-112.88	1,338.5	-3,119.5	245.8	128.3	117.45	2.093		
8,300.0	7,152.6	8,309.9	7,226.6	78.0	78.6	-115.37	1,347.1	-3,074.3	253.1	136.6	116.53	2.172		
8,350.0	7,176.5	8,376.4	7,268.3	78.0	78.6	-117.45	1,354.6	-3,023.1	259.9	143.6	116.26	2.235		
8,400.0	7,197.0	8,444.5	7,305.5	78.1	78.5	-119.16	1,361.0	-2,966.5	265.8	149.1	116.65	2.278		
8,450.0	7,213.9	8,514.0	7,337.2	78.2	78.6	-120.51	1,366.1	-2,904.9	270.7	153.1	117.67	2.301		
8,500.0	7,227.1	8,584.7	7,362.5	78.3	78.6	-121.52	1,369.6	-2,839.0	274.6	155.3	119.27	2.302		
8,550.0	7,236.5	8,656.3	7,380.7	78.4	78.7	-122.19	1,371.5	-2,769.8	277.2	155.8	121.41	2.283		
8,600.0	7,242.2	8,728.4	7,391.3	78.5	78.9	-122.53	1,371.6	-2,698.5	278.6	154.6	124.00	2.247		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 5-7-8HC - Wellbore #1 - Plan #1 (2-05-20)												Offset Site Error:	0.0 ft
Survey Program: 0-MWD												Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance						
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Warning
8,649.1	7,244.0	8,796.2	7,394.0	78.7	79.0	-122.56	1,370.1	-2,630.8	278.7	151.8	126.86	2.197	
8,700.0	7,243.9	8,847.1	7,393.9	78.8	79.1	-122.56	1,368.6	-2,579.9	278.7	151.5	127.21	2.191	
8,800.0	7,243.8	8,947.1	7,393.8	79.2	79.5	-122.56	1,365.5	-2,480.0	278.7	150.7	128.02	2.177	
8,900.0	7,243.7	9,047.1	7,393.7	79.7	79.9	-122.56	1,362.5	-2,380.0	278.7	149.7	129.01	2.160	
9,000.0	7,243.6	9,147.1	7,393.6	80.3	80.4	-122.56	1,359.4	-2,280.1	278.7	148.5	130.16	2.141	
9,100.0	7,243.5	9,247.1	7,393.5	81.0	81.0	-122.56	1,356.4	-2,180.1	278.7	147.2	131.48	2.120	
9,200.0	7,243.4	9,347.1	7,393.4	81.7	81.7	-122.56	1,353.3	-2,080.1	278.7	145.7	132.96	2.096	
9,300.0	7,243.3	9,447.1	7,393.3	82.6	82.5	-122.56	1,350.2	-1,980.2	278.7	144.1	134.60	2.070	
9,400.0	7,243.2	9,547.1	7,393.2	83.5	83.3	-122.56	1,347.2	-1,880.2	278.7	142.3	136.39	2.043	
9,500.0	7,243.1	9,647.1	7,393.1	84.5	84.3	-122.56	1,344.1	-1,780.3	278.7	140.4	138.32	2.015	
9,600.0	7,243.0	9,747.1	7,393.0	85.6	85.3	-122.56	1,341.1	-1,680.3	278.7	138.3	140.39	1.985	
9,700.0	7,242.9	9,847.1	7,392.9	86.8	86.4	-122.56	1,338.0	-1,580.4	278.7	136.1	142.60	1.954	
9,800.0	7,242.8	9,947.1	7,392.8	88.0	87.6	-122.56	1,334.9	-1,480.4	278.7	133.8	144.93	1.923	
9,900.0	7,242.7	10,047.1	7,392.7	89.4	88.9	-122.56	1,331.9	-1,380.5	278.7	131.3	147.38	1.891	
10,000.0	7,242.6	10,147.1	7,392.6	90.8	90.2	-122.56	1,328.8	-1,280.5	278.7	128.8	149.94	1.859	
10,100.0	7,242.5	10,247.1	7,392.5	92.2	91.6	-122.56	1,325.8	-1,180.6	278.7	126.1	152.61	1.826	
10,200.0	7,242.4	10,347.1	7,392.4	93.8	93.1	-122.56	1,322.7	-1,080.6	278.7	123.3	155.39	1.793	
10,300.0	7,242.3	10,447.1	7,392.3	95.3	94.7	-122.56	1,319.7	-980.7	278.7	120.4	158.27	1.761	
10,400.0	7,242.2	10,547.1	7,392.2	97.0	96.3	-122.56	1,316.6	-880.7	278.7	117.5	161.23	1.729	
10,500.0	7,242.1	10,647.1	7,392.1	98.7	97.9	-122.56	1,313.5	-780.8	278.7	114.4	164.29	1.696	
10,600.0	7,242.0	10,747.1	7,392.0	100.4	99.6	-122.56	1,310.5	-680.8	278.7	111.3	167.42	1.665	
10,700.0	7,241.9	10,847.1	7,391.9	102.3	101.4	-122.56	1,307.4	-580.9	278.7	108.1	170.64	1.633	
10,800.0	7,241.8	10,947.1	7,391.8	104.1	103.2	-122.56	1,304.4	-480.9	278.7	104.8	173.93	1.602	
10,900.0	7,241.7	11,047.1	7,391.7	106.0	105.1	-122.56	1,301.3	-380.9	278.7	101.4	177.29	1.572	
11,000.0	7,241.6	11,147.1	7,391.6	107.9	107.0	-122.56	1,298.2	-281.0	278.7	98.0	180.71	1.542	
11,100.0	7,241.5	11,247.1	7,391.5	109.9	109.0	-122.56	1,295.2	-181.0	278.7	94.5	184.20	1.513	
11,200.0	7,241.4	11,347.1	7,391.4	111.9	111.0	-122.56	1,292.1	-81.1	278.7	91.0	187.74	1.484 Level 3	
11,300.0	7,241.3	11,447.1	7,391.3	114.0	113.0	-122.56	1,289.1	18.9	278.7	87.4	191.34	1.457 Level 3	
11,400.0	7,241.2	11,547.1	7,391.2	116.1	115.1	-122.56	1,286.0	118.8	278.7	83.7	195.00	1.429 Level 3	
11,500.0	7,241.1	11,647.1	7,391.1	118.2	117.2	-122.56	1,283.0	218.8	278.7	80.0	198.70	1.403 Level 3	
11,600.0	7,241.0	11,747.1	7,391.0	120.3	119.3	-122.56	1,279.9	318.7	278.7	76.2	202.45	1.377 Level 3	
11,700.0	7,240.9	11,847.1	7,390.9	122.5	121.5	-122.56	1,276.8	418.7	278.7	72.5	206.24	1.351 Level 3	
11,800.0	7,240.8	11,947.1	7,390.8	124.7	123.7	-122.56	1,273.8	518.6	278.7	68.6	210.08	1.327 Level 3	
11,900.0	7,240.7	12,047.1	7,390.7	127.0	125.9	-122.56	1,270.7	618.6	278.7	64.7	213.95	1.303 Level 3	
12,000.0	7,240.6	12,147.1	7,390.6	129.2	128.1	-122.56	1,267.7	718.5	278.7	60.8	217.86	1.279 Level 3	
12,100.0	7,240.5	12,247.1	7,390.5	131.5	130.4	-122.56	1,264.6	818.5	278.7	56.9	221.81	1.256 Level 3	
12,200.0	7,240.4	12,347.1	7,390.4	133.8	132.7	-122.56	1,261.5	918.4	278.7	52.9	225.79	1.234 Level 2	
12,300.0	7,240.3	12,447.1	7,390.3	136.1	135.0	-122.56	1,258.5	1,018.4	278.7	48.9	229.81	1.213 Level 2	
12,400.0	7,240.2	12,547.1	7,390.2	138.4	137.3	-122.56	1,255.4	1,118.4	278.7	44.8	233.85	1.192 Level 2	
12,500.0	7,240.1	12,647.1	7,390.1	140.8	139.7	-122.56	1,252.4	1,218.3	278.7	40.8	237.92	1.171 Level 2	
12,600.0	7,239.9	12,747.1	7,389.9	143.2	142.1	-122.56	1,249.3	1,318.3	278.7	36.7	242.02	1.152 Level 2	
12,700.0	7,239.8	12,847.1	7,389.8	145.6	144.4	-122.56	1,246.2	1,418.2	278.7	32.6	246.15	1.132 Level 2	
12,800.0	7,239.7	12,947.1	7,389.7	148.0	146.8	-122.56	1,243.2	1,518.2	278.7	28.4	250.30	1.113 Level 2	
12,900.0	7,239.6	13,047.1	7,389.6	150.4	149.3	-122.56	1,240.1	1,618.1	278.7	24.2	254.47	1.095 Level 2	
13,000.0	7,239.5	13,147.1	7,389.5	152.8	151.7	-122.56	1,237.1	1,718.1	278.7	20.0	258.66	1.077 Level 2	
13,100.0	7,239.4	13,247.1	7,389.4	155.3	154.1	-122.56	1,234.0	1,818.0	278.7	15.8	262.88	1.060 Level 2	
13,200.0	7,239.3	13,347.1	7,389.3	157.7	156.6	-122.56	1,231.0	1,918.0	278.7	11.6	267.12	1.043 Level 2	
13,300.0	7,239.2	13,447.1	7,389.2	160.2	159.1	-122.56	1,227.9	2,017.9	278.7	7.3	271.37	1.027 Level 2	
13,400.0	7,239.1	13,547.1	7,389.1	162.7	161.6	-122.56	1,224.8	2,117.9	278.7	3.1	275.65	1.011 Level 2	
13,500.0	7,239.0	13,647.1	7,389.0	165.2	164.0	-122.56	1,221.8	2,217.8	278.7	-1.2	279.94	0.996 Level 1	
13,600.0	7,238.9	13,747.1	7,388.9	167.7	166.6	-122.56	1,218.7	2,317.8	278.7	-5.5	284.25	0.980 Level 1	
13,700.0	7,238.8	13,847.1	7,388.8	170.2	169.1	-122.56	1,215.7	2,417.7	278.7	-9.9	288.57	0.966 Level 1	

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 5-7-8HC - Wellbore #1 - Plan #1 (2-05-20)												Offset Site Error:	0.0 ft
Survey Program: 0-MWD												Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance						
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Warning
13,800.0	7,238.7	13,947.1	7,388.7	172.7	171.6	-122.56	1,212.6	2,517.7	278.7	-14.2	292.91	0.951	Level 1
13,900.0	7,238.6	14,047.1	7,388.6	175.3	174.1	-122.56	1,209.5	2,617.6	278.7	-18.6	297.27	0.938	Level 1
14,000.0	7,238.5	14,147.1	7,388.5	177.8	176.7	-122.56	1,206.5	2,717.6	278.7	-22.9	301.64	0.924	Level 1
14,100.0	7,238.4	14,247.1	7,388.4	180.4	179.2	-122.56	1,203.4	2,817.6	278.7	-27.3	306.02	0.911	Level 1
14,200.0	7,238.3	14,347.1	7,388.3	182.9	181.8	-122.56	1,200.4	2,917.5	278.7	-31.7	310.41	0.898	Level 1
14,300.0	7,238.2	14,447.1	7,388.2	185.5	184.4	-122.56	1,197.3	3,017.5	278.7	-36.1	314.82	0.885	Level 1
14,400.0	7,238.1	14,547.1	7,388.1	188.1	186.9	-122.56	1,194.3	3,117.4	278.7	-40.5	319.24	0.873	Level 1
14,500.0	7,238.0	14,647.1	7,388.0	190.6	189.5	-122.56	1,191.2	3,217.4	278.7	-45.0	323.67	0.861	Level 1
14,600.0	7,237.9	14,747.1	7,387.9	193.2	192.1	-122.56	1,188.1	3,317.3	278.7	-49.4	328.11	0.849	Level 1
14,700.0	7,237.8	14,847.1	7,387.8	195.8	194.7	-122.56	1,185.1	3,417.3	278.7	-53.9	332.56	0.838	Level 1
14,800.0	7,237.7	14,947.1	7,387.7	198.4	197.3	-122.56	1,182.0	3,517.2	278.7	-58.3	337.02	0.827	Level 1
14,900.0	7,237.6	15,047.1	7,387.6	201.0	199.9	-122.56	1,179.0	3,617.2	278.7	-62.8	341.49	0.816	Level 1
15,000.0	7,237.5	15,147.1	7,387.5	203.6	202.5	-122.56	1,175.9	3,717.1	278.7	-67.3	345.97	0.806	Level 1
15,100.0	7,237.4	15,247.1	7,387.4	206.3	205.2	-122.56	1,172.8	3,817.1	278.7	-71.7	350.46	0.795	Level 1
15,200.0	7,237.3	15,347.1	7,387.3	208.9	207.8	-122.56	1,169.8	3,917.0	278.7	-76.2	354.96	0.785	Level 1
15,300.0	7,237.2	15,447.1	7,387.2	211.5	210.4	-122.56	1,166.7	4,017.0	278.7	-80.8	359.46	0.775	Level 1
15,400.0	7,237.1	15,547.1	7,387.1	214.2	213.0	-122.56	1,163.7	4,116.9	278.7	-85.3	363.97	0.766	Level 1
15,500.0	7,237.0	15,647.1	7,387.0	216.8	215.7	-122.56	1,160.6	4,216.9	278.7	-89.8	368.50	0.756	Level 1
15,600.0	7,236.9	15,747.1	7,386.9	219.4	218.3	-122.56	1,157.6	4,316.9	278.7	-94.3	373.02	0.747	Level 1
15,700.0	7,236.8	15,847.1	7,386.8	222.1	221.0	-122.56	1,154.5	4,416.8	278.7	-98.8	377.56	0.738	Level 1
15,800.0	7,236.7	15,947.1	7,386.7	224.7	223.6	-122.56	1,151.4	4,516.8	278.7	-103.4	382.10	0.729	Level 1
15,900.0	7,236.6	16,047.1	7,386.6	227.4	226.3	-122.56	1,148.4	4,616.7	278.7	-107.9	386.65	0.721	Level 1
16,000.0	7,236.5	16,147.1	7,386.5	230.1	229.0	-122.56	1,145.3	4,716.7	278.7	-112.5	391.20	0.712	Level 1
16,100.0	7,236.4	16,247.1	7,386.4	232.7	231.6	-122.56	1,142.3	4,816.6	278.7	-117.1	395.77	0.704	Level 1
16,200.0	7,236.3	16,347.1	7,386.3	235.4	234.3	-122.56	1,139.2	4,916.6	278.7	-121.6	400.33	0.696	Level 1
16,300.0	7,236.2	16,447.1	7,386.2	238.1	237.0	-122.56	1,136.1	5,016.5	278.7	-126.2	404.91	0.688	Level 1
16,400.0	7,236.0	16,547.1	7,386.0	240.7	239.6	-122.56	1,133.1	5,116.5	278.7	-130.8	409.48	0.681	Level 1
16,500.0	7,235.9	16,647.1	7,385.9	243.4	242.3	-122.56	1,130.0	5,216.4	278.7	-135.4	414.07	0.673	Level 1
16,600.0	7,235.8	16,747.1	7,385.8	246.1	245.0	-122.56	1,127.0	5,316.4	278.7	-139.9	418.66	0.666	Level 1
16,700.0	7,235.7	16,847.1	7,385.7	248.8	247.7	-122.56	1,123.9	5,416.3	278.7	-144.5	423.25	0.659	Level 1
16,800.0	7,235.6	16,947.1	7,385.6	251.5	250.4	-122.56	1,120.8	5,516.3	278.7	-149.1	427.85	0.651	Level 1
16,900.0	7,235.5	17,047.1	7,385.5	254.2	253.1	-122.56	1,117.8	5,616.2	278.7	-153.7	432.45	0.645	Level 1
17,000.0	7,235.4	17,147.1	7,385.4	256.9	255.8	-122.56	1,114.7	5,716.2	278.7	-158.3	437.06	0.638	Level 1
17,100.0	7,235.3	17,247.1	7,385.3	259.5	258.5	-122.56	1,111.7	5,816.2	278.7	-163.0	441.67	0.631	Level 1
17,200.0	7,235.2	17,347.1	7,385.2	262.2	261.2	-122.56	1,108.6	5,916.1	278.7	-167.6	446.29	0.625	Level 1
17,300.0	7,235.1	17,447.1	7,385.1	264.9	263.9	-122.56	1,105.6	6,016.1	278.7	-172.2	450.91	0.618	Level 1
17,400.0	7,235.0	17,547.1	7,385.0	267.6	266.6	-122.56	1,102.5	6,116.0	278.7	-176.8	455.53	0.612	Level 1
17,500.0	7,234.9	17,647.1	7,384.9	270.4	269.3	-122.56	1,099.4	6,216.0	278.7	-181.4	460.16	0.606	Level 1
17,600.0	7,234.8	17,747.1	7,384.8	273.1	272.0	-122.56	1,096.4	6,315.9	278.7	-186.1	464.79	0.600	Level 1
17,700.0	7,234.7	17,847.1	7,384.7	275.8	274.7	-122.56	1,093.3	6,415.9	278.7	-190.7	469.43	0.594	Level 1
17,800.0	7,234.6	17,947.1	7,384.6	278.5	277.4	-122.56	1,090.3	6,515.8	278.7	-195.4	474.07	0.588	Level 1
17,900.0	7,234.5	18,047.1	7,384.5	281.2	280.1	-122.56	1,087.2	6,615.8	278.7	-200.0	478.71	0.582	Level 1
18,000.0	7,234.4	18,147.1	7,384.4	283.9	282.8	-122.56	1,084.1	6,715.7	278.7	-204.6	483.36	0.577	Level 1
18,100.0	7,234.3	18,247.1	7,384.3	286.6	285.6	-122.56	1,081.1	6,815.7	278.7	-209.3	488.01	0.571	Level 1
18,200.0	7,234.2	18,347.1	7,384.2	289.4	288.3	-122.56	1,078.0	6,915.6	278.7	-213.9	492.66	0.566	Level 1
18,300.0	7,234.1	18,447.1	7,384.1	292.1	291.0	-122.56	1,075.0	7,015.6	278.7	-218.6	497.32	0.560	Level 1
18,357.9	7,234.0	18,505.0	7,384.0	293.7	292.6	-122.56	1,073.2	7,073.4	278.7	-221.3	500.01	0.557	Level 1
18,398.3	7,234.0	18,539.4	7,384.0	294.8	293.5	-122.56	1,072.1	7,107.9	278.8	-223.0	501.76	0.556	Level 1, ES, SF

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 7-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
0.0	0.0	0.0	0.0	0.0	0.0	91.41	-0.4	15.0	15.0	15.0	0.00	N/A		
100.0	100.0	100.0	100.0	0.1	0.1	91.41	-0.4	15.0	15.0	14.8	0.22	66.755		
200.0	200.0	200.0	200.0	0.3	0.3	91.41	-0.4	15.0	15.0	14.3	0.67	22.252		
300.0	300.0	300.0	300.0	0.6	0.6	91.41	-0.4	15.0	15.0	13.9	1.12	13.351		
400.0	400.0	400.0	400.0	0.8	0.8	91.41	-0.4	15.0	15.0	13.4	1.57	9.536		
500.0	500.0	500.0	500.0	1.0	1.0	91.41	-0.4	15.0	15.0	13.0	2.02	7.417		
600.0	600.0	600.0	600.0	1.2	1.2	91.41	-0.4	15.0	15.0	12.5	2.47	6.069		
700.0	700.0	700.0	700.0	1.5	1.5	91.41	-0.4	15.0	15.0	12.1	2.92	5.135 CC		
800.0	800.0	800.0	800.0	1.7	1.7	166.02	-0.4	15.0	16.7	13.3	3.37	4.960		
900.0	899.8	900.6	900.5	1.9	1.9	168.71	0.0	13.3	20.1	16.3	3.79	5.290		
1,000.0	999.5	1,001.3	1,001.1	2.1	2.1	171.12	1.3	8.1	23.4	19.2	4.22	5.556		
1,100.0	1,098.7	1,102.1	1,101.5	2.4	2.3	173.36	3.4	-0.5	26.8	22.1	4.65	5.763		
1,200.0	1,197.5	1,203.0	1,201.7	2.7	2.6	175.48	6.3	-12.5	30.1	25.0	5.08	5.925		
1,300.0	1,295.6	1,304.1	1,301.5	3.0	2.9	177.54	10.0	-28.0	33.4	27.9	5.53	6.051		
1,400.0	1,393.1	1,405.3	1,400.8	3.4	3.2	179.54	14.6	-46.9	36.8	30.8	5.98	6.147		
1,500.0	1,489.6	1,506.5	1,499.4	3.9	3.6	-178.50	20.0	-69.2	40.1	33.7	6.45	6.214		
1,600.0	1,585.3	1,607.9	1,597.3	4.4	4.1	-176.56	26.3	-95.0	43.5	36.5	6.95	6.253		
1,700.0	1,679.8	1,709.5	1,694.3	5.0	4.6	-174.65	33.3	-124.1	46.8	39.3	7.48	6.262		
1,800.0	1,773.2	1,811.1	1,790.2	5.6	5.2	-172.76	41.2	-156.6	50.2	42.1	8.04	6.241		
1,900.0	1,865.2	1,912.8	1,885.1	6.4	5.9	-170.89	49.9	-192.4	53.6	44.9	8.67	6.185		
2,000.0	1,955.8	2,014.7	1,978.6	7.2	6.7	-169.04	59.4	-231.5	57.0	47.7	9.36	6.092		
2,100.0	2,044.9	2,116.6	2,070.8	8.1	7.5	-167.20	69.6	-273.9	60.5	50.3	10.14	5.963		
2,200.0	2,132.4	2,218.7	2,161.4	9.1	8.4	-165.38	80.7	-319.5	64.0	52.9	11.04	5.798		
2,300.0	2,218.1	2,320.8	2,250.4	10.2	9.5	-163.58	92.5	-368.2	67.5	55.5	12.05	5.602		
2,400.0	2,302.0	2,423.0	2,337.6	11.4	10.6	-161.79	105.1	-420.0	71.1	57.9	13.22	5.380		
2,474.4	2,363.1	2,499.2	2,401.3	12.3	11.5	-160.48	114.9	-460.5	73.8	59.6	14.18	5.203		
2,500.0	2,383.9	2,525.4	2,422.9	12.6	11.8	-160.00	118.3	-474.9	74.6	60.1	14.57	5.121		
2,600.0	2,465.4	2,626.6	2,505.6	13.9	13.1	-157.68	132.1	-531.8	76.2	59.9	16.29	4.679		
2,700.0	2,546.8	2,726.6	2,586.8	15.2	14.4	-155.31	145.8	-588.3	77.5	59.3	18.19	4.258		
2,800.0	2,628.2	2,826.5	2,668.1	16.5	15.7	-153.01	159.5	-644.9	78.8	58.6	20.24	3.893		
2,900.0	2,709.6	2,926.5	2,749.3	17.8	17.0	-150.80	173.3	-701.4	80.3	57.9	22.44	3.579		
3,000.0	2,791.1	3,026.4	2,830.6	19.1	18.3	-148.67	187.0	-758.0	81.9	57.1	24.76	3.308		
3,100.0	2,872.5	3,126.3	2,911.8	20.5	19.6	-146.62	200.7	-814.6	83.6	56.4	27.18	3.076		
3,200.0	2,953.9	3,226.3	2,993.1	21.8	21.0	-144.66	214.4	-871.1	85.4	55.7	29.70	2.876		
3,300.0	3,035.3	3,326.2	3,074.3	23.1	22.3	-142.78	228.1	-927.7	87.3	55.0	32.30	2.704		
3,400.0	3,116.8	3,426.2	3,155.6	24.4	23.6	-140.99	241.8	-984.2	89.3	54.4	34.96	2.555		
3,500.0	3,198.2	3,526.1	3,236.8	25.8	25.0	-139.27	255.5	-1,040.8	91.4	53.7	37.68	2.426		
3,600.0	3,279.6	3,626.1	3,318.1	27.1	26.3	-137.63	269.2	-1,097.4	93.6	53.1	40.45	2.313		
3,700.0	3,361.0	3,726.0	3,399.3	28.4	27.6	-136.07	282.9	-1,153.9	95.8	52.5	43.26	2.215		
3,800.0	3,442.5	3,825.9	3,480.6	29.8	29.0	-134.58	296.6	-1,210.5	98.1	52.0	46.10	2.128		
3,900.0	3,523.9	3,925.9	3,561.8	31.1	30.3	-133.16	310.3	-1,267.0	100.5	51.5	48.97	2.052		
4,000.0	3,605.3	4,025.8	3,643.1	32.5	31.7	-131.80	324.0	-1,323.6	102.9	51.0	51.86	1.984		
4,100.0	3,686.7	4,125.8	3,724.3	33.8	33.0	-130.51	337.7	-1,380.2	105.4	50.6	54.77	1.924		
4,200.0	3,768.2	4,225.7	3,805.6	35.1	34.4	-129.28	351.4	-1,436.7	107.9	50.2	57.68	1.871		
4,300.0	3,849.6	4,325.6	3,886.8	36.5	35.7	-128.10	365.2	-1,493.3	110.5	49.9	60.61	1.823		
4,400.0	3,931.0	4,425.6	3,968.1	37.8	37.1	-126.98	378.9	-1,549.8	113.1	49.6	63.54	1.780		
4,500.0	4,012.4	4,525.5	4,049.3	39.2	38.4	-125.91	392.6	-1,606.4	115.8	49.3	66.48	1.742		
4,600.0	4,093.8	4,625.5	4,130.5	40.5	39.8	-124.89	406.3	-1,663.0	118.5	49.1	69.42	1.707		
4,700.0	4,175.3	4,725.4	4,211.8	41.8	41.1	-123.91	420.0	-1,719.5	121.2	48.9	72.36	1.675		
4,800.0	4,256.7	4,825.4	4,293.0	43.2	42.5	-122.98	433.7	-1,776.1	124.0	48.7	75.30	1.647		
4,900.0	4,338.1	4,925.3	4,374.3	44.5	43.8	-122.09	447.4	-1,832.7	126.8	48.6	78.24	1.621		
5,000.0	4,419.5	5,025.2	4,455.5	45.9	45.2	-121.23	461.1	-1,889.2	129.6	48.5	81.17	1.597		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 7-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
5,100.0	4,501.0	5,125.2	4,536.8	47.2	46.5	-120.42	474.8	-1,945.8	132.5	48.4	84.11	1.575		
5,200.0	4,582.4	5,225.1	4,618.0	48.6	47.9	-119.64	488.5	-2,002.3	135.4	48.3	87.04	1.555		
5,300.0	4,663.8	5,325.1	4,699.3	49.9	49.2	-118.89	502.2	-2,058.9	138.3	48.3	89.96	1.537		
5,400.0	4,745.2	5,425.0	4,780.5	51.3	50.6	-118.17	515.9	-2,115.5	141.2	48.3	92.88	1.520		
5,500.0	4,826.7	5,524.9	4,861.8	52.6	51.9	-117.48	529.6	-2,172.0	144.2	48.4	95.80	1.505		
5,600.0	4,908.1	5,624.9	4,943.0	54.0	53.3	-116.82	543.3	-2,228.6	147.1	48.4	98.71	1.491	Level 3	
5,700.0	4,989.5	5,724.8	5,024.3	55.3	54.6	-116.19	557.1	-2,285.1	150.1	48.5	101.62	1.477	Level 3	
5,800.0	5,070.9	5,824.8	5,105.5	56.6	56.0	-115.58	570.8	-2,341.7	153.1	48.6	104.52	1.465	Level 3	
5,900.0	5,152.4	5,924.7	5,186.8	58.0	57.4	-114.99	584.5	-2,398.3	156.2	48.8	107.42	1.454	Level 3	
6,000.0	5,233.8	6,024.7	5,268.0	59.3	58.7	-114.43	598.2	-2,454.8	159.2	48.9	110.31	1.443	Level 3	
6,100.0	5,315.2	6,124.6	5,349.3	60.7	60.1	-113.88	611.9	-2,511.4	162.3	49.1	113.20	1.434	Level 3	
6,200.0	5,396.6	6,224.5	5,430.5	62.0	61.4	-113.36	625.6	-2,567.9	165.3	49.3	116.08	1.424	Level 3	
6,300.0	5,478.1	6,324.5	5,511.8	63.4	62.8	-112.86	639.3	-2,624.5	168.4	49.5	118.96	1.416	Level 3	
6,400.0	5,559.5	6,424.4	5,593.0	64.7	64.1	-112.37	653.0	-2,681.1	171.5	49.7	121.84	1.408	Level 3	
6,500.0	5,640.9	6,524.4	5,674.3	66.1	65.5	-111.90	666.7	-2,737.6	174.6	49.9	124.70	1.400	Level 3	
6,600.0	5,722.3	6,624.3	5,755.5	67.4	66.8	-111.45	680.4	-2,794.2	177.8	50.2	127.57	1.393	Level 3	
6,700.0	5,803.7	6,724.2	5,836.8	68.8	68.2	-111.02	694.1	-2,850.7	180.9	50.5	130.43	1.387	Level 3	
6,800.0	5,885.2	6,824.2	5,918.0	70.1	69.6	-110.60	707.8	-2,907.3	184.0	50.7	133.28	1.381	Level 3	
6,900.0	5,966.6	6,924.1	5,999.3	71.5	70.9	-110.19	721.5	-2,963.9	187.2	51.0	136.14	1.375	Level 3	
7,000.0	6,048.0	7,024.1	6,080.5	72.8	72.3	-109.80	735.2	-3,020.4	190.3	51.4	138.98	1.370	Level 3	
7,100.0	6,129.4	7,124.0	6,161.8	74.2	73.6	-109.41	749.0	-3,077.0	193.5	51.7	141.83	1.364	Level 3	
7,200.0	6,210.9	7,224.0	6,243.0	75.5	75.0	-109.05	762.7	-3,133.5	196.7	52.0	144.67	1.360	Level 3	
7,269.9	6,267.8	7,293.7	6,299.8	76.5	75.9	-108.83	772.2	-3,172.9	198.9	52.3	146.62	1.357	Level 3	
7,300.0	6,292.7	7,323.5	6,324.7	76.8	76.2	-110.27	776.4	-3,188.8	199.9	52.7	147.18	1.358	Level 3	
7,350.0	6,335.6	7,373.1	6,367.6	77.3	76.7	-113.22	783.4	-3,212.4	201.6	53.7	147.96	1.363	Level 3	
7,400.0	6,380.3	7,422.5	6,412.2	77.7	77.1	-117.14	790.6	-3,232.6	203.4	54.8	148.58	1.369	Level 3	
7,450.0	6,426.4	7,472.0	6,458.3	78.1	77.4	-122.55	797.9	-3,249.2	205.2	56.2	149.05	1.377	Level 3	
7,500.0	6,473.7	7,521.5	6,505.4	78.3	77.7	-130.37	805.3	-3,262.1	207.1	57.7	149.40	1.386	Level 3	
7,550.0	6,521.9	7,570.9	6,553.4	78.5	77.8	-142.10	812.6	-3,271.3	209.0	59.4	149.63	1.397	Level 3	
7,600.0	6,570.7	7,620.4	6,602.0	78.6	78.0	-159.62	820.0	-3,276.7	210.9	61.2	149.75	1.409	Level 3	
7,650.0	6,619.8	7,669.8	6,650.9	78.7	78.0	177.39	827.2	-3,278.3	212.9	63.1	149.79	1.421	Level 3	
7,700.0	6,668.9	7,719.2	6,699.7	78.7	78.0	154.64	834.4	-3,276.0	214.8	65.0	149.77	1.434	Level 3	
7,750.0	6,717.7	7,768.7	6,748.3	78.7	78.0	137.56	841.3	-3,269.9	216.7	67.1	149.69	1.448	Level 3	
7,800.0	6,765.9	7,818.1	6,796.2	78.7	77.9	126.20	848.1	-3,260.0	218.6	69.1	149.58	1.462	Level 3	
7,850.0	6,813.1	7,867.5	6,843.3	78.6	77.9	118.66	854.6	-3,246.4	220.5	71.1	149.45	1.476	Level 3	
7,900.0	6,859.2	7,917.0	6,889.2	78.5	77.8	113.48	860.9	-3,229.2	222.3	73.0	149.31	1.489	Level 3	
7,950.0	6,903.7	7,966.5	6,933.7	78.4	77.7	109.77	866.8	-3,208.4	224.1	74.9	149.19	1.502		
8,000.0	6,946.5	8,016.0	6,976.5	78.3	77.6	107.03	872.4	-3,184.1	225.8	76.7	149.09	1.514		
8,050.0	6,987.3	8,065.6	7,017.3	78.2	77.5	104.94	877.6	-3,156.6	227.4	78.3	149.03	1.526		
8,100.0	7,025.8	8,115.1	7,056.0	78.1	77.4	103.33	882.3	-3,125.9	228.9	79.9	149.01	1.536		
8,150.0	7,061.8	8,164.7	7,092.2	78.1	77.3	102.06	886.7	-3,092.3	230.3	81.3	149.04	1.545		
8,200.0	7,095.1	8,214.3	7,125.7	78.0	77.3	101.06	890.5	-3,055.9	231.6	82.5	149.12	1.553		
8,250.0	7,125.4	8,264.0	7,156.3	78.0	77.3	100.28	893.8	-3,017.0	232.8	83.5	149.26	1.560		
8,300.0	7,152.6	8,313.7	7,183.9	78.0	77.3	99.66	896.6	-2,975.8	233.9	84.4	149.46	1.565		
8,350.0	7,176.5	8,363.5	7,208.3	78.0	77.3	99.18	898.9	-2,932.4	234.8	85.1	149.72	1.568		
8,400.0	7,197.0	8,413.3	7,229.2	78.1	77.4	98.83	900.6	-2,887.3	235.6	85.6	150.03	1.571		
8,450.0	7,213.9	8,463.1	7,246.6	78.2	77.5	98.58	901.8	-2,840.7	236.3	85.9	150.38	1.571		
8,500.0	7,227.1	8,513.0	7,260.4	78.3	77.6	98.43	902.3	-2,792.7	236.8	86.0	150.77	1.571		
8,550.0	7,236.5	8,562.9	7,270.4	78.4	77.7	98.36	902.3	-2,743.9	237.2	86.0	151.18	1.569		
8,600.0	7,242.2	8,612.8	7,276.6	78.5	77.9	98.38	901.7	-2,694.3	237.4	85.8	151.61	1.566		
8,649.1	7,244.0	8,661.9	7,279.0	78.7	78.0	98.47	900.6	-2,645.3	237.5	85.4	152.04	1.562		
8,700.0	7,243.9	8,712.8	7,279.0	78.8	78.2	98.48	899.0	-2,594.4	237.5	85.0	152.45	1.558		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design		East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 7-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)											Offset Site Error:		0.0 ft
Survey Program: 0-MWD													Offset Well Error:		0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning	
Measured Depth Depth (ft)	Vertical Depth (ft)	Measured Depth Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor			
8,800.0	7,243.8	8,812.8	7,278.9	79.2	78.7	98.48	896.0	-2,494.4	237.5	84.1	153.40	1.548			
8,900.0	7,243.7	8,912.8	7,278.7	79.7	79.2	98.48	892.9	-2,394.5	237.5	82.9	154.55	1.537			
9,000.0	7,243.6	9,012.8	7,278.6	80.3	79.8	98.48	889.9	-2,294.5	237.5	81.6	155.89	1.523			
9,100.0	7,243.5	9,112.8	7,278.5	81.0	80.5	98.48	886.8	-2,194.6	237.5	80.1	157.42	1.509			
9,200.0	7,243.4	9,212.8	7,278.4	81.7	81.3	98.48	883.7	-2,094.6	237.5	78.4	159.13	1.492 Level 3			
9,300.0	7,243.3	9,312.8	7,278.3	82.6	82.2	98.48	880.7	-1,994.7	237.5	76.5	161.01	1.475 Level 3			
9,400.0	7,243.2	9,412.8	7,278.2	83.5	83.1	98.48	877.6	-1,894.7	237.5	74.4	163.06	1.456 Level 3			
9,500.0	7,243.1	9,512.8	7,278.1	84.5	84.2	98.48	874.6	-1,794.8	237.5	72.2	165.28	1.437 Level 3			
9,600.0	7,243.0	9,612.8	7,278.0	85.6	85.3	98.48	871.5	-1,694.8	237.5	69.8	167.65	1.417 Level 3			
9,700.0	7,242.9	9,712.8	7,277.9	86.8	86.5	98.48	868.5	-1,594.9	237.5	67.3	170.18	1.396 Level 3			
9,800.0	7,242.8	9,812.8	7,277.8	88.0	87.8	98.48	865.4	-1,494.9	237.5	64.6	172.84	1.374 Level 3			
9,900.0	7,242.7	9,912.8	7,277.7	89.4	89.2	98.48	862.3	-1,395.0	237.5	61.8	175.65	1.352 Level 3			
10,000.0	7,242.6	10,012.8	7,277.6	90.8	90.6	98.48	859.3	-1,295.0	237.5	58.9	178.58	1.330 Level 3			
10,100.0	7,242.5	10,112.8	7,277.5	92.2	92.1	98.48	856.2	-1,195.1	237.5	55.8	181.64	1.307 Level 3			
10,200.0	7,242.4	10,212.8	7,277.4	93.8	93.7	98.48	853.2	-1,095.1	237.5	52.7	184.82	1.285 Level 3			
10,300.0	7,242.3	10,312.8	7,277.3	95.3	95.3	98.48	850.1	-995.2	237.5	49.4	188.11	1.263 Level 3			
10,400.0	7,242.2	10,412.8	7,277.2	97.0	97.0	98.48	847.0	-895.2	237.5	46.0	191.50	1.240 Level 2			
10,500.0	7,242.1	10,512.8	7,277.1	98.7	98.7	98.48	844.0	-795.2	237.5	42.5	195.00	1.218 Level 2			
10,600.0	7,242.0	10,612.8	7,277.0	100.4	100.5	98.48	840.9	-695.3	237.5	38.9	198.59	1.196 Level 2			
10,700.0	7,241.9	10,712.8	7,276.9	102.3	102.3	98.48	837.9	-595.3	237.5	35.2	202.28	1.174 Level 2			
10,800.0	7,241.8	10,812.8	7,276.8	104.1	104.2	98.48	834.8	-495.4	237.5	31.4	206.04	1.153 Level 2			
10,900.0	7,241.7	10,912.8	7,276.7	106.0	106.1	98.48	831.7	-395.4	237.5	27.6	209.89	1.131 Level 2			
11,000.0	7,241.6	11,012.8	7,276.6	107.9	108.0	98.48	828.7	-295.5	237.5	23.7	213.82	1.111 Level 2			
11,100.0	7,241.5	11,112.8	7,276.5	109.9	110.0	98.48	825.6	-195.5	237.5	19.7	217.82	1.090 Level 2			
11,200.0	7,241.4	11,212.8	7,276.4	111.9	112.1	98.48	822.6	-95.6	237.5	15.6	221.88	1.070 Level 2			
11,300.0	7,241.3	11,312.8	7,276.3	114.0	114.1	98.48	819.5	4.4	237.5	11.5	226.02	1.051 Level 2			
11,400.0	7,241.2	11,412.8	7,276.2	116.1	116.2	98.48	816.4	104.3	237.5	7.3	230.21	1.032 Level 2			
11,500.0	7,241.1	11,512.8	7,276.1	118.2	118.3	98.48	813.4	204.3	237.5	3.0	234.46	1.013 Level 2			
11,600.0	7,241.0	11,612.8	7,276.0	120.3	120.5	98.48	810.3	304.2	237.5	-1.3	238.77	0.995 Level 1			
11,700.0	7,240.9	11,712.8	7,275.9	122.5	122.7	98.48	807.3	404.2	237.5	-5.6	243.12	0.977 Level 1			
11,800.0	7,240.8	11,812.8	7,275.8	124.7	124.9	98.48	804.2	504.1	237.5	-10.0	247.53	0.959 Level 1			
11,900.0	7,240.7	11,912.8	7,275.7	127.0	127.1	98.48	801.1	604.1	237.5	-14.5	251.99	0.942 Level 1			
12,000.0	7,240.6	12,012.8	7,275.6	129.2	129.4	98.48	798.1	704.1	237.5	-19.0	256.48	0.926 Level 1			
12,100.0	7,240.5	12,112.8	7,275.5	131.5	131.7	98.48	795.0	804.0	237.5	-23.5	261.03	0.910 Level 1			
12,200.0	7,240.4	12,212.8	7,275.4	133.8	134.0	98.48	792.0	904.0	237.5	-28.1	265.61	0.894 Level 1			
12,300.0	7,240.3	12,312.8	7,275.3	136.1	136.3	98.48	788.9	1,003.9	237.5	-32.7	270.22	0.879 Level 1			
12,400.0	7,240.2	12,412.8	7,275.2	138.4	138.6	98.48	785.9	1,103.9	237.5	-37.4	274.88	0.864 Level 1			
12,500.0	7,240.1	12,512.8	7,275.1	140.8	141.0	98.48	782.8	1,203.8	237.5	-42.1	279.57	0.850 Level 1			
12,600.0	7,239.9	12,612.8	7,275.0	143.2	143.4	98.48	779.7	1,303.8	237.5	-46.8	284.29	0.835 Level 1			
12,700.0	7,239.8	12,712.8	7,274.9	145.6	145.8	98.48	776.7	1,403.7	237.5	-51.5	289.04	0.822 Level 1			
12,800.0	7,239.7	12,812.8	7,274.7	148.0	148.2	98.48	773.6	1,503.7	237.5	-56.3	293.82	0.808 Level 1			
12,900.0	7,239.6	12,912.8	7,274.6	150.4	150.6	98.48	770.6	1,603.6	237.5	-61.1	298.63	0.795 Level 1			
13,000.0	7,239.5	13,012.8	7,274.5	152.8	153.0	98.48	767.5	1,703.6	237.5	-66.0	303.46	0.783 Level 1			
13,100.0	7,239.4	13,112.8	7,274.4	155.3	155.5	98.48	764.4	1,803.5	237.5	-70.8	308.32	0.770 Level 1			
13,200.0	7,239.3	13,212.8	7,274.3	157.7	157.9	98.48	761.4	1,903.5	237.5	-75.7	313.21	0.758 Level 1			
13,300.0	7,239.2	13,312.8	7,274.2	160.2	160.4	98.48	758.3	2,003.4	237.5	-80.6	318.11	0.747 Level 1			
13,400.0	7,239.1	13,412.8	7,274.1	162.7	162.9	98.48	755.3	2,103.4	237.5	-85.5	323.04	0.735 Level 1			
13,500.0	7,239.0	13,512.8	7,274.0	165.2	165.4	98.48	752.2	2,203.3	237.5	-90.5	327.99	0.724 Level 1			
13,600.0	7,238.9	13,612.8	7,273.9	167.7	167.9	98.48	749.1	2,303.3	237.5	-95.5	332.96	0.713 Level 1			
13,700.0	7,238.8	13,712.8	7,273.8	170.2	170.4	98.48	746.1	2,403.3	237.5	-100.5	337.95	0.703 Level 1			
13,800.0	7,238.7	13,812.8	7,273.7	172.7	172.9	98.48	743.0	2,503.2	237.5	-105.5	342.96	0.692 Level 1			
13,900.0	7,238.6	13,912.8	7,273.6	175.3	175.5	98.48	740.0	2,603.2	237.5	-110.5	347.99	0.682 Level 1			

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 7-7-8HNC - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis		Distance								Warning
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
14,000.0	7,238.5	14,012.8	7,273.5	177.8	178.0	98.48	736.9	2,703.1	237.5	-115.5	353.03	0.673	Level 1	
14,100.0	7,238.4	14,112.8	7,273.4	180.4	180.6	98.48	733.8	2,803.1	237.5	-120.6	358.09	0.663	Level 1	
14,200.0	7,238.3	14,212.8	7,273.3	182.9	183.1	98.48	730.8	2,903.0	237.5	-125.7	363.16	0.654	Level 1	
14,300.0	7,238.2	14,312.8	7,273.2	185.5	185.7	98.48	727.7	3,003.0	237.5	-130.8	368.25	0.645	Level 1	
14,400.0	7,238.1	14,412.8	7,273.1	188.1	188.3	98.48	724.7	3,102.9	237.5	-135.9	373.36	0.636	Level 1	
14,500.0	7,238.0	14,512.8	7,273.0	190.6	190.9	98.48	721.6	3,202.9	237.5	-141.0	378.47	0.628	Level 1	
14,600.0	7,237.9	14,612.8	7,272.9	193.2	193.4	98.48	718.5	3,302.8	237.5	-146.1	383.60	0.619	Level 1	
14,700.0	7,237.8	14,712.8	7,272.8	195.8	196.0	98.48	715.5	3,402.8	237.5	-151.2	388.74	0.611	Level 1	
14,800.0	7,237.7	14,812.8	7,272.7	198.4	198.6	98.48	712.4	3,502.7	237.5	-156.4	393.90	0.603	Level 1	
14,900.0	7,237.6	14,912.8	7,272.6	201.0	201.3	98.48	709.4	3,602.7	237.5	-161.6	399.06	0.595	Level 1	
15,000.0	7,237.5	15,012.8	7,272.5	203.6	203.9	98.48	706.3	3,702.6	237.5	-166.7	404.24	0.588	Level 1	
15,100.0	7,237.4	15,112.8	7,272.4	206.3	206.5	98.48	703.3	3,802.6	237.5	-171.9	409.43	0.580	Level 1	
15,200.0	7,237.3	15,212.8	7,272.3	208.9	209.1	98.48	700.2	3,902.6	237.5	-177.1	414.63	0.573	Level 1	
15,300.0	7,237.2	15,312.8	7,272.2	211.5	211.7	98.48	697.1	4,002.5	237.5	-182.3	419.84	0.566	Level 1	
15,400.0	7,237.1	15,412.8	7,272.1	214.2	214.4	98.48	694.1	4,102.5	237.5	-187.5	425.05	0.559	Level 1	
15,500.0	7,237.0	15,512.8	7,272.0	216.8	217.0	98.48	691.0	4,202.4	237.5	-192.8	430.28	0.552	Level 1	
15,600.0	7,236.9	15,612.8	7,271.9	219.4	219.7	98.48	688.0	4,302.4	237.5	-198.0	435.52	0.545	Level 1	
15,700.0	7,236.8	15,712.8	7,271.8	222.1	222.3	98.48	684.9	4,402.3	237.5	-203.3	440.76	0.539	Level 1	
15,800.0	7,236.7	15,812.8	7,271.7	224.7	225.0	98.48	681.8	4,502.3	237.5	-208.5	446.01	0.533	Level 1	
15,900.0	7,236.6	15,912.8	7,271.6	227.4	227.6	98.48	678.8	4,602.2	237.5	-213.8	451.27	0.526	Level 1	
16,000.0	7,236.5	16,012.8	7,271.5	230.1	230.3	98.48	675.7	4,702.2	237.5	-219.0	456.54	0.520	Level 1	
16,100.0	7,236.4	16,112.8	7,271.4	232.7	232.9	98.48	672.7	4,802.1	237.5	-224.3	461.82	0.514	Level 1	
16,200.0	7,236.3	16,212.8	7,271.3	235.4	235.6	98.48	669.6	4,902.1	237.5	-229.6	467.10	0.508	Level 1	
16,300.0	7,236.2	16,312.8	7,271.2	238.1	238.3	98.48	666.5	5,002.0	237.5	-234.9	472.39	0.503	Level 1	
16,400.0	7,236.0	16,412.8	7,271.1	240.7	240.9	98.48	663.5	5,102.0	237.5	-240.2	477.69	0.497	Level 1	
16,500.0	7,235.9	16,512.8	7,271.0	243.4	243.6	98.48	660.4	5,201.9	237.5	-245.5	482.99	0.492	Level 1	
16,600.0	7,235.8	16,612.8	7,270.9	246.1	246.3	98.48	657.4	5,301.9	237.5	-250.8	488.30	0.486	Level 1	
16,700.0	7,235.7	16,712.8	7,270.7	248.8	249.0	98.48	654.3	5,401.8	237.5	-256.1	493.61	0.481	Level 1	
16,800.0	7,235.6	16,812.8	7,270.6	251.5	251.7	98.48	651.2	5,501.8	237.5	-261.4	498.94	0.476	Level 1	
16,900.0	7,235.5	16,912.8	7,270.5	254.2	254.4	98.48	648.2	5,601.8	237.5	-266.8	504.26	0.471	Level 1	
17,000.0	7,235.4	17,012.8	7,270.4	256.9	257.1	98.48	645.1	5,701.7	237.5	-272.1	509.59	0.466	Level 1	
17,100.0	7,235.3	17,112.8	7,270.3	259.5	259.8	98.48	642.1	5,801.7	237.5	-277.4	514.93	0.461	Level 1	
17,200.0	7,235.2	17,212.8	7,270.2	262.2	262.4	98.48	639.0	5,901.6	237.5	-282.8	520.28	0.457	Level 1	
17,300.0	7,235.1	17,312.8	7,270.1	264.9	265.1	98.48	635.9	6,001.6	237.5	-288.1	525.62	0.452	Level 1	
17,400.0	7,235.0	17,412.8	7,270.0	267.6	267.9	98.48	632.9	6,101.5	237.5	-293.5	530.98	0.447	Level 1	
17,500.0	7,234.9	17,512.8	7,269.9	270.4	270.6	98.48	629.8	6,201.5	237.5	-298.8	536.33	0.443	Level 1	
17,600.0	7,234.8	17,612.8	7,269.8	273.1	273.3	98.48	626.8	6,301.4	237.5	-304.2	541.70	0.438	Level 1	
17,700.0	7,234.7	17,712.8	7,269.7	275.8	276.0	98.48	623.7	6,401.4	237.5	-309.6	547.06	0.434	Level 1	
17,800.0	7,234.6	17,812.8	7,269.6	278.5	278.7	98.48	620.7	6,501.3	237.5	-314.9	552.43	0.430	Level 1	
17,900.0	7,234.5	17,912.8	7,269.5	281.2	281.4	98.48	617.6	6,601.3	237.5	-320.3	557.81	0.426	Level 1	
18,000.0	7,234.4	18,012.8	7,269.4	283.9	284.1	98.48	614.5	6,701.2	237.5	-325.7	563.19	0.422	Level 1	
18,100.0	7,234.3	18,112.8	7,269.3	286.6	286.8	98.48	611.5	6,801.2	237.5	-331.1	568.57	0.418	Level 1	
18,200.0	7,234.2	18,212.8	7,269.2	289.4	289.6	98.48	608.4	6,901.1	237.5	-336.4	573.96	0.414	Level 1	
18,300.0	7,234.1	18,312.8	7,269.1	292.1	292.3	98.48	605.4	7,001.1	237.5	-341.8	579.35	0.410	Level 1	
18,398.3	7,234.0	18,411.2	7,269.0	294.8	295.0	98.48	602.3	7,099.4	237.5	-347.1	584.66	0.406	Level 1, ES, SF	

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design		East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 8-7-8HNA - Wellbore #1 - Plan #1 (2-05-20)											Offset Site Error:		0.0 ft
Survey Program: 0-MWD													Offset Well Error:		0.0 ft
Reference		Offset		Semi Major Axis			Distance							Warning	
Measured Depth	Vertical Depth	Measured Depth	Vertical Depth	Reference	Offset	Highside Toolface	Offset Wellbore Centre		Between Centres	Between Ellipses	Minimum Separation	Separation Factor			
Depth (ft)	Depth (ft)	Depth (ft)	Depth (ft)	(ft)	(ft)	(°)	+N/-S (ft)	+E/-W (ft)	(ft)	(ft)	(ft)				
0.0	0.0	0.0	0.0	0.0	0.0	91.40	-0.7	29.7	29.7						
100.0	100.0	100.0	100.0	0.1	0.1	91.40	-0.7	29.7	29.7	29.5	0.22	132.273			
200.0	200.0	200.0	200.0	0.3	0.3	91.40	-0.7	29.7	29.7	29.1	0.67	44.091			
300.0	300.0	300.0	300.0	0.6	0.6	91.40	-0.7	29.7	29.7	28.6	1.12	26.455			
400.0	400.0	400.0	400.0	0.8	0.8	91.40	-0.7	29.7	29.7	28.2	1.57	18.896			
500.0	500.0	500.0	500.0	1.0	1.0	91.40	-0.7	29.7	29.7	27.7	2.02	14.697			
600.0	600.0	600.0	600.0	1.2	1.2	91.40	-0.7	29.7	29.7	27.3	2.47	12.025			
700.0	700.0	700.0	700.0	1.5	1.5	91.40	-0.7	29.7	29.7	26.8	2.92	10.175	CC, ES		
800.0	800.0	800.0	800.0	1.7	1.7	165.27	-0.7	29.7	31.4	28.0	3.37	9.335			
900.0	899.8	899.8	899.8	1.9	1.9	167.34	-0.7	29.7	36.5	32.7	3.81	9.592			
1,000.0	999.5	1,001.0	1,001.0	2.1	2.1	169.71	-0.5	28.0	43.3	39.1	4.24	10.219			
1,100.0	1,098.7	1,102.4	1,102.2	2.4	2.3	172.06	0.3	22.6	50.1	45.4	4.66	10.746			
1,200.0	1,197.5	1,204.0	1,203.5	2.7	2.6	174.40	1.6	13.8	56.8	51.7	5.09	11.171			
1,300.0	1,295.6	1,305.9	1,304.6	3.0	2.8	176.73	3.4	1.3	63.6	58.1	5.52	11.517			
1,400.0	1,393.1	1,408.0	1,405.4	3.4	3.1	179.06	5.7	-14.7	70.4	64.5	5.97	11.798			
1,500.0	1,489.6	1,510.4	1,505.7	3.9	3.4	-178.62	8.6	-34.4	77.3	70.9	6.43	12.020			
1,600.0	1,585.3	1,612.9	1,605.6	4.4	3.8	-176.30	11.9	-57.6	84.3	77.4	6.92	12.181			
1,700.0	1,679.8	1,715.7	1,704.7	5.0	4.3	-173.99	15.8	-84.4	91.4	83.9	7.44	12.274			
1,800.0	1,773.2	1,818.6	1,803.0	5.6	4.8	-171.70	20.2	-114.8	98.6	90.6	8.02	12.297			
1,900.0	1,865.2	1,921.8	1,900.2	6.4	5.4	-169.42	25.1	-148.7	106.0	97.3	8.66	12.234			
2,000.0	1,955.8	2,025.1	1,996.4	7.2	6.1	-167.16	30.5	-186.1	113.5	104.1	9.40	12.080			
2,100.0	2,044.9	2,128.7	2,091.3	8.1	6.9	-164.92	36.5	-227.1	121.3	111.0	10.25	11.835			
2,200.0	2,132.4	2,232.4	2,184.9	9.1	7.8	-162.72	42.9	-271.4	129.2	118.0	11.23	11.504			
2,300.0	2,218.1	2,336.3	2,276.9	10.2	8.8	-160.55	49.8	-319.2	137.3	125.0	12.37	11.100			
2,400.0	2,302.0	2,440.3	2,367.2	11.4	9.8	-158.41	57.2	-370.3	145.7	132.0	13.70	10.640			
2,474.4	2,363.1	2,517.9	2,433.2	12.3	10.7	-156.84	63.0	-410.5	152.1	137.3	14.81	10.276			
2,500.0	2,383.9	2,544.6	2,455.7	12.6	11.0	-156.31	65.1	-424.8	154.3	139.0	15.24	10.121			
2,600.0	2,465.4	2,649.0	2,542.4	13.9	12.2	-153.90	73.5	-482.5	160.8	143.7	17.14	9.380			
2,700.0	2,546.8	2,752.3	2,626.0	15.2	13.6	-150.97	82.2	-542.5	164.7	145.3	19.38	8.499			
2,800.0	2,628.2	2,851.9	2,706.0	16.5	14.9	-148.07	90.7	-601.2	168.2	146.3	21.81	7.711			
2,900.0	2,709.6	2,951.5	2,786.0	17.8	16.2	-145.28	99.2	-659.9	172.0	147.7	24.38	7.055			
3,000.0	2,791.1	3,051.1	2,865.9	19.1	17.6	-142.63	107.7	-718.6	176.3	149.2	27.09	6.509			
3,100.0	2,872.5	3,150.7	2,945.9	20.5	18.9	-140.10	116.2	-777.4	180.9	151.0	29.89	6.053			
3,200.0	2,953.9	3,250.2	3,025.9	21.8	20.3	-137.71	124.7	-836.1	185.9	153.1	32.77	5.672			
3,300.0	3,035.3	3,349.8	3,105.9	23.1	21.6	-135.44	133.2	-894.8	191.2	155.5	35.72	5.353			
3,400.0	3,116.8	3,449.4	3,185.8	24.4	23.0	-133.29	141.7	-953.5	196.7	158.0	38.71	5.083			
3,500.0	3,198.2	3,549.0	3,265.8	25.8	24.4	-131.27	150.2	-1,012.2	202.6	160.8	41.73	4.855			
3,600.0	3,279.6	3,648.6	3,345.8	27.1	25.7	-129.36	158.7	-1,071.0	208.6	163.9	44.77	4.660			
3,700.0	3,361.0	3,748.1	3,425.8	28.4	27.1	-127.56	167.2	-1,129.7	214.9	167.1	47.82	4.494			
3,800.0	3,442.5	3,847.7	3,505.7	29.8	28.5	-125.86	175.7	-1,188.4	221.4	170.5	50.89	4.351			
3,900.0	3,523.9	3,947.3	3,585.7	31.1	29.9	-124.27	184.2	-1,247.1	228.0	174.1	53.95	4.227			
4,000.0	3,605.3	4,046.9	3,665.7	32.5	31.3	-122.76	192.7	-1,305.8	234.9	177.9	57.01	4.120			
4,100.0	3,686.7	4,146.5	3,745.7	33.8	32.6	-121.34	201.3	-1,364.5	241.9	181.8	60.07	4.026			
4,200.0	3,768.2	4,246.0	3,825.6	35.1	34.0	-119.99	209.8	-1,423.3	249.0	185.9	63.12	3.945			
4,300.0	3,849.6	4,345.6	3,905.6	36.5	35.4	-118.73	218.3	-1,482.0	256.2	190.1	66.16	3.873			
4,400.0	3,931.0	4,445.2	3,985.6	37.8	36.8	-117.53	226.8	-1,540.7	263.6	194.4	69.19	3.810			
4,500.0	4,012.4	4,544.8	4,065.6	39.2	38.2	-116.40	235.3	-1,599.4	271.1	198.9	72.20	3.754			
4,600.0	4,093.8	4,644.4	4,145.6	40.5	39.6	-115.33	243.8	-1,658.1	278.7	203.5	75.21	3.705			
4,700.0	4,175.3	4,743.9	4,225.5	41.8	41.0	-114.32	252.3	-1,716.8	286.3	208.1	78.21	3.661			
4,800.0	4,256.7	4,843.5	4,305.5	43.2	42.3	-113.36	260.8	-1,775.6	294.1	212.9	81.19	3.622			
4,900.0	4,338.1	4,943.1	4,385.5	44.5	43.7	-112.45	269.3	-1,834.3	301.9	217.8	84.16	3.587			
5,000.0	4,419.5	5,042.7	4,465.5	45.9	45.1	-111.58	277.8	-1,893.0	309.8	222.7	87.12	3.556			

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 8-7-8HNA - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)	Highside Toolface (°)	Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)	Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor		
5,100.0	4,501.0	5,142.3	4,545.4	47.2	46.5	-110.76	286.3	-1,951.7	317.8	227.7	90.07	3.528		
5,200.0	4,582.4	5,241.9	4,625.4	48.6	47.9	-109.98	294.8	-2,010.4	325.8	232.8	93.01	3.503		
5,300.0	4,663.8	5,341.4	4,705.4	49.9	49.3	-109.23	303.3	-2,069.1	333.9	238.0	95.93	3.481		
5,400.0	4,745.2	5,441.0	4,785.4	51.3	50.7	-108.53	311.8	-2,127.9	342.1	243.2	98.85	3.460		
5,500.0	4,826.7	5,540.6	4,865.3	52.6	52.1	-107.85	320.3	-2,186.6	350.3	248.5	101.76	3.442		
5,600.0	4,908.1	5,640.2	4,945.3	54.0	53.5	-107.21	328.8	-2,245.3	358.5	253.8	104.66	3.425		
5,700.0	4,989.5	5,739.8	5,025.3	55.3	54.9	-106.59	337.4	-2,304.0	366.8	259.2	107.55	3.410		
5,800.0	5,070.9	5,839.3	5,105.3	56.6	56.2	-106.00	345.9	-2,362.7	375.1	264.7	110.43	3.397		
5,900.0	5,152.4	5,938.9	5,185.2	58.0	57.6	-105.44	354.4	-2,421.4	383.5	270.2	113.30	3.385		
6,000.0	5,233.8	6,038.5	5,265.2	59.3	59.0	-104.90	362.9	-2,480.2	391.9	275.7	116.17	3.373		
6,100.0	5,315.2	6,138.1	5,345.2	60.7	60.4	-104.38	371.4	-2,538.9	400.3	281.3	119.02	3.363		
6,200.0	5,396.6	6,237.7	5,425.2	62.0	61.8	-103.89	379.9	-2,597.6	408.8	286.9	121.88	3.354		
6,300.0	5,478.1	6,337.2	5,505.2	63.4	63.2	-103.42	388.4	-2,656.3	417.2	292.5	124.72	3.345		
6,400.0	5,559.5	6,436.8	5,585.1	64.7	64.6	-102.96	396.9	-2,715.0	425.8	298.2	127.56	3.338		
6,500.0	5,640.9	6,536.4	5,665.1	66.1	66.0	-102.52	405.4	-2,773.7	434.3	303.9	130.39	3.331		
6,600.0	5,722.3	6,636.0	5,745.1	67.4	67.4	-102.10	413.9	-2,832.5	442.9	309.6	133.22	3.324		
6,700.0	5,803.7	6,735.6	5,825.1	68.8	68.8	-101.70	422.4	-2,891.2	451.5	315.4	136.04	3.319		
6,800.0	5,885.2	6,835.1	5,905.0	70.1	70.2	-101.31	430.9	-2,949.9	460.1	321.2	138.86	3.313		
6,900.0	5,966.6	6,934.7	5,985.0	71.5	71.6	-100.93	439.4	-3,008.6	468.7	327.0	141.67	3.308		
7,000.0	6,048.0	7,034.3	6,065.0	72.8	73.0	-100.57	447.9	-3,067.3	477.3	332.9	144.47	3.304		
7,100.0	6,129.4	7,133.9	6,145.0	74.2	74.4	-100.22	456.4	-3,126.0	486.0	338.7	147.28	3.300		
7,200.0	6,210.9	7,236.9	6,228.7	75.5	75.7	-100.08	465.3	-3,185.3	494.5	344.6	149.95	3.298		
7,269.9	6,267.8	7,311.0	6,293.5	76.5	76.4	-100.97	471.8	-3,220.6	499.8	348.5	151.34	3.303		
7,300.0	6,292.7	7,342.4	6,322.1	76.8	76.6	-103.05	474.6	-3,233.2	502.1	350.4	151.67	3.310		
7,350.0	6,335.6	7,393.9	6,370.3	77.3	76.9	-107.09	479.2	-3,250.9	506.0	354.1	151.97	3.330		
7,400.0	6,380.3	7,444.8	6,419.1	77.7	77.2	-112.11	483.7	-3,264.4	510.3	358.2	152.04	3.356		
7,450.0	6,426.4	7,495.0	6,468.2	78.1	77.3	-118.64	488.1	-3,273.8	514.8	362.9	151.91	3.389		
7,500.0	6,473.7	7,544.5	6,517.2	78.3	77.4	-127.57	492.4	-3,279.3	519.6	368.0	151.63	3.427		
7,550.0	6,521.9	7,593.5	6,566.0	78.5	77.5	-140.42	496.6	-3,281.0	524.6	373.4	151.22	3.469		
7,600.0	6,570.7	7,641.8	6,614.1	78.6	77.5	-159.03	500.6	-3,278.9	529.8	379.1	150.71	3.515		
7,650.0	6,619.8	7,689.6	6,661.4	78.7	77.4	176.89	504.4	-3,273.3	535.1	384.9	150.14	3.564		
7,700.0	6,668.9	7,737.0	6,707.7	78.7	77.4	153.08	508.0	-3,264.2	540.5	390.9	149.53	3.614		
7,750.0	6,717.7	7,783.8	6,752.7	78.7	77.3	134.98	511.4	-3,251.9	545.9	397.0	148.93	3.666		
7,800.0	6,765.9	7,830.2	6,796.4	78.7	77.2	122.62	514.7	-3,236.4	551.3	403.0	148.34	3.717		
7,850.0	6,813.1	7,876.2	6,838.4	78.6	77.1	114.12	517.6	-3,218.0	556.7	408.9	147.80	3.767		
7,900.0	6,859.2	7,921.8	6,878.6	78.5	77.0	108.02	520.4	-3,196.8	562.0	414.7	147.33	3.815		
7,950.0	6,903.7	7,967.1	6,917.0	78.4	76.9	103.45	522.9	-3,172.9	567.2	420.2	146.94	3.860		
8,000.0	6,946.5	8,012.1	6,953.4	78.3	76.9	99.88	525.2	-3,146.5	572.1	425.5	146.65	3.901		
8,050.0	6,987.3	8,056.7	6,987.6	78.2	76.8	97.02	527.2	-3,117.8	576.9	430.4	146.47	3.939		
8,100.0	7,025.8	8,100.0	7,018.7	78.1	76.8	94.70	528.9	-3,087.9	581.4	435.0	146.42	3.971		
8,150.0	7,061.8	8,145.4	7,049.1	78.1	76.7	92.76	530.5	-3,054.2	585.6	439.1	146.48	3.998		
8,200.0	7,095.1	8,189.5	7,076.3	78.0	76.7	91.15	531.7	-3,019.5	589.5	442.8	146.68	4.019		
8,250.0	7,125.4	8,233.3	7,100.9	78.0	76.8	89.81	532.7	-2,983.2	593.0	446.0	147.01	4.034		
8,300.0	7,152.6	8,277.1	7,122.9	78.0	76.8	88.70	533.4	-2,945.5	596.2	448.7	147.46	4.043		
8,350.0	7,176.5	8,320.7	7,142.2	78.0	76.9	87.78	533.9	-2,906.4	599.0	450.9	148.02	4.046		
8,400.0	7,197.0	8,364.2	7,158.8	78.1	77.0	87.05	534.1	-2,866.1	601.3	452.6	148.69	4.044		
8,450.0	7,213.9	8,407.7	7,172.6	78.2	77.1	86.49	534.0	-2,824.9	603.2	453.8	149.45	4.036		
8,500.0	7,227.1	8,450.0	7,183.3	78.3	77.2	86.08	533.6	-2,784.0	604.6	454.4	150.27	4.024		
8,550.0	7,236.5	8,494.5	7,191.6	78.4	77.4	85.82	533.0	-2,740.2	605.6	454.5	151.15	4.007		
8,600.0	7,242.2	8,537.9	7,196.7	78.5	77.5	85.71	532.2	-2,697.2	606.2	454.1	152.06	3.986		
8,649.1	7,244.0	8,580.6	7,198.9	78.7	77.7	85.73	531.1	-2,654.6	606.2	453.3	152.95	3.963		
8,667.0	7,244.0	8,596.4	7,199.0	78.7	77.7	85.74	530.6	-2,638.8	606.2	453.1	153.09	3.960		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design East Ault 18-C Pad Sec.18-T7N-R65W - East Ault 8-7-8HNA - Wellbore #1 - Plan #1 (2-05-20)													Offset Site Error: 0.0 ft	
Survey Program: 0-MWD													Offset Well Error: 0.0 ft	
Reference		Offset		Semi Major Axis			Distance							Warning
Measured Depth	Vertical Depth	Measured Depth	Vertical Depth	Reference	Offset	Highside Toolface	Offset Wellbore Centre		Between Centres	Between Ellipses	Minimum Separation	Separation Factor		
(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(°)	+N/-S (ft)	+E/-W (ft)	(ft)	(ft)	(ft)			
8,700.0	7,243.9	8,629.1	7,198.8	78.8	77.9	85.73	529.6	-2,606.1	606.2	452.8	153.36	3.953		
8,800.0	7,243.8	8,729.1	7,198.1	79.2	78.3	85.67	526.5	-2,506.1	606.2	452.0	154.29	3.929		
8,900.0	7,243.7	8,829.1	7,197.4	79.7	78.9	85.62	523.5	-2,406.2	606.3	450.9	155.43	3.901		
9,000.0	7,243.6	8,929.1	7,196.8	80.3	79.6	85.57	520.4	-2,306.2	606.3	449.6	156.75	3.868		
9,100.0	7,243.5	9,029.1	7,196.1	81.0	80.3	85.51	517.3	-2,206.3	606.4	448.1	158.26	3.832		
9,200.0	7,243.4	9,129.1	7,195.4	81.7	81.2	85.46	514.3	-2,106.3	606.4	446.5	159.96	3.791		
9,300.0	7,243.3	9,229.1	7,194.8	82.6	82.1	85.41	511.2	-2,006.4	606.5	444.7	161.83	3.748		
9,400.0	7,243.2	9,329.1	7,194.1	83.5	83.1	85.36	508.2	-1,906.4	606.5	442.7	163.87	3.701		
9,500.0	7,243.1	9,429.1	7,193.4	84.5	84.2	85.30	505.1	-1,806.5	606.6	440.5	166.08	3.652		
9,600.0	7,243.0	9,529.1	7,192.8	85.6	85.4	85.25	502.0	-1,706.5	606.6	438.2	168.45	3.601		
9,700.0	7,242.9	9,629.1	7,192.1	86.8	86.7	85.20	499.0	-1,606.6	606.7	435.7	170.96	3.549		
9,800.0	7,242.8	9,729.1	7,191.4	88.0	88.0	85.14	495.9	-1,506.6	606.7	433.1	173.63	3.495		
9,900.0	7,242.7	9,829.1	7,190.8	89.4	89.4	85.09	492.8	-1,406.7	606.8	430.4	176.43	3.439		
10,000.0	7,242.6	9,929.1	7,190.1	90.8	90.9	85.04	489.8	-1,306.7	606.9	427.5	179.36	3.383		
10,100.0	7,242.5	10,029.1	7,189.4	92.2	92.4	84.98	486.7	-1,206.8	606.9	424.5	182.41	3.327		
10,200.0	7,242.4	10,129.1	7,188.8	93.8	94.0	84.93	483.7	-1,106.8	607.0	421.4	185.59	3.270		
10,300.0	7,242.3	10,229.1	7,188.1	95.3	95.7	84.88	480.6	-1,006.9	607.0	418.1	188.87	3.214		
10,400.0	7,242.2	10,329.1	7,187.4	97.0	97.4	84.82	477.5	-906.9	607.1	414.8	192.27	3.157		
10,500.0	7,242.1	10,429.1	7,186.8	98.7	99.1	84.77	474.5	-807.0	607.1	411.4	195.76	3.101		
10,600.0	7,242.0	10,529.1	7,186.1	100.4	100.9	84.72	471.4	-707.0	607.2	407.8	199.35	3.046		
10,700.0	7,241.9	10,629.1	7,185.4	102.3	102.8	84.67	468.3	-607.1	607.2	404.2	203.04	2.991		
10,800.0	7,241.8	10,729.1	7,184.8	104.1	104.6	84.61	465.3	-507.1	607.3	400.5	206.80	2.937		
10,900.0	7,241.7	10,829.1	7,184.1	106.0	106.6	84.56	462.2	-407.2	607.4	396.7	210.65	2.883		
11,000.0	7,241.6	10,929.1	7,183.4	107.9	108.6	84.51	459.1	-307.2	607.4	392.8	214.58	2.831		
11,100.0	7,241.5	11,029.1	7,182.8	109.9	110.6	84.45	456.1	-207.3	607.5	388.9	218.57	2.779		
11,200.0	7,241.4	11,129.1	7,182.1	111.9	112.6	84.40	453.0	-107.3	607.5	384.9	222.64	2.729		
11,300.0	7,241.3	11,229.1	7,181.4	114.0	114.7	84.35	450.0	-7.4	607.6	380.8	226.77	2.679		
11,354.7	7,241.2	11,283.8	7,181.1	115.1	115.8	84.32	448.3	47.3	607.6	378.6	229.05	2.653		
11,400.0	7,241.2	11,317.3	7,180.9	116.1	116.5	84.30	447.2	80.8	607.8	377.1	230.71	2.634 SF		
11,500.0	7,241.1	11,317.3	7,180.9	118.2	116.5	84.30	447.2	80.8	617.9	385.1	232.85	2.654		
11,600.0	7,241.0	11,317.3	7,180.9	120.3	116.5	84.30	447.2	80.8	643.6	408.6	235.01	2.739		
11,700.0	7,240.9	11,317.3	7,180.9	122.5	116.5	84.30	447.2	80.8	683.1	445.9	237.20	2.880		
11,800.0	7,240.8	11,317.3	7,180.9	124.7	116.5	84.30	447.2	80.8	734.2	494.8	239.42	3.067		
11,900.0	7,240.7	11,317.3	7,180.9	127.0	116.5	84.30	447.2	80.8	794.7	553.0	241.66	3.288		



<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Offset Design													Offset Site Error:	0.0 ft
Survey Program: 0-MWD													Offset Well Error:	0.0 ft
Reference		Offset		Semi Major Axis		Highside Toolface (°)	Distance		Between Centres (ft)	Between Ellipses (ft)	Minimum Separation (ft)	Separation Factor	Warning	
Measured Depth (ft)	Vertical Depth (ft)	Measured Depth (ft)	Vertical Depth (ft)	Reference (ft)	Offset (ft)		Offset Wellbore Centre +N/-S (ft)	+E/-W (ft)						
0.0	0.0	0.0	0.0	0.0	0.0	91.40	-1.1	44.7	44.7					
100.0	100.0	100.0	100.0	0.1	0.1	91.40	-1.1	44.7	44.7	44.5	0.22	199.028		
200.0	200.0	200.0	200.0	0.3	0.3	91.40	-1.1	44.7	44.7	44.1	0.67	66.343		
300.0	300.0	300.0	300.0	0.6	0.6	91.40	-1.1	44.7	44.7	43.6	1.12	39.806		
400.0	400.0	400.0	400.0	0.8	0.8	91.40	-1.1	44.7	44.7	43.2	1.57	28.433		
500.0	500.0	500.0	500.0	1.0	1.0	91.40	-1.1	44.7	44.7	42.7	2.02	22.114		
600.0	600.0	600.0	600.0	1.2	1.2	91.40	-1.1	44.7	44.7	42.3	2.47	18.093		
700.0	700.0	700.0	700.0	1.5	1.5	91.40	-1.1	44.7	44.7	41.8	2.92	15.310 CC, ES		
800.0	800.0	800.0	800.0	1.7	1.7	164.99	-1.1	44.7	46.4	43.1	3.37	13.794		
900.0	899.8	899.8	899.8	1.9	1.9	166.47	-1.1	44.7	51.5	47.7	3.81	13.532		
1,000.0	999.5	999.5	999.5	2.1	2.1	168.38	-1.1	44.7	60.0	55.8	4.25	14.123		
1,100.0	1,098.7	1,099.7	1,099.7	2.4	2.4	169.43	0.1	44.2	71.3	66.6	4.69	15.199		
1,200.0	1,197.5	1,199.9	1,199.8	2.7	2.6	169.07	3.6	42.5	84.6	79.5	5.13	16.496		
1,300.0	1,295.6	1,299.9	1,299.6	3.0	2.8	167.88	9.5	39.7	100.0	94.5	5.58	17.939		
1,400.0	1,393.1	1,399.7	1,399.0	3.4	3.0	166.24	17.8	35.8	117.5	111.5	6.03	19.481		
1,500.0	1,489.6	1,498.1	1,496.8	3.9	3.3	164.62	27.7	31.1	137.5	131.0	6.51	21.124		
1,600.0	1,585.3	1,595.4	1,593.4	4.4	3.5	163.68	37.7	26.4	160.7	153.7	7.00	22.957		
1,700.0	1,679.8	1,691.8	1,689.2	5.0	3.8	163.24	47.6	21.7	187.2	179.7	7.51	24.944		
1,800.0	1,773.2	1,787.3	1,784.1	5.6	4.1	163.12	57.3	17.1	216.9	208.9	8.02	27.050		
1,900.0	1,865.2	1,881.7	1,877.9	6.4	4.3	163.21	67.0	12.5	249.8	241.3	8.54	29.256		
2,000.0	1,955.8	1,975.0	1,970.6	7.2	4.6	163.43	76.5	8.0	285.8	276.8	9.07	31.530		
2,100.0	2,044.9	2,067.0	2,062.0	8.1	4.8	163.72	85.9	3.6	325.0	315.4	9.59	33.868		
2,200.0	2,132.4	2,157.5	2,152.0	9.1	5.1	164.03	95.2	-0.8	367.2	357.1	10.13	36.257		
2,300.0	2,218.1	2,246.6	2,240.5	10.2	5.3	164.36	104.3	-5.1	412.5	401.8	10.66	38.685		
2,400.0	2,302.0	2,334.1	2,327.4	11.4	5.6	164.68	113.3	-9.3	460.7	449.5	11.20	41.145		
2,474.4	2,363.1	2,398.1	2,390.9	12.3	5.8	164.90	119.8	-12.4	498.6	487.0	11.60	42.992		
2,500.0	2,383.9	2,419.9	2,412.6	12.6	5.8	165.06	122.0	-13.5	511.9	500.1	11.76	43.524		
2,600.0	2,465.4	2,505.2	2,497.4	13.9	6.1	165.58	130.8	-17.6	563.9	551.5	12.41	45.450		
2,700.0	2,546.8	2,590.5	2,582.2	15.2	6.3	166.02	139.5	-21.7	615.9	602.8	13.06	47.160		
2,800.0	2,628.2	2,675.9	2,667.0	16.5	6.6	166.39	148.2	-25.9	667.9	654.2	13.72	48.685		
2,900.0	2,709.6	2,761.2	2,751.7	17.8	6.8	166.71	157.0	-30.0	720.0	705.6	14.38	50.054		
3,000.0	2,791.1	2,846.5	2,836.5	19.1	7.1	166.98	165.7	-34.1	772.1	757.0	15.05	51.286		
10,900.0	7,241.7	6,950.0	6,907.8	106.0	17.4	63.29	396.7	-180.6	776.7	668.7	108.05	7.189		
11,000.0	7,241.6	6,950.0	6,907.8	107.9	17.4	63.29	396.7	-180.6	753.4	643.6	109.85	6.859		
11,100.0	7,241.5	6,950.0	6,907.8	109.9	17.4	63.29	396.7	-180.6	742.9	631.3	111.68	6.653		
11,128.4	7,241.5	6,950.0	6,907.8	110.5	17.4	63.29	396.7	-180.6	742.4	630.2	112.21	6.616		
11,200.0	7,241.4	6,950.0	6,907.8	111.9	17.4	63.29	396.7	-180.6	745.8	632.3	113.54	6.569 SF		
11,300.0	7,241.3	6,950.0	6,907.8	114.0	17.4	63.29	396.7	-180.6	762.0	646.5	115.43	6.601		
11,400.0	7,241.2	6,950.0	6,907.8	116.1	17.4	63.29	396.7	-180.6	790.5	673.2	117.35	6.736		

<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Reference Depths are relative to WELL @ 4934.0ft (Original Well Elev)


Offset Depths are relative to Offset Datum

Central Meridian is -105.500000

Coordinates are relative to: East Ault 6-7-8HNB

Coordinate System is US State Plane 1983, Colorado Northern Zone

Grid Convergence at Surface is: 0.51°



<b>Company:</b>	Bayswater Exploration & Production, LLC	<b>Local Co-ordinate Reference:</b>	Well East Ault 6-7-8HNB
<b>Project:</b>	SEC.18-T7N-R65W	<b>TVD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Reference Site:</b>	East Ault 18-C Pad Sec.18-T7N-R65W	<b>MD Reference:</b>	WELL @ 4934.0ft (Original Well Elev)
<b>Site Error:</b>	0.0 ft	<b>North Reference:</b>	True
<b>Reference Well:</b>	East Ault 6-7-8HNB	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.0 ft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	US_EDM
<b>Reference Design:</b>	Plan #1 (2-05-20)	<b>Offset TVD Reference:</b>	Offset Datum

Reference Depths are relative to WELL @ 4934.0ft (Original Well Elev)

Offset Depths are relative to Offset Datum

Central Meridian is -105.500000

Coordinates are relative to: East Ault 6-7-8HNB

Coordinate System is US State Plane 1983, Colorado Northern Zone

Grid Convergence at Surface is: 0.51°

