

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
402203717

Date Received:
11/12/2019

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

3 of 3 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 46290
Name of Operator: KP KAUFFMAN COMPANY INC
Address: 1675 BROADWAY, STE 2800
City: DENVER State: CO Zip: 80202

Contact Name and Telephone:
Name: _____
Phone: () _____ Fax: () _____
Email: _____

Additional Operator Contact:

Contact Name	Phone	Email
<u>Victoria Dizghinjili</u>	<u>303-825-4822</u>	<u>vdizghinjili@kpk.com</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 699300181
Inspection Date: 09/17/2019 FIR Submit Date: 09/17/2019 FIR Status: _____

Inspected Operator Information:

Company Name: KP KAUFFMAN COMPANY INC Company Number: 46290
Address: 1675 BROADWAY, STE 2800
City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 446483

Location Name: EWING-SHANNON Number: _____ County: _____
Qtrqr: SWS Sec: 30 Twp: 2N Range: 66W Meridian: 6
W
Latitude: 40.103500 Longitude: -104.826390

FACILITY - API Number: 05-123-00 Facility ID: 446607

Facility Name: EWING-SHANNON Number: _____
Qtrqr: SWS Sec: 30 Twp: 2N Range: 66W Meridian: 6
W
Latitude: 40.103500 Longitude: -104.826390

CORRECTIVE ACTIIONS:

1 CA# 130740

Corrective Action: comply with Rule 603.f 30 days for unused equipment when machinery is not required to remove the equipment.
90 days for unused equipment when machinery is required to remove the equipment.

Date: 10/17/2019

Response: CA COMPLETED Date of Completion: 11/10/2019

Operator Comment: Unused circulation pump has been removed and put in bullplugs. Please see attached pictures.

COGCC Decision: Approved

COGCC Representative: FIRR has been approved with Doc.#699301023

2 CA# 130741

Corrective Action: Comply with Rule 603.f For unused , unmarked flowline risers 24 hrs to lock out tag out. 30 days to remove riser.

Date: 10/17/2019

Response: CA COMPLETED

Date of Completion: 11/10/2019

Operator Comment: Unmarked risers have been labelled. Please see attached pictures.

COGCC Decision: Approved

COGCC Representative: FIRR has been approved with Doc.#699301023

3 CA# 130742

Corrective Action: Comply with Rule 603.f 10 days for trash

Date: 09/27/2019

Response: CA COMPLETED

Date of Completion: 11/08/2019

Operator Comment: Trash and weeds have been removed from all location. Please see attached pictures.

COGCC Decision: Approved

COGCC Representative: FIRR has been approved with Doc.#699301023

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Steve Hamilton

Signed: _____

Title: Field Supervisor

Date: 11/12/2019 3:22:44 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

Document Number	Description
402203717	FIR RESOLUTION SUBMITTED
402237433	CA PIC1
402237438	CA PIC2
402237439	CA PIC3
402237440	CA PIC4
402237444	CA PIC5

Total Attach: 6 Files