

Data Collection Report

Gauge Information

Make	Vaetrix
Model	ETG-3K-I-25-BT
Serial Number	1564611090

Session Information


Start Time	20-Feb-20 12:23:40 PM	High Alarm	Disabled
Stop Time	20-Feb-20 12:41:10 PM	Low Alarm	Disabled
Logging interval	0:00:30		
Units	PSI		

O' Brien Energy Resources Corp.

MIT Test Data

2/20/2020

LOST Creek 3-20



Make	Vaetrix	Highsabled
Model	ETG-3K-I-25-BT	Losabled
Serial Number	1564611090	
Firmware Version	1.05	
Units	PSI	
Run Index	44	
Logging Interval	30	
Start Time	20-Feb-20 12:23:40 PM	
Stop Time	20-Feb-20 12:41:10 PM	

O' Brien Energy Resources Corp.
MIT Test Data
2/20/2020
LOST Creek 3-20

Time (Seconds)	Pressure	High Low Alarm Time (hours)	Time (minutes)	Elapsed Time
0	1.5	0.00	0.00	0:00:00
30	-1.6	0.01	0.50	0:00:30
60	11.9	0.02	1.00	0:01:00
90	368.8	0.03	1.50	0:01:30
120	390.1	0.03	2.00	0:02:00
150	391.6	0.04	2.50	0:02:30
180	392.1	0.05	3.00	0:03:00
210	392.8	0.06	3.50	0:03:30
240	393.6	0.07	4.00	0:04:00
270	394.6	0.08	4.50	0:04:30
300	395.4	0.08	5.00	0:05:00
330	396.3	0.09	5.50	0:05:30
360	397.3	0.10	6.00	0:06:00
390	398.2	0.11	6.50	0:06:30
420	399.2	0.12	7.00	0:07:00
450	400.1	0.13	7.50	0:07:30
480	401.1	0.13	8.00	0:08:00
510	402.0	0.14	8.50	0:08:30
540	403.1	0.15	9.00	0:09:00
570	403.9	0.16	9.50	0:09:30
600	402.8	0.17	10.00	0:10:00
630	402.6	0.18	10.50	0:10:30
660	402.7	0.18	11.00	0:11:00
690	403.0	0.19	11.50	0:11:30
720	403.3	0.20	12.00	0:12:00
750	403.6	0.21	12.50	0:12:30
780	404.1	0.22	13.00	0:13:00
810	404.4	0.23	13.50	0:13:30
840	404.9	0.23	14.00	0:14:00
870	405.2	0.24	14.50	0:14:30
900	405.8	0.25	15.00	0:15:00
930	404.0	0.26	15.50	0:15:30
960	404.0	0.27	16.00	0:16:00
990	403.9	0.28	16.50	0:16:30
1020	186.6	0.28	17.00	0:17:00
1050	-4.8	0.29	17.50	0:17:30

Pressure (PSI)

Timestamp

20-Feb-20 12:23:40 PM
20-Feb-20 12:24:10 PM
20-Feb-20 12:24:40 PM
20-Feb-20 12:25:10 PM
20-Feb-20 12:25:40 PM
20-Feb-20 12:26:10 PM
20-Feb-20 12:26:40 PM
20-Feb-20 12:27:10 PM
20-Feb-20 12:27:40 PM
20-Feb-20 12:28:10 PM
20-Feb-20 12:28:40 PM
20-Feb-20 12:29:10 PM
20-Feb-20 12:29:40 PM
20-Feb-20 12:30:10 PM
20-Feb-20 12:30:40 PM
20-Feb-20 12:31:10 PM
20-Feb-20 12:31:40 PM
20-Feb-20 12:32:10 PM
20-Feb-20 12:32:40 PM
20-Feb-20 12:33:10 PM
20-Feb-20 12:33:40 PM
20-Feb-20 12:34:10 PM
20-Feb-20 12:34:40 PM
20-Feb-20 12:35:10 PM
20-Feb-20 12:35:40 PM
20-Feb-20 12:36:10 PM
20-Feb-20 12:36:40 PM
20-Feb-20 12:37:10 PM
20-Feb-20 12:37:40 PM
20-Feb-20 12:38:10 PM
20-Feb-20 12:38:40 PM
20-Feb-20 12:39:10 PM
20-Feb-20 12:39:40 PM
20-Feb-20 12:40:10 PM
20-Feb-20 12:40:40 PM
20-Feb-20 12:41:10 PM