

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402211176

Date Received:

10/16/2019

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10133
Name of Operator: HILCORP ENERGY COMPANY

Address: P O BOX 61229

City: HOUSTON State: TX Zip: 77208

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name	Phone	Email
<u>Shorty, Priscilla</u>		<u>pshorty@hilcorp.com</u>
<u>Ray, Mandy</u>	<u>(505) 599-4083</u>	<u>mray@hilcorp.com</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 693900810

Inspection Date: 09/16/2019

FIR Submit Date: 09/23/2019

FIR Status: _____

Inspected Operator Information:

Company Name: HILCORP ENERGY COMPANY

Company Number: 10133

Address: P O BOX 61229

City: HOUSTON State: TX Zip: 77208

LOCATION - Location ID: 385876

Location Name: HEIN Number: 1-2 County: LA PLATA

Qtrqr: NWS Sec: 1 Twp: 32N Range: 7W Meridian: N
W

Latitude: 37.043090 Longitude: -107.565568

FACILITY - API Number: 05-067- -00 Facility ID: 417451

Facility Name: HEIN Number: 1-2

Qtrqr: NWS Sec: 1 Twp: 32N Range: 7W Meridian: N
W

Latitude: 37.043090 Longitude: -107.565568

CORRECTIVE ACTIONS:

1 ☒ CA# 130934

Corrective Action: Controls weeds. Flowering heads need to be removed, bagged, and properly disposed. Thistle rosettes need to be controlled. Subsequent treatment will likely be needed.

Date: 10/04/2019

Revegetation needs to be conducted within portions of the outer reclamation areas where perennial vegetation is not established to COGCC's 1003 reclamation rules. This includes but is not limited to fill slopes, areas infested within annual weeds such as Russian thistle, and areas of sediment discharge. Revegetation needs to be conducted by 11/15/2019.

Response: CA COMPLETED

Date of Completion: 10/15/2019

Operator Comment: Weeds removed, disc area and reseeded.

COGCC Decision: Approved pending re-inspection

COGCC Representative:

2 ☒ CA# 130935

Corrective Action: Stormwater and erosion controls need to be installed to stabilize erosion and prevent sediment discharge from the project area.

Date: 10/11/2019

Response: CA COMPLETED

Date of Completion: 10/15/2019

Operator Comment: Corrected erosion and installed a drain

COGCC Decision: Approved pending re-inspection

COGCC Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Amanda Walker

Signed: _____

Title: Operation/Regulatory Tech

Date: 10/16/2019 3:57:54 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
402211176	FIR RESOLUTION SUBMITTED
402211406	Hein 1-2
402211408	Hein 1-2
402211409	Hein 1-2
402211412	Hein 1-2
402211425	Hein 1-2
402212045	Hein 1-2

Total Attach: 7 Files