

Location:	Ferguson #4-25
Line:	Well to Manifold
Technicians:	Cody Baylis
Date:	9/25/2019
Time	Pressure (PSI)
1:03:10 PM	7.9
1:03:40 PM	7.9
1:04:10 PM	7.9
1:04:40 PM	7.9
1:05:10 PM	9.4
1:05:40 PM	60
1:06:10 PM	60.1
1:06:40 PM	60.1
1:07:10 PM	60.1
1:07:40 PM	60.1
1:08:10 PM	60
1:08:40 PM	60
1:09:10 PM	60
1:09:40 PM	60
1:10:10 PM	60
1:10:40 PM	60
1:11:10 PM	60
1:11:40 PM	59.9
1:12:10 PM	59.9
1:12:40 PM	59.9
1:13:10 PM	59.9
1:13:40 PM	59.9
1:14:10 PM	59.9
1:14:40 PM	59.9
1:15:10 PM	60
1:15:40 PM	60
1:16:10 PM	60
1:16:40 PM	60
1:17:10 PM	60
1:17:40 PM	60
1:18:10 PM	59.9
1:18:40 PM	59.9
1:19:10 PM	59.9
1:19:40 PM	59.8
1:20:10 PM	59.8
1:20:40 PM	59.8
1:21:10 PM	59.8
1:21:40 PM	59.8
1:22:10 PM	59.8
1:22:40 PM	59.8
1:23:10 PM	59.8
1:23:40 PM	59.8

1:24:10 PM	59.8
1:24:40 PM	59.8
1:25:10 PM	59.9
1:25:40 PM	59.9
1:26:10 PM	59.9
1:26:40 PM	59.9
1:27:10 PM	59.9
1:27:40 PM	59.9
1:28:10 PM	59.9
1:28:40 PM	59.9
1:29:10 PM	59.9
1:29:40 PM	59.9
1:30:10 PM	59.9
1:30:40 PM	59.9
1:31:10 PM	59.9
1:31:40 PM	59.9
1:32:10 PM	59.9
1:32:40 PM	59.9
1:33:10 PM	59.9
1:33:40 PM	59.9
1:34:10 PM	59.9
1:34:40 PM	59.9
1:35:10 PM	59.9
1:35:40 PM	59.8
1:36:10 PM	59.9
1:36:40 PM	59.9
1:37:10 PM	59.9
1:37:40 PM	59.9
1:38:10 PM	59.8
1:38:40 PM	59.9
1:39:10 PM	59.9
1:39:40 PM	59.9
1:40:10 PM	59.8
1:40:40 PM	7.1
1:41:10 PM	1.6
1:41:40 PM	2.1
1:42:10 PM	2.4
1:42:40 PM	2.6

% loss over 30 minutes	0.50%	Less than 10%	Yes
% loss in last 5 minutes	0.17%	Less than 1%	Yes

Pass/Fail

Pass

