

FORM 5A Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 892-2109



Table with columns: DE, ET, OE, ES

Document Number: 401944800 Date Received: 10/22/2019

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 46290 2. Name of Operator: KP KAUFFMAN COMPANY INC 3. Address: 1675 BROADWAY, STE 2800 City: DENVER State: CO Zip: 80202 4. Contact Name: Susana Lara-Mesa Phone: (303) 825-4822 Fax: Email: slaramesa@kpk.com

5. API Number 05-123-09558-00 6. County: WELD 7. Well Name: HANKINS Well Number: 1 8. Location: QtrQtr: SESE Section: 19 Township: 2N Range: 68W Meridian: 6 9. Field Name: SPINDLE Field Code: 77900

Completed Interval

FORMATION: SHANNON Status: PRODUCING Treatment Type: ACID JOB Treatment Date: 08/08/1978 End Date: 08/08/1978 Date of First Production this formation: 09/01/1978 Perforations Top: 4790 Bottom: 4806 No. Holes: 64 Hole size: Provide a brief summary of the formation treatment: Open Hole: This formation is commingled with another formation: [X] Yes [ ] No Total fluid used in treatment (bbl): Max pressure during treatment (psi): Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): Type of gas used in treatment: Min frac gradient (psi/ft): Total acid used in treatment (bbl): Number of staged intervals: Recycled water used in treatment (bbl): Flowback volume recovered (bbl): Fresh water used in treatment (bbl): Disposition method for flowback: Total proppant used (lbs): Rule 805 green completion techniques were utilized: Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O: Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR: Test Method: Casing PSI: Tubing PSI: Choke Size: Gas Disposition: Gas Type: Btu Gas: API Gravity Oil: Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth: Reason for Non-Production: Date formation Abandoned: Squeeze: [ ] Yes [ ] No If yes, number of sacks cmt \*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

FORMATION: SUSSEX Status: PRODUCING Treatment Type: ACID JOB

Treatment Date: 04/08/1981 End Date: 04/08/1981 Date of First Production this formation: 02/14/1980

Perforations Top: 4351 Bottom: 4388 No. Holes: 74 Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: SUSSEX-SHANNON Status: COMMINGLED Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: 04/08/1981

Perforations Top: 4351 Bottom: 4806 No. Holes: 138 Hole size: \_\_\_\_\_

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 08/01/2019 Hours: 24 Bbl oil: 1 Mcf Gas: 10 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 1 Mcf Gas: 10 Bbl H2O: 0 GOR: 1

Test Method: Pump Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1288 API Gravity Oil: 46

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Susana Lara-Mesa

Title: VP of Engineering Date: 10/22/2019 Email: slaramesa@kpk.com

**Attachment Check List**

Att Doc Num	Name
401944800	FORM 5A SUBMITTED
401944840	WELLBORE DIAGRAM

Total Attach: 2 Files

**General Comments**

User Group	Comment	Comment Date
Permit	Corrected formation status. Pass.	03/19/2020

Total: 1 comment(s)