

04/02/2020

RUDY SCHREIDER, JR PRESIDENT
SCHREIDER & COMPANY INC
ATTN: RUDY C SCHREIDER JR
9227 E LINCOLN AVE SUITE 200
LONE TREE CO 80124

Dear Mr. Schreider,

SCHREIDER & COMPANY INC is receiving this letter because, based on COGCC records, the COGCC has reason to believe that in addition to the well on the Warning Letter, more wells present one or more compliance issues as well. The wells listed below are all included on the Warning Letter and must be compliant by the Corrective Action date provided on that document.

Please do not hesitate to contact me with any questions regarding these compliance issues, or if these wells were incorrectly identified.

1. 001-07577 ROBBINS 24-11A
2. 001-09003 HOWELL 1-11
3. 001-09004 COMANCHE CREEK 2-14
4. 001-09010 COMANCHE CREEK 1-14
5. 001-09067 CHER SKOUBO 14-43
6. 001-09121 IVOL FERGUSON 14-33
7. 001-09487 COMANCHE CREEK 3-14

Sincerely,

Ted Dinku
Engineering Technician

P 303.894.2100 x5144
1120 Lincoln Street, Suite 801, Denver, CO 80203
Ted.Dinku@state.co.us | www.colorado.gov/cogcc

