



Location			
Overall Good: <input checked="" type="checkbox"/>			
<b>Signs/Marker:</b>			
Type	WELLHEAD		
Comment:	Panel		
Corrective Action:			Date:
Emergency Contact Number:			
Comment:			
Corrective Action:			Date: _____
<b>Good Housekeeping:</b>			
Type	OTHER		
Comment:	Stained soil at wellhead. See attached photo.		
Corrective Action:	Conduct maintenance on equipment, cleanup stained material and review self inspection processes per 1002.f.(2).d.		Date: <u>07/30/2020</u>
Overall Good: <input type="checkbox"/>			
<b>Spills:</b>			
Type	Area	Volume	
In Containment: No			
Comment:			
<input type="checkbox"/> Multiple Spills and Releases?			
<b>Fencing/:</b>			
Type	WELLHEAD		
Comment:	Panel		
Corrective Action:			Date:
<b>Equipment:</b>			
Type: Bradenhead			# 1
Comment:			
Corrective Action:			Date:
Type: Plunger Lift			# 1
Comment:			
Corrective Action:			Date:
<b>Venting:</b>			
Yes/No	NO		
Comment:			
Corrective Action:			Date:
<b>Flaring:</b>			
Type			
Comment:			
Corrective Action:			Date:

**Inspected Facilities**

Facility ID: 243308 Type: WELL API Number: 123-11099 Status: SI Insp. Status: SI

**Idle Well**

Purpose:  Shut In  Temporarily Abandoned Reminder: PRODUCTION RECORDS

Comment: SI

Corrective Action:  Date:

**COGCC Comments**

Comment	User	Date
<p>COGCC Inspection Report Summary                      **Weather Conditions: cloudy, dry ground                      On Thursday, April 30, 2020 at approximately Brittani Santistevan, I, Inspector Brittani Santistevan, conducted an on-site inspection at GERRY 1-25 (PDC Energy), at location #: 319342 in WELD COUNTY Colorado.                      While there, I observed a shut in wellhead.                      During this inspection the following possible compliance issues were observed:                      1. Appears to be stained soil at wellhead. Conduct maintenance on equipment, cleanup stained material and review self inspection processes per RULE 1002.F.(2).D. (Corrective Action Date: July 30, 2020) See attached photos #3, 4.</p> <p>A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules.                      This is a summary of inspection report.</p>	santistb	04/30/2020

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
679602582	Photos	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5138113">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5138113</a>