

Location

Overall Good:

Signs/Marker:

Type	WELLHEAD		
Comment:	Sign faded needs to be replaced		
Corrective Action:	Comply with Rule 210.e	Date:	07/30/2020

Emergency Contact Number:

Comment:		Date:	
Corrective Action:			

Good Housekeeping:

Type	OTHER		
Comment:	Stained soil by WH		
Corrective Action:	Comply with Rule 1002..(2).D	Date:	05/05/2020
Type	WEEDS		
Comment:	Dead weeds inside fencing of transformers and meter box		
Corrective Action:	Comply with Rule 603.f	Date:	05/14/2020

Overall Good:

Spills:

Type	Area	Volume	

In Containment: No

Comment:

Multiple Spills and Releases?

Fencing/:

Type	PUMP JACK		
Comment:	Fabricated angle iron		
Corrective Action:		Date:	
Type	OTHER		
Comment:	Fabricated steel pipe around the transformers and meter box		
Corrective Action:		Date:	

Equipment:

Type			corrective date
Type: Pump Jack	# 1		
Comment:			
Corrective Action:		Date:	
Type: Bradenhead	# 1		
Comment:	Appears to be plumbed to surface		
Corrective Action:		Date:	
Type: Prime Mover	# 1		
Comment:	Electric motor		
Corrective Action:		Date:	

Type: Ancillary equipment	# 1		
Comment:	Transformers, meter box and electric panel		
Corrective Action:		Date:	

Venting:

Yes/No	NO		
Comment:			
Corrective Action:		Date:	

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Inspected Facilities

Facility ID: 241283 Type: WELL API Number: 123-09071 Status: PR Insp. Status: PR

Producing Well

Comment: PR

Corrective Action:

Date:

COGCC Comments

Comment	User	Date
<p>COGCC Inspection Report Summary On Thursday 4/30/2020 at approximately 1215 hrs. I, Inspector Robbie Revas, Conducted an on-site inspection at a KP Kauffman location:</p> <p style="text-align: center;">Sam Funakoshi A #2 at API #05-123-09071 in Weld County Colorado.</p> <p>While there, I observed producing wellsite. During this inspection the following compliance issues were observed: 210.e signs: WH sign is faded and not legible. CA date 7-30-2020 see photo 1. 603.f housekeeping: dead weeds inside of electric panel fencing. CA date 5-14-2020 see photo 4. 1002..(2).D housekeeping: stained soil by WH. CA date 5-5-2020 see photo 3. Location is dry, weather is cloudy. A follow up on this site inspection needs to be conducted to ensure the Compliance issues have been corrected to comply with COGCC rules. Continuing education COGCC Inspection Report Summary. This is a summary of inspection report.</p>	revasr	04/30/2020

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
699301596	location pics	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5138246