

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>402393867</u> Date Received:			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10661		Contact Name	Ariana Solis	Complete the Attachment Checklist	OP	OGCC		
Name of Operator: BISON OIL & GAS II LLC		Phone:	(720) 6446997					
Address: 518 17TH STREET #1800		Fax:	()					
City: DENVER	State: CO	Zip: 80202	Email: asolis@bisonog.com					
API Number : 05- 123 00				OGCC Facility ID Number: 457475		Survey Plat		
Well/Facility Name: Hunt 8-60				Well/Facility Number: 17B		Directional Survey		
Location QtrQtr: SWNE		Section: 17	Township: 8N	Range: 60W	Meridian: 6	Srfc Eqpmt Diagram		
County: WELD		Field Name:			Technical Info Page			
Federal, Indian or State Lease Number:						Other		

CHANGE OF LOCATION OR AS BUILT GPS REPORT

☐ Change of Location * ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

* Well location change requires new plat. A substantive surface location change may require new Form 2A.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude _____ GPS Quality Value: _____ Type of GPS Quality Value: _____ Measurement Date: _____
Longitude _____ GPS Instrument Operator's Name _____

LOCATION CHANGE (all measurements in Feet)

Well will be: (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From** Exterior Section Lines:

Change of **Surface** Footage **To** Exterior Section Lines:

Current Surface Location From	QtrQtr	SWNE	Sec	17
--------------------------------------	--------	------	-----	----

New **Surface** Location To QtrQtr Sec

Change of **Top of Productive Zone** Footage From Exterior Section Lines:

Change of **Top of Productive Zone** Footage To Exterior Section Lines:

Current **Top of Productive Zone** Location From Sec

New **Top of Productive Zone** Location To Sec

Change of **Bottomhole** Footage **From** Exterior Section Lines:

Change of **Bottomhole** Footage To Exterior Section Lines:

Current **Bottomhole** Location Sec Twp

New **Bottomhole** Location Sec Twp

Is location in High Density Area?

Distance, in feet, to nearest building _____, public road: _____, above ground utility: _____, railroad: _____,

property line: _____, lease line: _____, well in same formation: _____

Ground Elevation feet Surface owner consultation date

FNL/FSL		FEL/FWL	
2213	FNL	2475	FEL
Twp 8N	Range 60W	Meridian 6	
Tw	Range	Meridian	
			**
Tw	Range		
Tw	Range		
			**
Range		** attach deviated drilling plan	
Range			

** attach deviated drilling plan

OTHER CHANGES

☐ **REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment

☐ **CHANGE OF WELL, FACILITY OR OIL & GAS LOCATION NAME OR NUMBER**

From: Name HUNT 8-60 Number 17B Effective Date: _____

To: Name _____ Number _____

☐ **ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**

☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number _____ has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number _____ has not been constructed (Permitted and constructed pit requires closure per Rule 905)

☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number _____ has not been constructed (Constructed facility requires closure per Rule 908)

OIL & GAS LOCATION ID Number: _____

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.

☐ **REQUEST FOR CONFIDENTIAL STATUS**

☐ **DIGITAL WELL LOG UPLOAD**

☒ **DOCUMENTS SUBMITTED** Purpose of Submission: Location Drawing & Multiwell

RECLAMATION

INTERIM RECLAMATION

☐ Interim Reclamation will commence approximately _____

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

Field inspection will be conducted to document Rule 1003.e. compliance

FINAL RECLAMATION

☐ Final Reclamation will commence approximately _____

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

Field inspection will be conducted to document Rule 1004.c. compliance

Comments:

ENGINEERING AND ENVIRONMENTAL WORK

☐ NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below or provide as an attachment, as required by Rule 319.b.(3).

Date well temporarily abandoned _____ Has Production Equipment been removed from site? _____

Mechanical Integrity Test (MIT) required if shut in longer than 2 years. Date of last MIT _____

☐ SPUD DATE: _____

TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☐ NOTICE OF INTENT Approximate Start Date _____

☐ REPORT OF WORK DONE Date Work Completed _____

- | | | |
|--|---|--|
| <input type="checkbox"/> Intent to Recomplete (Form 2 also required) | <input type="checkbox"/> Request to Vent or Flare | <input type="checkbox"/> E&P Waste Mangement Plan |
| <input type="checkbox"/> Change Drilling Plan | <input type="checkbox"/> Repair Well | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change | <input type="checkbox"/> Rule 502 variance requested. Must provide detailed info regarding request. | |
| <input type="checkbox"/> Other _____ | <input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases | |

COMMENTS:

H2S REPORTING

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: _____ in ppm (parts per million) Date of Measurement or Sample Collection _____

Description of Sample Point:

Absolute Open Flow Potential _____ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: _____

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: _____

Best Management Practices

No	BMP/COA Type	Description
5	Material Handling and Spill Prevention	Operator shall use a Supervisory Control and Data Acquisition (SCADA) system in conjunction with tank level indicators which have the ability to automatically shut in wells during an upset condition.
5	Emissions mitigation	AVO inspections will occur weekly, and LDAR inspections are performed quarterly, or at the required frequency of County or State regulations. All records will be kept readily available.
5	Dust control	Practices for control of fugitive dust caused by operations may include but are not limited to treating- roads and location with water, the use of speed restrictions, regular road maintenance, and silica dust controls when handling sand used in hydraulic fracturing operations.
5	Material Handling and Spill Prevention	Tank berms shall be constructed of steel walls with an engineered synthetic liner and designed to contain 100% of the capacity of the largest tank (or manifolded tanks) with the addition of rain water and additional freeboard to account for any small piping or equipment that may be in containment. Operator will place separators within secondary containment composed of steel berms with a minimum containment capacity of 100% of the single largest storage vessel inside the containment. The engineered secondary containment system will be constructed of a perimeter of walls around a flexible geotextile base. All components will then be sprayed with a polyurea liner technology or covered with an equivalent synthetic or engineered liner. This liner technology maintains impermeability and puncture resistance under exposure to UV rays, weather extremes, and chemicals commonly encountered in oil and natural gas production and provides protection of the liner seams. All berms will be visually checked weekly to ensure proper working condition.
5	Material Handling and Spill Prevention	Operator shall install a 30mil reinforced polyethylene liner, or liner of comparable material, under the drilling rig and associated equipment for use during drilling operations.
5	General Housekeeping	Operator will maintain appearance with garbage clean-up; a trash bin will be located on site to accumulate waste by the personnel drilling the wells. Site will have unused equipment, trash and junk removed immediately.
5	Drilling/Completion Operations	Operator has an MLVT Design Package, certified and sealed by a licensed professional engineer, which is on file in their office and available upon request. The site shall be prepared in accordance with the specifications of the design package prior to tank installation; including ensuring that proper compaction requirements have been met. The MLVT will be at least 75 feet from a wellhead, fired vessel, heater-treater, or a compressor with a rating of 200 horsepower or more. It will be placed at least 50 feet from a separator, well test unit, or other non-fired equipment. All liner seams will be welded and tested in accordance with applicable ASTM International standards. Operator or designated company representative will be present during initial filling of the MLVT and the contractor will supervise and inspect the MLVT for leaks during filling. Operator will comply with the testing and re-inspection requirements and associated written standard operating procedures (SOP) listed on the design package. Signs will be posted on the MLVT indicating that the contents are freshwater.
5	Emissions mitigation	Green Completions -Test separators and associated flow lines, sand traps and emission control systems shall be installed on-site to accommodate green completions techniques. When commercial quantities of salable quality gas are achieved at each well, the gas shall be immediately directed to a sales line or shut in and conserved. If a sales line is unavailable or other conditions prevent placing the gas into a sales line, the operator shall not produce the wells without an approved variance per Rule 805.b. (3)C.

5	Emissions mitigation	Tanks and all visible pipelines and valves etc. are inspected daily by company lease operators or contract operators, when possible. In addition, Bison Oil & Gas II conducts formal annual spill prevention inspections, and formal site-specific audits by third-party consultants to inspect for general site conditions as well as visible inspections for the condition of tanks, pipelines, and containment structures. Company lease operators and Production staff review production records, including volumes and pressures, looking for irregularities that may indicate a problem with a tank or pipeline. If an irregularity is detected that may indicate a potential release the suspect tank and/or pipeline(s) are removed from service, isolated, and either pressure tested or visibly inspected for indications of a potential leak.
5	Construction	All temporary and permanent lighting installed on location shall be directed downward to illuminate key areas within the facility, while minimizing the amount of light projected outside the facility.
5	Storm Water/Erosion Control	Storm water controls will be constructed around the perimeter of the site prior to construction. Typically, Bison Oil & Gas II utilizes a ditch and berm system of storm water control at its sites. BMPs used are determined prior to construction and may vary according to the location. Storm water controls will remain in place until the pad is stabilized or reaches final reclamation.

Total: 11 comment(s)

Operator Comments:

Updated BMPs included per SB 181 Objective Criteria.

Updated multiwell plan & location drawing included.

An Emergency Response Plan was submitted to and approved by both the local emergency responders and Weld County Director of Emergency Management prior to receiving the approved WOGLA18-0159 on 3/6/2019. The Emergency Response Plan includes general field wide, site specific safety protocol, and a tactical response plan.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Ariana Solis
 Title: Regulatory Analyst Email: asolis@bisonog.com Date: _____

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY:

COA Type	Description

General Comments

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)

Attachment Check List

Att Doc Num	Name
402393883	LOCATION DRAWING
402393884	MULTI-WELL PLAN

Total Attach: 2 Files