FORM 2A Rev 02/20

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number: 402364138 **(SUBMITTED)**

Date Received:

Oil and Gas Location Assessment

☐ New Location ☒ Refile ☐ Amend Existing Location Location#: 454749

This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at https://cogcc.state.co.us/ for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID: **454749**

Expiration Date:

☒ This location assessment is included as part of a permit application.

SUBMITTED

CONSULTATION

☐ This location is included in a Comprehensive Drilling Plan. CDP #

☐ This location is in a sensitive wildlife habitat area.

☐ This location is in a wildlife restricted surface occupancy area.

☐ This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 10670

Name: MALLARD EXPLORATION LLC

Address: 1400 16TH STREET SUITE 300

City: DENVER State: CO Zip: 80202

Contact Information

Name: Erin Mathews

Phone: (720) 543 7951

Fax: ( )

email: emathews@mallardexploration.com

FINANCIAL ASSURANCE

☒ Plugging and Abandonment Bond Surety ID (Rule 706): 20170115

☐ Gas Facility Surety ID (Rule 711):

☐ Waste Management Surety ID (Rule 704):

LOCATION IDENTIFICATION

Name: Hunt Fed 8-60 Number: 19 Pad

County: WELD

QuarterQuarter: SENE Section: 19 Township: 8N Range: 60W Meridian: 6 Ground Elevation: 4932

Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1723 feet FNL from North or South section line

510 feet FEL from East or West section line

Latitude: 40.650298 Longitude: -104.126932

GPS Quality Value: 1.2 Type of GPS Quality Value: PDOP Date of Measurement: 09/01/2017

Instrument Operator's Name: Allen Shaffett

LOCAL GOVERNMENT INFORMATION

County: WELD Municipality: N/A

Per § 34-60-106 (1)(f)(I)(A), the following questions pertain to the "local government with jurisdiction to approve the siting of the proposed oil and gas location."

The local government with jurisdiction is: County

Does the local government with jurisdiction regulate the siting of Oil and Gas Locations, with respect to this location? If the local government does regulate the siting, but has waived its right to precede the COGCC in siting determination, indicate by selecting "YES" here and selecting "Waived" for the disposition below. ☒ Yes ☐ No

If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location. ☒

The local government siting permit type is: 1041 WOGLA

The local government siting permit was filed on: 05/19/2020

The disposition of the application filed with the local government is: In Process

Additional explanation of local process:

1041WOGLA20-0026 submitted 5/19/2020

RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:	LOCATION ID #	FORM 2A DOC #
☐		

FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells	8	Oil Tanks*	5	Condensate Tanks*		Water Tanks*	5	Buried Produced Water Vaults*	
Drilling Pits		Production Pits*		Special Purpose Pits		Multi-Well Pits*		Modular Large Volume Tanks	1
Pump Jacks	8	Separators*	10	Injection Pumps*		Cavity Pumps*		Gas Compressors*	3
Gas or Diesel Motors*	8	Electric Motors	8	Electric Generators*	2	Fuel Tanks*		LACT Unit*	2
Dehydrator Units*		Vapor Recovery Unit*		VOC Combustor*		Flare*		Pigging Station*	

OTHER FACILITIES*

Other Facility Type	Number
ECD	4
ECD Knockout Drums	3
Gas Lift Distribution Meter Skid	1
Instrument Air Skid	1
Sales Gas Scrubber	1
Sales Gas Skid	1
Sump	1

*Those facilities indicated by an asterisk (*) shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

3" welded steel flowlines from wellheads to separators carrying oil, gas and water.
3" welded steel gas supply line from compressors to wellheads.

SUBMITTED

CONSTRUCTION

Date planned to commence construction: 12/01/2020 Size of disturbed area during construction in acres: 10.50

Estimated date that interim reclamation will begin: 06/01/2021 Size of location after interim reclamation in acres: 5.10

Estimated post-construction ground elevation: 4932

DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: Yes

Is H_2S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? No

Will oil based drilling fluids be used? Yes

DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Method: Commercial Disposal

Cutting Disposal: OFFSITE Cuttings Disposal Method: Commercial Disposal

Other Disposal Description:

Beneficial reuse or land application plan submitted?

Reuse Facility ID: or Document Number:

Centralized E&P Waste Management Facility ID, if applicable:

SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: Kenneth W Hunt Phone:

Address: 74 S Circle Drive Fax:

Address: Email:

City: Wright City State: MO Zip: 63390

Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian

Check all that apply. The Surface Owner: ☐ is the mineral owner

☐ is committed to an oil and Gas Lease

☐ has signed the Oil and Gas Lease

☐ is the applicant

The Mineral Owner beneath this Oil and Gas Location is: ☒ Fee ☐ State ☐ Federal ☐ Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: Surface Use Agreement

Surface damage assurance if no agreement is in place: Surface Surety ID:

Date of Rule 306 surface owner consultation

If this Form 2A is associated with Drilling and Spacing Unit applications, list docket number(s):

CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe):

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

SUBMITTED

Future Land Use (Check all that apply):

Crop Land:	☐ Irrigated	☐ Dry land	☐ Improved Pasture	☐ Hay Meadow	☐ CRP
Non-Crop Land:	☒ Rangeland	☐ Timber	☐ Recreational	☐ Other (describe):	_____
Subdivided:	☐ Industrial	☐ Commercial	☐ Residential		

SUBMITTED

CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

INSTRUCTIONS:
- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, Designated Outside Activity Area, School Facility, and Child Care Center – as defined in 100 Series Rules.
-For measurement purposes only, Production Facilities should only include those items with an asterisk(*) on the Facilities Tab.

	From WELL		From PRODUCTION FACILITY	
Building:	5280	Feet	5280	Feet
Building Unit:	5280	Feet	5280	Feet
High Occupancy Building Unit:	5280	Feet	5280	Feet
Designated Outside Activity Area:	5280	Feet	5280	Feet
Public Road:	3565	Feet	3737	Feet
Above Ground Utility:	5280	Feet	5280	Feet
Railroad:	5280	Feet	5280	Feet
Property Line:	430	Feet	327	Feet
School Facility::	5280	Feet	5280	Feet
School Property Line:	5280	Feet	5280	Feet
Child Care Center:	5280	Feet	5280	Feet

SCHOOL SETBACK INFORMATION

Was Notice required under Rule 305.a.(4)? ☐ Yes ☒ No

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a:

- ☐ Buffer Zone
- ☐ Exception Zone
- ☐ Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.
- Large UMA Facility – as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: _____

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: _____

FOR MULTI-WELL PADS AND PRODUCTION FACILTIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

☐ Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (on or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. *(Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.)*

☐ By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

SUBMITTED

The required information can be obtained from the NRCS web site at http://soildatamart.nrcs.usda.org/ or from the COGCC web site GIS Online map page found at http://colorado.gov/cogcc. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 61 - Stoneham fine sandy loam, 0 to 6 percent slopes

NRCS Map Unit Name:

NRCS Map Unit Name:

PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 09/01/2017

List individual species:

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- ☒ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- ☐ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- ☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- ☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- ☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- ☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- ☐ Alpine (above timberline)
- ☐ Other (describe):

SUBMITTED

WATER RESOURCES

Is this a sensitive area: ☒ No ☐ Yes

Distance to nearest

downgradient surface water feature: 116 Feet

water well: 2100 Feet

Estimated depth to ground water at Oil and Gas Location 20 Feet

Basis for depth to groundwater and sensitive area determination:

Location is sensitive due to proximity to pond.

Nearest water well is CDWR Permit #20993.
Depth to ground water is unchanged from previously approved Form 2A.

Is the location in a riparian area: ☒ No ☐ Yes

Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer zone: No

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified:

Is the Location within a Floodplain? ☒ No ☐ Yes

Floodplain Data Sources Reviewed (check all that apply)

- ☒ Federal (FEMA)
- ☒ State
- ☐ County
- ☐ Local
- ☐ Other

GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 609

WILDLIFE

- ☐ This location is included in a Wildlife Mitigation Plan
- ☐ This location was subject to a pre-consultation meeting with CPW held on

Operator Proposed Wildlife BMPs

No BMP

DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 604.a.(1)A. Exception Zone (within 500' of a Building Unit) and is in an Urban Mitigation Area
- ☐ Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- ☐ Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- ☐ Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- ☐ Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

SUBMITTED

RULE 502.b VARIANCE REQUEST

☐ Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number _____

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

OPERATOR COMMENTS AND SUBMITTAL

Comments

The Hunt Fed 8-60 19-24-9 (API: 05-123-46712), Hunt Fed 8-60 19-24-10 (API: 05-123-46710), Hunt Fed 8-60 19-24-11 (API: 05-123-46709), Hunt Fed 8-60 19-24-12 (API: 05-123-46716) are being abandoned from this location.

The remaining Hunt Fed 8-60 19-24-1 (API: 05-123-46713), Hunt Fed 8-60 19-24-2 (API: 05-123-46714), Hunt Fed 8-60 19-24-3 (API: 05-123-46707), Hunt Fed 8-60 19-24-4 (API: 05-123-46715), Hunt Fed 8-60 19-24-5 (API: 05-123-46711), Hunt Fed 8-60 19-24-6 (API: 05-123-46705), Hunt Fed 8-60 19-24-7 (API: 05-123-46708), and Hunt Fed 8-60 19-24-8 (API: 05-123-46706) are being refiled with unchanged SHL, TPZ, and BHL in accordance with the setbacks of approved spading order 535-1298.

The well site has not been constructed. There have been no new buildings constructed and no changes to the surrounding land use, Surface & Minerals, Right to Construct, mineral lease description, or Objective Formations. All previously submitted notices, Surface Use Agreements, and letters are also still valid. This location is not in a buffer or exception zone, so no notices are required under Rule 305.

The Local Government Information and Cultural Distances have been updated.

Equipment changes to show a more compact facility design consistent with the revised well count.

Pad reference point location is amended to the Hunt Fed 8-60 19-24-4 well.

Manufacturer of MLVT: Rockwater Energy Solutions
Size and Volume: One (1) 160' diameter/42,000 BBLs
Anticipated time frame on site: 90 days

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: _____ Email: regulatory@ascentgeomatics.com

Print Name: Justin Garrett Title: Regulatory Analyst

Based on the information provided herein, this Oil and Gas Location Assessment complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: _____ **Director of COGCC** Date: _____

Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

COA Type	Description

Best Management Practices

No	BMP/COA Type	Description
1	Storm Water/Erosion Control	A sediment trap will be constructed to capture any sediment prior to leaving the location. The sediment trap has been sized in accordance with good engineering practices. A temporary diversion, consisting of a cut swale and compacted earthen berm, will be constructed along the pad edge and routed to the sediment trap to prevent offsite migration of sediment/contaminant into the nearby surface water features. If necessary, check dams will be constructed within the swale.

2	Material Handling and Spill Prevention	Operator will install an engineered containment system around the tank battery. The containment system is constructed of a perimeter of metal walls that are post driven into the ground around a flexible geotextile base. All components are then sprayed with a polyurea liner technology. This liner technology maintains impermeability and is puncture resistance under exposure to UV rays, weather extremes, and chemicals commonly encountered in oil and natural gas production, and provides seamless protection. The liner is then topped with pea gravel. Secondary containment will be installed around separators and treaters consisting of metal berm walls. The separators and treaters will be set on top of compacted road base.
3	Material Handling and Spill Prevention	All flowlines are designed/constructed/tested to ASME B31.4 and API 1104 standards. Only materials with Material Test Reports (MTRs) provided by the pipeline supplier are used in the construction of the flowlines.
4	Material Handling and Spill Prevention	Pressure testing of the flowlines is conducted on an annual basis.
5	Material Handling and Spill Prevention	Audible, Visual, and Olfactory (AVO) inspections are of the facility are conduced daily by the Operator. Any valve or fitting that is found to be ineffective is either repaired immediately or well shut-in procedures are implemented.
6	Material Handling and Spill Prevention	Documented Audible, Visual, and Olfactory (AVO) inspections and optical gas imaging surveys are conduced monthly by a third-party specialist.
7	Material Handling and Spill Prevention	The location will utilize a SCADA (remote monitoring) system to monitor facility pressures and flows. Sensors are placed on multiple points throughout the facility and are designed to measure the system for irregularities that would indicate a leak in the system or change in production of oil, water, or gas. The SCADA system is designed with alarms that are triggered by irregularities and will activate automatic shut-in of the well and facility.
8	Material Handling and Spill Prevention	If a leak is discovered or suspected, the well will be shut in and the line will be hydrotested. If a leak is determined, the well remains shut in while the leak is located and repaired. Not until the line has passed hydrotesting, will the well be brought back online.
9	Construction	Location will be equipped with remote monitoring capability including tank level alarms.

10	Construction	Operator will have an MLVT Design Package, certified and sealed by a licensed professional engineer, which is on file in their office and available upon request. The site shall be prepared in accordance with the specifications of the design package prior to tank installation; including ensuring that proper compaction requirements have been met. The MLVT will be at least 75 feet from a wellhead, fired vessel, heater-treater, or a compressor with a rating of 200 horsepower or more. It will be placed at least 50 feet from a separator, well test unit, or other non-fired equipment. All liner seams will be welded and tested in accordance with applicable ASTM international standards. Operator will be present during initial filling of the MLVT and the contractor will supervise and inspect the MLVT for leaks during filling. Operator will comply with the testing and re-inspection requirements and associated written standard operating procedures (SOP) listed on the design package. Signs will be posted on the MLVT indicating that the contents are freshwater. The MLVT will be operated with a minimum of 1 foot of freeboard at all times. Access to the MLVT will be limited to operational personnel and authorized regulatory agency personnel. Operator or contractor will conduct daily visual inspections of the exterior wall and surrounding area for integrity deficiencies. Operator will have a contingency plan/emergency response plan associated with the MLVT and it is on file at their office. A fabric reinforced liner will be utilized. In the event that a tank breach were to occur, the fabric reinforced liner will prevent a “zippering” failure from occurring. The liner will meet the specifications per the design package. Operator acknowledges and will comply with the Colorado Oil & Gas Conservation Commission Policy on the Use of Modular Large Volume Tanks in Colorado dated June 13, 2014.

Total: 10 comment(s)

Attachment Check List

Att Doc Num	Name
402364748	ACCESS ROAD MAP
402364751	HYDROLOGY MAP
402364753	LOCATION DRAWING
402364756	LOCATION PICTURES
402364760	MULTI-WELL PLAN
402364764	REFERENCE AREA MAP
402364774	REFERENCE AREA PICTURES
402364785	NRCS MAP UNIT DESC

Total Attach: 8 Files

General Comments

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)

Public Comments

No public comments were received on this application during the comment period.

SUBMITTED