

TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400		
MW01	8/21/2015	9,600	8,780	610.00	8,760	NM	NA
	5/3/2016	258	16.1	15.2	133	NM	NA
	8/26/2016	144	<4.00	<4.00	9.64	13.11	NA
	11/28/2016	166	<4.00	<4.00	23.3	14.49	85.99
	2/27/2017	54.6	<1.00	<1.00	<1.00	15.59	84.89
	5/22/2017	35.8	<1.00	<1.00	<1.00	16.15	84.33
	8/22/2017	52.4	<1.00	<1.00	<1.00	14.80	85.68
	11/16/2017	11.7	<1.00	<1.00	<1.00	15.33	85.15
	2/6/2018	5.34	<1.00	<1.00	<1.00	16.16	84.32
	5/30/2018	2.35	<1.00	<1.00	<1.00	17.03	83.45
	8/23/2018	2.83	<1.00	<1.00	<1.00	16.65	83.83
	11/19/2018	336	<1.00	4.35	25.3	17.17	83.31
	2/28/2019	70.9	<4.00	4.08	29.4	18.05	82.43
	5/17/2019	26.9	<1.00	1.13	9.13	18.65	81.83
	8/15/2019	<1.00	<1.00	<1.00	<1.00	17.79	82.69
	12/2/2019	455	<1.00	<1.00	66.2	19.68	80.80
2/25/2020	<4.00	<4.00	<4.00	<4.00	19.61	80.87	
5/6/2020	<1.00	<1.00	<1.00	<1.00	19.53	80.95	
MW02	5/3/2016	19,900	4,570	340	6,430	NM	NA
	8/26/2016	17,000	2,090	625	6,680	12.72	NA
	11/28/2016	9,490	145	380	3,790	13.90	84.81
	2/27/2017	7,350	192	408	4,220	14.94	83.77
	5/22/2017	5,370	<100	404	3,650	15.33	83.38
	8/22/2017	4,210	<50.0	392	3,300	14.31	84.40
	11/16/2017	49.9	<1.00	6.62	48.7	14.92	83.79
	2/6/2018	1,490	1.23	510	4,450	15.50	83.21
	5/30/2018	4,260	<10.0	283	1,750	16.40	82.31
	8/23/2018	3,990	<50.0	301	2,410	16.07	82.64
	11/19/2018	2,730	<50.0	770	6,720	16.44	82.27
	2/28/2019	1,060	<50.0	420	3,680	17.29	81.42
	5/17/2019	3,340	<50.0	233	1,670	18.05	80.66
	8/15/2019	66.4	<1.00	4.03	30.1	17.09	81.62
12/2/2019	2,270	<50.0	175	2,070	17.89	80.82	
2/25/2020	752	<50.0	140	1,620	12.82	85.89	
5/6/2020	1,040	<100	710	8,080	18.50	80.21	



TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400		
MW03	5/3/2016	4,500	3,970	260	1,820	NM	NA
	8/26/2016	1,590	931	105	920	14.10	NA
	11/28/2016	665	342	54.9	460	15.21	86.31
	2/27/2017	302	99.0	37.8	290	17.05	84.47
	5/22/2017	1,150	4.48	17.0	65.4	17.04	84.48
	8/22/2017	1,670	44.8	21.0	75.0	15.64	85.88
	11/16/2017	50.1	1.06	2.15	9.64	16.23	85.29
	2/6/2018	513	29.5	10.4	47.4	16.98	84.54
	5/30/2018	788	<4.00	22.5	31.2	17.83	83.69
	8/23/2018	1,310	<10.0	46.1	<10.0	17.42	84.10
	11/19/2018	3,340	117	155	746	17.97	83.55
	2/28/2019	1,640	<100	<100	672	18.79	82.73
	5/17/2019	3,400	47.6	96.4	666	19.53	81.99
	8/15/2019	51.2	<1.00	1.88	8.12	18.63	82.89
	12/2/2019	1,860	<50.0	107	694	14.53	86.99
2/25/2020	1,950	<50.0	106	604	20.51	81.01	
5/6/2020	402	<100	<100	<100	20.49	81.03	
MW04	5/3/2016	1,050	<1.0	177	544	NM	NA
	8/26/2016	308	<10.0	74.5	151	14.02	NA
	11/28/2016	220	<1.00	91.1	95.1	16.00	85.93
	2/27/2017	201	<4.00	70.3	120	16.46	85.47
	5/22/2017	139	<4.00	59.4	74.5	17.00	84.93
	8/22/2017	21.3	<4.00	17.5	15.5	15.58	86.35
	11/16/2017	117	<1.00	107	167	16.17	85.76
	2/6/2018	33.5	<1.00	49.9	62.5	17.11	84.82
	5/30/2018	4.40	<1.00	10.1	10.6	18.03	83.90
	8/23/2018	26.4	<1.00	59.2	61.8	17.32	84.61
	11/19/2018	19.3	<1.00	63.8	26.8	17.96	83.97
	2/28/2019	15.8	<1.00	82.5	19.6	18.98	82.95
	5/17/2019	9.28	<1.00	37.8	25.6	19.64	82.29
	8/15/2019	<1.00	<1.00	<1.00	<1.00	19.05	82.88
	12/2/2019	3.67	<1.00	33.8	13.2	19.70	82.23
2/25/2020	<1.00	<1.00	2.65	<1.00	20.71	81.22	
5/6/2020	5.80	<1.00	62.0	21.2	20.57	81.36	
MW05	5/3/2016	142	82.7	1.4	79.9	NM	NA



TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400		
	8/26/2016	1,070	14.9	59.9	294	13.71	NA
	11/28/2016	331	28.9	10.0	53.6	15.62	84.78
	2/27/2017	438	120	34.8	189	16.41	83.99
	5/22/2017	593	222	75.4	381	16.37	84.03
	8/22/2017	261	116	56.2	239	15.40	85.00
	11/16/2017	8.18	<1.00	2.78	6.57	16.13	84.27
	2/6/2018	10.3	10.5	6.95	30.8	16.99	83.41
	5/30/2018	2.84	1.52	3.93	17.4	17.91	82.49
	8/23/2018	30.2	5.80	56.9	214	17.24	83.16
	11/19/2018	14.5	1.53	58.4	153	17.87	82.53
	2/28/2019	<1.00	<1.00	<1.00	47.8	18.89	81.51
	5/17/2019	<1.00	<1.00	<1.00	5.23	19.37	81.03
	8/15/2019	<1.00	<1.00	<1.00	<1.00	18.14	82.26
	12/2/2019	1.87	<1.00	<1.00	47.5	19.27	81.13
	2/25/2020	<1.00	<1.00	<1.00	<1.00	20.20	80.20
	5/6/2020	1.54	<1.00	23.4	277	19.76	80.64
MW06	5/3/2016	8,170	3,720	399	5,250	NM	NA
	8/26/2016	6,410	784	470	5,720	10.71	NA
	11/28/2016	7,020	2,260	304	3,100	11.74	84.05
	2/27/2017	3,130	1,910	315	3,580	12.70	83.09
	5/22/2017	2,070	1,030	351	3,750	12.97	82.82
	8/22/2017	3,830	1,160	347	3,920	12.01	83.78
	11/16/2017	48.5	18.6	5.19	46.6	12.63	83.16
	2/6/2018	2,830	472	426	4,820	13.31	82.48
	5/30/2018	3,290	503	230	2,710	14.25	81.54
	8/23/2018	112	43.1	5.82	69.9	13.90	81.89
	11/19/2018	7,140	5,150	395	4,910	14.33	81.46
	2/28/2019	1,420	486	<100	1,010	15.23	80.56
	5/17/2019	2,270	12.0	138	1,470	15.91	79.88
	8/15/2019	47.1	<1.00	1.91	23.7	14.96	80.83
	12/2/2019	874	<50.0	<50.0	646	15.71	80.08
	2/25/2020	1,080	<50.0	<50.0	377	16.51	79.28
	5/6/2020	950	<50.0	<50.0	286	16.17	79.62
MW07	5/3/2016	83.3	94.3	7.0	64.3	NM	NA
	8/26/2016	48.9	<1.00	<1.00	<1.00	13.07	NA



TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400		
	11/28/2016	17.2	<1.00	<1.00	<1.00	14.27	85.64
	2/27/2017	54.3	<1.00	<1.00	<1.00	15.39	84.52
	5/22/2017	166	<1.00	<1.00	<1.00	15.97	83.94
	8/22/2017	1.31	<1.00	<1.00	<1.00	14.66	85.25
	11/16/2017	2.21	<1.00	<1.00	<1.00	15.06	84.85
	2/6/2018	11.5	<1.00	<1.00	5.28	15.93	83.98
	5/30/2018	2.60	<1.00	<1.00	<1.00	16.82	83.09
	8/23/2018	31.3	<1.00	<1.00	<1.00	16.59	83.32
	11/19/2018	2.11	1.44	<1.00	<1.00	17.01	82.90
	2/28/2019	23.0	<1.00	2.08	9.40	17.75	82.16
	5/20/2019	4.02	<1.00	<1.00	<1.00	18.38	81.53
	8/15/2019	<1.00	<1.00	<1.00	<1.00	18.01	81.90
	12/2/2019	105	<1.00	2.38	34.3	18.37	81.54
	2/25/2020	<1.00	<1.00	<1.00	<1.00	19.29	80.62
	5/6/2020	<1.00	<1.00	<1.00	<1.00	19.25	80.66
MW08	5/3/2016	<1.0	<1.0	36.9	146	NM	NA
	8/26/2016	<1.00	<1.00	2.64	5.36	12.04	NA
	11/28/2016	<1.00	<1.00	<1.00	<1.00	13.41	84.22
	2/27/2017	<1.00	<1.00	<1.00	<1.00	14.27	83.36
	5/22/2017	<1.00	<1.00	<1.00	<1.00	13.81	83.82
	8/22/2017	<1.00	<1.00	<1.00	<1.00	13.42	84.21
	11/16/2017	<1.00	<1.00	<1.00	<1.00	14.10	83.53
	2/6/2018	<1.00	<1.00	<1.00	<1.00	15.00	82.63
	5/30/2018	<1.00	<1.00	<1.00	<1.00	15.82	81.81
	8/23/2018	<1.00	<1.00	<1.00	<1.00	15.32	82.31
	11/19/2018	<1.00	<1.00	<1.00	<1.00	15.78	81.85
	2/28/2019	<1.00	<1.00	<1.00	<1.00	16.74	80.89
	5/17/2019	<1.00	<1.00	<1.00	<1.00	17.13	80.50
	8/15/2019	<1.00	<1.00	<1.00	<1.00	16.15	81.48
	12/2/2019	<1.00	<1.00	<1.00	<1.00	17.09	80.54
	2/25/2020	<1.00	<1.00	<1.00	<1.00	17.54	80.09
	5/6/2020	<1.00	<1.00	<1.00	<1.00	17.51	80.12
MW09	5/3/2016	62.3	<1.0	1.8	51.7	NM	NA
	8/26/2016	48.6	<1.00	<1.00	<1.00	12.01	NA
	11/28/2016	10.4	<1.00	<1.00	<1.00	13.18	84.05



TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400		
	2/27/2017	21.9	<1.00	<1.00	<1.00	14.11	83.12
	5/22/2017	73.0	<1.00	<1.00	2.03	14.69	82.54
	MW09 destroyed as of 8/22/2017						
MW09R	10/13/2017	3.86	<1.00	1.75	22.8	11.38	85.59
	11/16/2017	<1.00	<1.00	<1.00	<1.00	13.67	83.28
	2/6/2018	<1.00	<1.00	<1.00	<1.00	14.45	82.50
	5/30/2018	1.06	<1.00	<1.00	<1.00	15.32	81.63
	8/23/2018	<1.00	<1.00	<1.00	<1.00	15.04	81.91
	11/19/2018	3.36	<1.00	10.5	30.9	15.48	81.47
	2/28/2019	<1.00	<1.00	<1.00	<1.00	16.26	80.69
	5/20/2019	<1.00	<1.00	<1.00	<1.00	16.87	80.08
	8/15/2019	<1.00	<1.00	<1.00	<1.00	16.81	80.14
	12/2/2019	<1.00	<1.00	<1.00	<1.00	16.79	80.16
	2/25/2020	<1.00	<1.00	<1.00	<1.00	17.57	79.38
	5/6/2020	<1.00	<1.00	<1.00	<1.00	17.35	79.60
MW10	11/28/2016	<4.00	<4.00	<4.00	<4.00	14.96	84.91
	2/27/2017	<1.00	<1.00	<1.00	<1.00	16.15	83.72
	5/22/2017	<1.00	<1.00	<1.00	<1.00	15.77	84.10
	8/22/2017	<1.00	<1.00	<1.00	<1.00	15.39	84.48
	11/16/2017	<1.00	<1.00	<1.00	<1.00	15.83	84.04
	2/6/2018	<1.00	<1.00	<1.00	<1.00	16.74	83.13
	5/30/2018	<1.00	<1.00	<1.00	<1.00	17.58	82.29
	8/23/2018	<1.00	<1.00	<1.00	<1.00	17.00	82.87
	11/19/2018	<1.00	<1.00	<1.00	<1.00	18.57	81.30
	2/28/2019	<1.00	<1.00	<1.00	<1.00	18.60	81.27
	5/17/2019	Inaccessible - Not Sampled				NM	NA
	8/15/2019	<1.00	<1.00	<1.00	<1.00	17.81	82.06
	12/2/2019	<1.00	<1.00	<1.00	<1.00	18.91	80.96
	2/25/2020	<1.00	<1.00	<1.00	<1.00	19.90	79.97
	5/6/2020	<1.00	<1.00	<1.00	<1.00	19.35	80.52
MW11	11/28/2016	<1.00	<1.00	<1.00	<1.00	16.00	86.48
	2/27/2017	<1.00	<1.00	<1.00	<1.00	17.25	85.23
	5/22/2017	<1.00	<1.00	<1.00	<1.00	17.71	84.77
	8/22/2017	Not Found - Not Sampled				NM	NA



TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400		
	11/16/2017	<1.00	<1.00	<1.00	<1.00	16.88	85.60
	2/6/2018	<1.00	<1.00	<1.00	<1.00	17.76	84.72
	5/30/2018	<1.00	<1.00	<1.00	<1.00	18.68	83.80
	8/23/2018	<1.00	<1.00	<1.00	<1.00	18.12	84.36
	11/19/2018	<1.00	<1.00	<1.00	<1.00	17.68	84.80
	2/28/2019	<1.00	<1.00	<1.00	<1.00	19.76	82.72
	5/17/2019	Inaccessible - Not Sampled				NM	NA
	8/15/2019	<1.00	<1.00	<1.00	<1.00	19.07	83.41
	12/2/2019	<1.00	<1.00	<1.00	<1.00	20.36	82.12
	2/25/2020	<1.00	<1.00	<1.00	<1.00	21.35	81.13
	5/6/2020	<1.00	<1.00	<1.00	<1.00	21.12	81.36
MW12	11/28/2016	<1.00	<1.00	<1.00	<1.00	17.57	87.8
	2/27/2017	<1.00	<1.00	<1.00	<1.00	18.80	86.57
	5/22/2017	<1.00	<1.00	<1.00	<1.00	19.42	85.95
	8/22/2017	<1.00	<1.00	<1.00	<1.00	17.81	87.56
	11/16/2017	<1.00	<1.00	<1.00	<1.00	18.39	86.98
	2/6/2018	<1.00	<1.00	<1.00	<1.00	19.28	86.09
	5/30/2018	<1.00	<1.00	<1.00	<1.00	20.18	85.19
	8/23/2018	<1.00	<1.00	<1.00	<1.00	19.64	85.73
	11/19/2018	<1.00	<1.00	<1.00	<1.00	20.32	85.05
	2/28/2019	<1.00	<1.00	<1.00	<1.00	21.36	84.01
	5/17/2019	<1.00	<1.00	<1.00	<1.00	22.05	83.32
	8/15/2019	<1.00	<1.00	<1.00	<1.00	21.07	84.30
	12/2/2019	<1.00	<1.00	<1.00	<1.00	22.14	83.23
	2/25/2020	<1.00	<1.00	<1.00	<1.00	23.13	82.24
	5/6/2020	<1.00	<1.00	<1.00	<1.00	23.27	82.10
MW13	11/28/2016	<4.00	<4.00	<4.00	8.80	15.44	87.25
	2/27/2017	<1.00	<1.00	<1.00	<1.00	16.59	86.1
	5/22/2017	<1.00	<1.00	1.47	2.41	17.44	85.25
	8/22/2017	<1.00	<1.00	5.60	9.94	15.88	86.81
	11/16/2017	<1.00	<1.00	3.00	4.98	16.52	86.17
	2/6/2018	<1.00	<1.00	4.03	8.30	17.17	85.52
	5/30/2018	<1.00	<1.00	2.65	5.50	19.17	83.52
	8/23/2018	<1.00	<1.00	1.09	<1.00	17.78	84.91
	11/19/2018	<1.00	1.58	<1.00	2.20	18.17	84.52



TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400		
	2/28/2019	<1.00	<1.00	<1.00	<1.00	19.05	83.64
	5/20/2019	<1.00	<1.00	1.66	4.69	19.85	82.84
	8/15/2019	<1.00	<1.00	<1.00	2.43	19.35	83.34
	12/2/2019	<1.00	<1.00	<1.00	<1.00	19.79	82.90
	2/25/2020	<1.00	<1.00	<1.00	<1.00	20.74	81.95
	5/6/2020	<1.00	<1.00	<1.00	<1.00	21.02	81.67
<hr/>							
MW14	11/28/2016	<1.00	<1.00	<1.00	<1.00	12.70	85.32
	2/27/2017	<1.00	<1.00	<1.00	<1.00	13.69	84.33
	5/22/2017	<1.00	<1.00	<1.00	<1.00	14.52	83.50
	8/22/2017	<1.00	<1.00	<1.00	<1.00	13.19	84.83
	11/16/2017	<1.00	<1.00	<1.00	<1.00	13.66	84.36
	2/6/2018	<1.00	<1.00	<1.00	<1.00	14.42	83.60
	5/30/2018	<1.00	<1.00	<1.00	<1.00	15.25	82.77
	8/23/2018	<1.00	<1.00	<1.00	<1.00	15.22	82.80
	11/19/2018	<1.00	<1.00	<1.00	<1.00	15.46	82.56
	2/28/2019	<1.00	<1.00	<1.00	<1.00	16.17	81.85
	5/20/2019	<1.00	<1.00	<1.00	<1.00	16.95	81.07
	8/15/2019	<1.00	<1.00	1.39	<1.00	16.24	81.78
	12/2/2019	<1.00	<1.00	<1.00	<1.00	16.77	81.25
	2/25/2020	<1.00	<1.00	<1.00	<1.00	17.61	80.41
	5/6/2020	<1.00	<1.00	<1.00	<1.00	17.73	80.29
<hr/>							
MW15	11/28/2016	3.25	<1.00	<1.00	13.9	10.87	83.33
	2/27/2017	13.7	<1.00	7.11	43.2	11.81	82.39
	5/22/2017	38.9	<1.00	23.2	94.7	12.53	81.67
	8/22/2017	11.4	<1.00	8.37	4.47	11.24	82.96
	11/16/2017	2.47	<1.00	2.22	<1.00	11.73	82.47
	2/6/2018	4.03	<1.00	4.55	2.71	12.49	81.71
	5/30/2018	8.56	<1.00	9.07	<1.00	13.27	80.93
	8/23/2018	7.35	<1.00	16.6	<1.00	13.07	81.13
	11/19/2018	3.02	<1.00	10.1	2.66	13.43	80.77
	2/28/2019	<1.00	<1.00	8.23	7.46	14.12	80.08
	5/20/2019	<1.00	<1.00	5.57	<1.00	14.65	79.55
	8/15/2019	<1.00	<1.00	3.81	4.14	14.29	79.91
	12/2/2019	<1.00	<1.00	<1.00	<1.00	14.94	79.26
	2/25/2020	<1.00	<1.00	<1.00	<1.00	15.43	78.77



TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400		
	5/6/2020	<1.00	<1.00	<1.00	<1.00	15.22	78.98
MW16	11/28/2016	613	89.3	198	1,900	11.03	82.65
	2/27/2017	76.8	<20.0	<20.0	98.0	11.81	81.87
	5/22/2017	80.2	1.62	14.0	107	12.33	81.35
	8/22/2017	469	1.89	40.4	323	11.28	82.40
	11/16/2017	29.5	<1.00	3.22	25.6	11.95	81.73
	2/6/2018	303	<1.00	20.4	80.5	12.42	81.26
	5/30/2018	97.0	<4.00	10.4	27.0	13.35	80.33
	8/23/2018	73.4	<1.00	8.05	58.2	13.07	80.61
	11/19/2018	261	<4.00	15.2	96.8	13.48	80.20
	2/28/2019	90.6	<4.00	7.28	49.2	14.17	79.51
	5/17/2019	<1.00	<1.00	<1.00	<1.00	14.65	79.03
	8/15/2019	186	<1.00	7.46	20.0	14.35	79.33
	12/2/2019	<1.00	<1.00	<1.00	<1.00	14.75	78.93
	2/25/2020	<1.00	<1.00	<1.00	<1.00	15.37	78.31
	5/6/2020	3.32	<1.00	<1.00	<1.00	15.03	78.65
MW17	11/28/2016	320	6,360	388	5,170	10.09	82.22
	2/27/2017	524	6,300	359	4,410	10.50	81.81
	5/22/2017	750	8,060	481	5,650	10.64	81.67
	8/22/2017	426	7,350	476	5,820	9.89	82.42
	11/16/2017	5.96	86.9	6.91	77.7	10.45	81.86
	2/6/2018	275	2,130	424	4,820	11.09	81.22
	5/30/2018	896	998	412	5,160	11.91	80.40
	8/23/2018	111	<10.0	314	3,410	11.53	80.78
	11/19/2018	527	711	398	4,210	12.05	80.26
	2/28/2019	546	368	307	4,270	12.89	79.42
	5/17/2019	204	126	260	3,700	13.42	78.89
	8/15/2019	828	462	262	3,830	12.63	79.68
	12/2/2019	328	193	172	2,550	13.35	78.96
	2/25/2020	103	<50.0	162	2,240	14.04	78.27
	5/6/2020	27.0	<10.0	85.8	1,700	13.70	78.61
MW18	11/28/2016	<4.00	<4.00	92.0	108	11.21	83.65
	2/27/2017	<1.00	<1.00	29.3	35.5	12.20	82.66
	5/22/2017	<1.00	<1.00	13.4	4.95	11.96	82.90



TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)	
COGCC Allowable Levels		5	560	700	1400			
	8/22/2017	<1.00	<1.00	16.0	4.56	11.44	83.42	
	11/16/2017	<1.00	<1.00	10.4	2.50	12.17	82.69	
	2/6/2018	<1.00	<1.00	7.36	<1.00	12.81	82.05	
	5/30/2018	<1.00	<1.00	4.29	<1.00	13.64	81.22	
	8/23/2018	<1.00	<1.00	5.71	<1.00	13.28	81.58	
	11/19/2018	<1.00	<1.00	2.96	<1.00	13.71	81.15	
	2/28/2019	<1.00	<1.00	<1.00	<1.00	14.67	80.19	
	5/17/2019	<1.00	<1.00	<1.00	<1.00	15.07	79.79	
	8/15/2019	<1.00	<1.00	<1.00	<1.00	14.13	80.73	
	12/2/2019	<1.00	<1.00	<1.00	<1.00	14.38	80.48	
	2/25/2020	<1.00	<1.00	<1.00	<1.00	15.82	79.04	
	5/6/2020	<1.00	<1.00	<1.00	<1.00	15.39	79.47	
<hr/>								
MW19	3/22/2017	587	<4.00	96.2	3,030	9.83	81.4	
	3/23/2017	Surveyed - Not Sampled					9.86	81.37
	5/22/2017	479	<10.0	87.6	739	9.90	81.33	
	8/22/2017	1,320	<4.00	248	2,340	9.18	82.05	
	11/16/2017	66.1	<1.00	16.0	122	10.73	80.50	
	2/6/2018	737	<1.00	274	1,990	10.51	80.72	
	5/30/2018	319	<10.0	199	1,340	11.14	80.09	
	8/23/2018	310	<4.00	215	1,030	10.81	80.42	
	11/19/2018	148	<10.0	147	513	11.36	79.87	
	2/28/2019	30.9	<10.0	73.9	<10.0	11.93	79.30	
	5/17/2019	Inaccessible - Not Sampled					NM	NA
	8/15/2019	93.1	<1.00	22.6	7.50	12.48	78.75	
	12/2/2019	1.40	<1.00	2.00	<1.00	12.43	78.80	
	2/25/2020	<1.00	<1.00	<1.00	<1.00	13.02	78.21	
	5/6/2020	<1.00	<1.00	<1.00	<1.00	12.58	78.65	
<hr/>								
MW20	3/22/2017	43.9	<1.00	9.80	171	9.70	81.85	
	3/23/2017	Surveyed - Not Sampled					9.71	81.84
	5/22/2017	<1.00	<1.00	<1.00	<1.00	9.59	81.96	
	8/22/2017	<1.00	<1.00	<1.00	<1.00	8.97	82.58	
	11/16/2017	<1.00	<1.00	<1.00	<1.00	9.60	81.95	
	2/6/2018	<1.00	<1.00	<1.00	<1.00	10.16	81.39	
	5/30/2018	<1.00	<1.00	<1.00	<1.00	10.94	80.61	
	8/23/2018	<1.00	<1.00	<1.00	<1.00	10.69	80.86	



TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)	
COGCC Allowable Levels		5	560	700	1400			
	11/19/2018	<1.00	<1.00	<1.00	<1.00	11.09	80.46	
	2/28/2019	<1.00	<1.00	<1.00	<1.00	11.81	79.74	
	5/17/2019	<1.00	<1.00	<1.00	<1.00	12.19	79.36	
	8/15/2019	<1.00	<1.00	<1.00	<1.00	16.52	75.03	
	12/2/2019	<1.00	<1.00	<1.00	<1.00	12.23	79.32	
	2/25/2020	1.17	<1.00	26.2	121	12.91	78.64	
	5/6/2020	<1.00	<1.00	<1.00	13.8	12.34	79.21	
<hr/>								
MW21	3/22/2017	<1.00	1.12	2.68	59.6	11.08	80.96	
	3/23/2017	Surveyed - Not Sampled					11.10	80.94
	5/22/2017	1.05	<1.00	<1.00	<1.00	10.33	81.71	
	8/22/2017	<1.00	<1.00	<1.00	<1.00	9.41	82.63	
	11/16/2017	<1.00	<1.00	<1.00	<1.00	9.98	82.06	
	2/6/2018	<1.00	<1.00	<1.00	<1.00	10.60	81.44	
	5/30/2018	<1.00	<1.00	<1.00	<1.00	11.38	80.66	
	8/23/2018	<1.00	<1.00	<1.00	<1.00	11.18	80.86	
	11/19/2018	<1.00	<1.00	<1.00	<1.00	11.53	80.51	
	2/28/2019	<1.00	<1.00	<1.00	<1.00	12.21	79.83	
	5/17/2019	<1.00	<1.00	<1.00	<1.00	12.66	79.38	
	8/15/2019	<1.00	<1.00	<1.00	<1.00	12.60	79.44	
	12/2/2019	<1.00	<1.00	<1.00	<1.00	12.71	79.33	
	2/25/2020	<1.00	<1.00	<1.00	<1.00	13.32	78.72	
	5/6/2020	<1.00	<1.00	<1.00	<1.00	12.98	79.06	
<hr/>								
MW22	3/22/2017	<1.00	<1.00	<1.00	2.84	10.91	82.51	
	3/23/2017	Surveyed - Not Sampled					10.93	82.49
	5/22/2017	1.18	<1.00	5.79	12.3	11.41	82.01	
	8/22/2017	1.28	<1.00	1.09	<1.00	10.28	83.14	
	11/16/2017	3.33	<1.00	3.76	<1.00	10.85	82.57	
	2/6/2018	<1.00	<1.00	<1.00	<1.00	11.50	81.92	
	5/30/2018	<1.00	<1.00	<1.00	<1.00	12.24	81.18	
	8/23/2018	<1.00	<1.00	<1.00	<1.00	12.22	81.20	
	11/19/2018	<1.00	<1.00	<1.00	<1.00	12.38	81.04	
	2/28/2019	<1.00	<1.00	<1.00	<1.00	12.92	80.50	
	5/17/2019	<1.00	<1.00	<1.00	<1.00	13.42	80.00	
	8/15/2019	<1.00	<1.00	<1.00	<1.00	13.43	79.99	
	12/2/2019	<1.00	<1.00	<1.00	<1.00	13.58	79.84	



TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400		
	2/25/2020	<1.00	<1.00	<1.00	<1.00	14.18	79.24
	5/6/2020	<1.00	<1.00	<1.00	<1.00	14.06	79.36
MW23	3/22/2017	<1.00	<1.00	<1.00	<1.00	10.25	82.75
	3/23/2017	Surveyed - Not Sampled				10.27	82.73
	5/22/2017	<1.00	<1.00	<1.00	<1.00	9.81	83.19
	8/22/2017	<1.00	<1.00	<1.00	<1.00	9.29	83.71
	11/16/2017	<1.00	<1.00	<1.00	<1.00	9.86	83.14
	2/6/2018	<1.00	<1.00	<1.00	<1.00	10.56	82.44
	5/30/2018	<1.00	<1.00	<1.00	<1.00	11.41	81.59
	8/23/2018	<1.00	<1.00	<1.00	<1.00	10.92	82.08
	11/19/2018	<1.00	<1.00	<1.00	<1.00	11.49	81.51
	2/28/2019	<1.00	<1.00	<1.00	<1.00	12.35	80.65
	5/20/2019	<1.00	<1.00	<1.00	<1.00	12.79	80.21
	8/15/2019	<1.00	<1.00	<1.00	<1.00	11.88	81.12
	12/2/2019	<1.00	<1.00	<1.00	<1.00	12.75	80.25
	2/25/2020	<1.00	<1.00	<1.00	<1.00	13.43	79.57
	5/6/2020	<1.00	<1.00	<1.00	<1.00	12.93	80.07
MW24	10/13/2017	<1.00	<1.00	<1.00	2.00	11.39	84.48
	11/16/2017	<1.00	<1.00	<1.00	<1.00	8.79	84.31
	2/6/2018	<1.00	<1.00	<1.00	<1.00	9.48	83.62
	5/30/2018	<1.00	<1.00	<1.00	<1.00	10.20	82.90
	8/23/2018	<1.00	<1.00	<1.00	<1.00	9.95	83.15
	11/19/2018	<1.00	<1.00	<1.00	<1.00	10.44	82.66
	2/28/2019	<1.00	<1.00	<1.00	<1.00	11.05	82.05
	5/17/2019	<1.00	<1.00	<1.00	<1.00	11.47	81.63
	8/15/2019	<1.00	<1.00	<1.00	<1.00	10.92	82.18
	12/2/2019	<1.00	<1.00	<1.00	<1.00	11.58	81.52
	2/25/2020	<1.00	<1.00	<1.00	<1.00	12.03	81.07
	5/6/2020	<1.00	<1.00	<1.00	<1.00	11.51	81.59
MW25	10/13/2017	25.8	<1.00	110	581	8.16	84.13
	11/16/2017	<1.00	<1.00	<1.00	1.68	8.35	83.94
	2/6/2018	<1.00	<1.00	<1.00	<1.00	9.07	83.22
	5/30/2018	<1.00	<1.00	<1.00	<1.00	9.77	82.52
	8/23/2018	<1.00	<1.00	<1.00	<1.00	9.50	82.79



TABLE 1
GROUNDWATER ANALYTICAL AND FIELD RESULTS
PLATTEVILLE COMPRESSOR STATION
WELD COUNTY, COLORADO
KERR-MCGEE GATHERING, LLC

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water/ (Product Thickness) (ft bgs)	Relative GW Elev. (ft)
COGCC Allowable Levels		5	560	700	1400		
	11/19/2018	<1.00	<1.00	<1.00	<1.00	9.97	82.32
	2/28/2019	<1.00	<1.00	<1.00	<1.00	10.56	81.73
	5/17/2019	<1.00	<1.00	<1.00	<1.00	11.10	81.19
	8/15/2019	<1.00	<1.00	<1.00	<1.00	10.52	81.77
	12/2/2019	<1.00	<1.00	<1.00	<1.00	11.05	81.24
	2/25/2020	<1.00	<1.00	<1.00	<1.00	11.61	80.68
	5/6/2020	<1.00	<1.00	<1.00	<1.00	11.01	81.28
MW26	10/13/2017	<1.00	<1.00	<1.00	<1.00	5.88	84.53
	11/16/2017	<1.00	<1.00	<1.00	<1.00	9.06	84.12
	2/6/2018	<1.00	<1.00	<1.00	<1.00	9.54	83.64
	5/30/2018	<1.00	<1.00	<1.00	<1.00	10.36	82.82
	8/23/2018	<1.00	<1.00	<1.00	<1.00	10.16	83.02
	11/19/2018	<1.00	<1.00	<1.00	<1.00	20.40	72.78
	2/28/2019	<1.00	<1.00	<1.00	<1.00	11.04	82.14
	5/17/2019	<1.00	<1.00	<1.00	<1.00	11.46	81.72
	8/15/2019	<1.00	<1.00	<1.00	<1.00	11.50	81.68
	12/2/2019	<1.00	<1.00	<1.00	<1.00	11.56	81.62
	2/25/2020	<1.00	<1.00	<1.00	<1.00	12.13	81.05
	5/6/2020	<1.00	<1.00	<1.00	<1.00	11.54	81.64
MW27	2/6/2018	<1.00	<1.00	<1.00	<1.00	8.42	82.81
	5/30/2018	<1.00	<1.00	<1.00	<1.00	9.26	81.97
	8/23/2018	<1.00	<1.00	<1.00	<1.00	9.00	82.23
	11/19/2018	<1.00	<1.00	<1.00	<1.00	9.52	81.71
	2/28/2019	<1.00	<1.00	<1.00	<1.00	10.10	81.13
	5/17/2019	<1.00	<1.00	<1.00	<1.00	10.37	80.86
	8/15/2019	<1.00	<1.00	<1.00	<1.00	10.03	81.20
	12/2/2019	<1.00	<1.00	<1.00	<1.00	10.67	80.56
	2/25/2020	<1.00	<1.00	<1.00	<1.00	11.02	80.21
	5/6/2020	<1.00	<1.00	<1.00	<1.00	10.39	80.84

Notes: COGCC - Colorado Oil and Gas Conservation Commission µg/L - micrograms per liter
ft bgs - feet below ground surface < - less than laboratory reporting limit
NA - not analyzed/not available Excavation groundwater depth is approximate
Corrected Relative GW Elev. is used when LNAPL is present. NM - not measured
BOLD = Analytical result is in exceedance of COGCC Table 910-1 groundwater standards.



May 22, 2019

LT Environmental, Inc.

Brian Sulzberger

4600 West 60th Avenue

Arvada CO 80003

**Project Name - KMG - Platteville Compressor
Station**

Project Number - 014213112/WO #887115

Attached are your analytical results for KMG - Platteville Compressor Station received by Origins Laboratory, Inc. May 20, 2019. This project is associated with Origins project number Y905304-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO #88711538,
000000000
Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW01	Y905304-01	Water	May 17, 2019 12:09	05/20/2019 16:45
MW02	Y905304-02	Water	May 17, 2019 12:17	05/20/2019 16:45
MW03	Y905304-03	Water	May 17, 2019 12:25	05/20/2019 16:45
MW04	Y905304-04	Water	May 17, 2019 12:34	05/20/2019 16:45
MW05	Y905304-05	Water	May 17, 2019 12:39	05/20/2019 16:45
MW06	Y905304-06	Water	May 17, 2019 12:47	05/20/2019 16:45
MW07	Y905304-07	Water	May 20, 2019 10:38	05/20/2019 16:45
MW08	Y905304-08	Water	May 17, 2019 13:02	05/20/2019 16:45
MW09R	Y905304-09	Water	May 20, 2019 10:45	05/20/2019 16:45
MW12	Y905304-10	Water	May 17, 2019 13:35	05/20/2019 16:45
MW13	Y905304-11	Water	May 20, 2019 11:10	05/20/2019 16:45
MW14	Y905304-12	Water	May 20, 2019 11:00	05/20/2019 16:45
MW15	Y905304-13	Water	May 20, 2019 10:51	05/20/2019 16:45
MW16	Y905304-14	Water	May 17, 2019 12:17	05/20/2019 16:45

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO #88711538,
0000000000
Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW17	Y905304-15	Water	May 17, 2019 12:25	05/20/2019 16:45
MW18	Y905304-16	Water	May 17, 2019 12:31	05/20/2019 16:45
MW20	Y905304-17	Water	May 17, 2019 12:37	05/20/2019 16:45
MW21	Y905304-18	Water	May 17, 2019 12:43	05/20/2019 16:45
MW22	Y905304-19	Water	May 17, 2019 12:51	05/20/2019 16:45
MW23	Y905304-20	Water	May 20, 2019 10:31	05/20/2019 16:45
MW24	Y905304-21	Water	May 17, 2019 13:06	05/20/2019 16:45
MW25	Y905304-22	Water	May 17, 2019 13:11	05/20/2019 16:45
MW26	Y905304-23	Water	May 17, 2019 13:19	05/20/2019 16:45
MW27	Y905304-24	Water	May 17, 2019 13:25	05/20/2019 16:45

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 Project: KMG - Platteville Compressor Station

ORIGINS
 LABORATORY, INC

1905304

113

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Client: LT Environmental, Inc. Project Manager: Brian Sulzberger
 Project: KMG - Platteville Compressor Station Project Number: 014213112/WO #88711538, 890628

Number	Sample Identification	Matrix	Sample Date	Sample Time	Container	Qty	Analysis
01-001	MM01	Water	05/17/2019	1259	40mL Amber VOA Vial - HC	2	BTEX by EPA 8260C
02-001	MM02	Water	05/17/2019	1217	40mL Amber VOA Vial - HC	2	BTEX by EPA 8260C
03-001	MM03	Water		1225	40mL Amber VOA Vial - HC	2	BTEX by EPA 8260C
04-001	MM04	Water		1234	40mL Amber VOA Vial - HC	2	BTEX by EPA 8260C
05-001	MM05	Water		1239	40mL Amber VOA Vial - HC	2	BTEX by EPA 8260C
06-001	MM06	Water		1247	40mL Amber VOA Vial - HC	2	BTEX by EPA 8260C
07-001	MM07	Water	05/20/2019	1038	40mL Amber VOA Vial - HC	2	BTEX by EPA 8260C
08-001	MM08	Water	05/17/2019	1301	40mL Amber VOA Vial - HC	2	BTEX by EPA 8260C
09-001	MM09R	Water	05/17/2019	1045	40mL Amber VOA Vial - HC	2	BTEX by EPA 8260C
10-001	MM10	Water			40mL Amber VOA Vial - HC	2	BTEX by EPA 8260C
11-001	MM11	Water			40mL Amber VOA Vial - HC	2	BTEX by EPA 8260C

Temperature on Receipt: 3.7
 Turn Around Time:
 Same Day: 72-hr:
 24-hr: Standard:
 48-hr:

Relinquished By: [Signature]
 Date / Time: 5/20/19 1645
 Received By: [Signature]
 Date / Time: [Blank]

Relinquished By: [Signature]
 Date / Time: 5/20/19 1645
 Received By: [Signature]
 Date / Time: [Blank]

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 Project: KMG - Platteville Compressor Station

ORIGINS
LABORATORY, INC

1905304

2/6

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Sample ID	Matrix	Date	Lab ID	Result	Vial	Method
12-001	Water	05/17/2019	1365	H6	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
13-001	Water	05/20/2019	1110	—	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
14-001	Water	—	1100	—	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
15-001	Water	—	1051	—	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
16-001	Water	05/17/2019	1217	DT	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
17-001	Water	—	1225	DT	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
18-001	Water	—	1231	H6	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
19-001	Water	—	—	—	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
20-001	Water	05/17/2019	1237	DT	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
21-001	Water	—	1243	—	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
22-001	Water	—	1251	—	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
23-001	Water	05/20/2019	1051	H6	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
24-001	Water	05/17/2019	1300	DT	40mL Amber VOA Vial - HC	BTEX by EPA 8260C
25-001	Water	05/17/2019	1311	DT	40mL Amber VOA Vial - HC	BTEX by EPA 8260C

Temperature on Receipt: 3.7
 Turn Around Time: 72-hr Standard 24-hr 48-hr

Relinquished By: [Signature] Date / Time: 5/20/19 1645
 Received By: _____ Date / Time: _____

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

ORIGINS
 LABORATORY, INC

Y405304

2/3

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

26-001	MM26	Water	05/17/2019	13:19	DT	40mL Amber VOA Vial - HC	β_2	BTEX by EPA 8260C
27-001	MM27	Water	L	13:25	DT	40mL Amber VOA Vial - HC <td>β_2</td> <td>BTEX by EPA 8260C</td>	β_2	BTEX by EPA 8260C

Relinquished By: [Signature] Date / Time: 05/20/2019 16:45
 Received By: [Signature] Date / Time: 5/20/19 16:45

Temperature on Receipt: 37
 Turn Around Time: 72-hr Standard
 24-hr 48-hr

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 Project: KMG - Platteville Compressor Station

Origins Laboratory

F-012207-01-R1
 Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: Y905304

Client: LTE

Client Project ID: Platteville Compressor

Checklist Completed by: JG

Shipped Via: HD
 (UPS, FedEx, Hand Delivered, Pick-up, etc.)

Date/time completed: 5/21/2019

Airbill #: N/A

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other:

Cooler Number/Temperature: 1 / 3.7 °C 1 / 1 °C 1 / 1 °C (Describe)

Thermometer ID: T003

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity) / (pH <2 for samples preserved with HNO ₃ , HCL, H ₂ SO ₄) / (pH >10 for samples preserved with Na ₂ CO ₃ +NaOH, ZnAc+NaOH)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Additional Comments (if any):				

⁽¹⁾ If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Reviewed by (Project Manager) JG

Date/Time Reviewed 5/22/19

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW01

5/17/2019 12:09:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-01 (Water)

BTEX by EPA 8260D

Benzene	26.9	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/21/2019	
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	1.13	1.00	"	"	"	JTD	"	"	
Xylenes, total	9.13	1.00	"	"	"	JTD	"	"	

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.5 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW02

5/17/2019 12:17:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-02 (Water)

BTEX by EPA 8260D

Benzene	3340	50.0	ug/L	50	B9E2112	JTD	05/21/2019	05/21/2019	
Toluene	ND	50.0	"	"	"	JTD	"	"	U
Ethylbenzene	233	50.0	"	"	"	JTD	"	"	
Xylenes, total	1670	50.0	"	"	"	JTD	"	"	

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.2 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW03

5/17/2019 12:25:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-03 (Water)

BTEX by EPA 8260D

Benzene	3400	20.0	ug/L	20	B9E2112	JTD	05/21/2019	05/21/2019	
Toluene	47.6	20.0	"	"	"	JTD	"	"	
Ethylbenzene	96.4	20.0	"	"	"	JTD	"	"	
Xylenes, total	666	20.0	"	"	"	JTD	"	"	
Surrogate: 1,2-Dichloroethane-d4	100 %			70-130		"	"	"	
Surrogate: Toluene-d8	99.8 %			70-130		"	"	"	
Surrogate: 4-Bromofluorobenzene	99.7 %			70-130		"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW04

5/17/2019 12:34:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-04 (Water)

BTEX by EPA 8260D

Benzene	9.28	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/21/2019	
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	37.8	1.00	"	"	"	JTD	"	"	
Xylenes, total	25.6	1.00	"	"	"	JTD	"	"	

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.9 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	98.5 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW05

5/17/2019 12:39:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-05 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/21/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	5.23	1.00	"	"	"	JTD	"	"	

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130				"	"	"	
Surrogate: Toluene-d8	99.3 %	70-130				"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130				"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW06

5/17/2019 12:47:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-06 (Water)

BTEX by EPA 8260D

Benzene	2270	50.0	ug/L	50	B9E2112	JTD	05/21/2019	05/22/2019	
Toluene	12.0	10.0	"	10	"	JTD	"	05/21/2019	
Ethylbenzene	138	10.0	"	"	"	JTD	"	"	
Xylenes, total	1470	10.0	"	"	"	JTD	"	"	
Surrogate: 1,2-Dichloroethane-d4	97.4 %			70-130		"	"	"	
Surrogate: Toluene-d8	101 %			70-130		"	"	"	
Surrogate: 4-Bromofluorobenzene	99.3 %			70-130		"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 00000000
 Project: KMG - Platteville Compressor Station

MW07

5/20/2019 10:38:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-07 (Water)

BTEX by EPA 8260D

Benzene	4.02	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/21/2019	
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	102 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.7 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.7 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW08

5/17/2019 1:02:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-08 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/21/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW09R

5/20/2019 10:45:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-09 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/21/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 00000000
 Project: KMG - Platteville Compressor Station

MW12

5/17/2019 1:35:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-10 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/21/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	99.9 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW13

5/20/2019 11:10:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-11 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/22/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	1.66	1.00	"	"	"	JTD	"	"	
Xylenes, total	4.69	1.00	"	"	"	JTD	"	"	

Surrogate: 1,2-Dichloroethane-d4	99.8 %	70-130			"	"	"		
Surrogate: Toluene-d8	101 %	70-130			"	"	"		
Surrogate: 4-Bromofluorobenzene	99.8 %	70-130			"	"	"		

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW14

5/20/2019 11:00:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-12 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/22/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	99.2 %	70-130			"	"	"	
Surrogate: Toluene-d8	98.5 %	70-130			"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW15

5/20/2019 10:51:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-13 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/22/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	5.57	1.00	"	"	"	JTD	"	"	
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	100 %	70-130			"	"	"		
Surrogate: Toluene-d8	99.9 %	70-130			"	"	"		
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"		

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW16

5/17/2019 12:17:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-14 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/22/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.7 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW17

5/17/2019 12:25:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-15 (Water)

BTEX by EPA 8260D

Benzene	204	20.0	ug/L	20	B9E2112	JTD	05/21/2019	05/22/2019	
Toluene	126	20.0	"	"	"	JTD	"	"	
Ethylbenzene	260	20.0	"	"	"	JTD	"	"	
Xylenes, total	3700	20.0	"	"	"	JTD	"	"	
Surrogate: 1,2-Dichloroethane-d4	99.5 %			70-130		"	"	"	
Surrogate: Toluene-d8	100 %			70-130		"	"	"	
Surrogate: 4-Bromofluorobenzene	99.4 %			70-130		"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW18

5/17/2019 12:31:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-16 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/22/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.8 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW20

5/17/2019 12:37:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-17 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/22/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	100 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.7 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW21

5/17/2019 12:43:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-18 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/22/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	99.6 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW22

5/17/2019 12:51:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-19 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/22/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	100 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW23

5/20/2019 10:31:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-20 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2112	JTD	05/21/2019	05/22/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.3 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 00000000
 Project: KMG - Platteville Compressor Station

MW24

5/17/2019 1:06:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-21 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2113	JTD	05/21/2019	05/21/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	98.9 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	96.7 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW25

5/17/2019 1:11:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-22 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2113	JTD	05/21/2019	05/21/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	97.7 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.6 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW26

5/17/2019 1:19:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-23 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2113	JTD	05/21/2019	05/21/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	98.6 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.4 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW27

5/17/2019 1:25:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y905304-24 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9E2113	JTD	05/21/2019	05/21/2019	U
Toluene	ND	1.00	"	"	"	JTD	"	"	U
Ethylbenzene	ND	1.00	"	"	"	JTD	"	"	U
Xylenes, total	ND	1.00	"	"	"	JTD	"	"	U

Surrogate: 1,2-Dichloroethane-d4	98.6 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	96.8 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2112 - EPA 5030B (Water)

Blank (B9E2112-BLK1)

Prepared: 05/21/2019 Analyzed: 05/21/2019

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	64		"	62.5		102	70-130			
Surrogate: Toluene-d8	63		"	62.5		100	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		99.3	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2112 - EPA 5030B (Water)

LCS (B9E2112-BS1)

Prepared: 05/21/2019 Analyzed: 05/21/2019

Benzene	51.3	1.00	ug/L	50.0		103	70-130			
Toluene	51.7	1.00	"	50.0		103	70-130			
Ethylbenzene	52.0	1.00	"	50.0		104	70-130			
m,p-Xylene	105	2.00	"	100		105	70-130			
o-Xylene	52.7	1.00	"	50.0		105	70-130			
Surrogate: 1,2-Dichloroethane-d4	60		"	62.5		96.3	70-130			
Surrogate: Toluene-d8	63		"	62.5		100	70-130			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		101	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2112 - EPA 5030B (Water)

Matrix Spike (B9E2112-MS1)	Source: Y905304-08			Prepared: 05/21/2019 Analyzed: 05/21/2019						
Benzene	51.8	1.00	ug/L	50.0	ND	104	70-130			
Toluene	52.6	1.00	"	50.0	ND	105	70-130			
Ethylbenzene	51.7	1.00	"	50.0	ND	103	70-130			
m,p-Xylene	103	2.00	"	100	ND	103	70-130			
o-Xylene	52.9	1.00	"	50.0	ND	106	70-130			
Surrogate: 1,2-Dichloroethane-d4	60		"	62.5		95.8	70-130			
Surrogate: Toluene-d8	63		"	62.5		101	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		98.5	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2112 - EPA 5030B (Water)

Matrix Spike Dup (B9E2112-MSD1)	Source: Y905304-08			Prepared: 05/21/2019 Analyzed: 05/21/2019						
Benzene	49.9	1.00	ug/L	50.0	ND	99.8	70-130	3.77	20	
Toluene	50.5	1.00	"	50.0	ND	101	70-130	4.01	20	
Ethylbenzene	50.2	1.00	"	50.0	ND	100	70-130	3.02	20	
m,p-Xylene	100	2.00	"	100	ND	100	70-130	2.49	20	
o-Xylene	51.0	1.00	"	50.0	ND	102	70-130	3.56	20	
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		96.9	70-130			
Surrogate: Toluene-d8	63		"	62.5		100	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		99.3	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2113 - EPA 5030B (Water)

Blank (B9E2113-BLK1)

Prepared: 05/21/2019 Analyzed: 05/21/2019

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	63		"	62.5		101	70-130			
Surrogate: Toluene-d8	65		"	62.5		104	70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5		97.3	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2113 - EPA 5030B (Water)

Blank (B9E2113-BLK2)

Prepared: 05/21/2019 Analyzed: 05/21/2019

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	62		"	62.5	99.2		70-130			
Surrogate: Toluene-d8	64		"	62.5	103		70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5	97.1		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 00000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2113 - EPA 5030B (Water)

LCS (B9E2113-BS1)

Prepared: 05/20/2019 Analyzed: 05/20/2019

Benzene	44.5	1.00	ug/L	50.0		89.1	70-130			
Toluene	48.5	1.00	"	50.0		97.0	70-130			
Ethylbenzene	46.4	1.00	"	50.0		92.7	70-130			
m,p-Xylene	92.6	2.00	"	100		92.6	70-130			
o-Xylene	46.1	1.00	"	50.0		92.1	70-130			
Surrogate: 1,2-Dichloroethane-d4	52		"	62.5		83.3	70-130			
Surrogate: Toluene-d8	67		"	62.5		107	70-130			
Surrogate: 4-Bromofluorobenzene	57		"	62.5		91.3	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2113 - EPA 5030B (Water)

LCS (B9E2113-BS2)

Prepared: 05/21/2019 Analyzed: 05/21/2019

Benzene	51.0	1.00	ug/L	50.0		102	70-130			
Toluene	51.6	1.00	"	50.0		103	70-130			
Ethylbenzene	52.5	1.00	"	50.0		105	70-130			
m,p-Xylene	101	2.00	"	100		101	70-130			
o-Xylene	49.8	1.00	"	50.0		99.5	70-130			
Surrogate: 1,2-Dichloroethane-d4	59		"	62.5		94.4	70-130			
Surrogate: Toluene-d8	65		"	62.5		103	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		98.9	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2113 - EPA 5030B (Water)

Matrix Spike (B9E2113-MS1)	Source: Y905305-01			Prepared: 05/21/2019 Analyzed: 05/21/2019						
Benzene	52.2	1.00	ug/L	50.0	ND	104	70-130			
Toluene	53.6	1.00	"	50.0	ND	107	70-130			
Ethylbenzene	53.4	1.00	"	50.0	ND	107	70-130			
m,p-Xylene	103	2.00	"	100	ND	103	70-130			
o-Xylene	51.0	1.00	"	50.0	ND	102	70-130			
Surrogate: 1,2-Dichloroethane-d4	60		"	62.5		96.3	70-130			
Surrogate: Toluene-d8	64		"	62.5		102	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		99.4	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 00000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2113 - EPA 5030B (Water)

Matrix Spike (B9E2113-MS2)	Source: Y905305-02			Prepared: 05/21/2019 Analyzed: 05/21/2019						
Benzene	52.9	1.00	ug/L	50.0	ND	106	70-130			
Toluene	52.9	1.00	"	50.0	ND	106	70-130			
Ethylbenzene	52.1	1.00	"	50.0	0.070	104	70-130			
m,p-Xylene	100	2.00	"	100	ND	100	70-130			
o-Xylene	50.0	1.00	"	50.0	ND	99.9	70-130			
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		97.2	70-130			
Surrogate: Toluene-d8	66		"	62.5		105	70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5		98.0	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2113 - EPA 5030B (Water)

Matrix Spike Dup (B9E2113-MSD1)	Source: Y905305-01			Prepared: 05/21/2019 Analyzed: 05/21/2019						
Benzene	52.4	1.00	ug/L	50.0	ND	105	70-130	0.363	20	
Toluene	52.8	1.00	"	50.0	ND	106	70-130	1.49	20	
Ethylbenzene	53.2	1.00	"	50.0	ND	106	70-130	0.450	20	
m,p-Xylene	103	2.00	"	100	ND	103	70-130	0.389	20	
o-Xylene	50.4	1.00	"	50.0	ND	101	70-130	1.20	20	
Surrogate: 1,2-Dichloroethane-d4	57		"	62.5		91.8	70-130			
Surrogate: Toluene-d8	65		"	62.5		104	70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5		97.5	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9E2113 - EPA 5030B (Water)

Matrix Spike Dup (B9E2113-MSD2)	Source: Y905305-02			Prepared: 05/21/2019 Analyzed: 05/21/2019						
Benzene	50.2	1.00	ug/L	50.0	ND	100	70-130	5.28	20	
Toluene	50.7	1.00	"	50.0	ND	101	70-130	4.22	20	
Ethylbenzene	51.7	1.00	"	50.0	0.070	103	70-130	0.713	20	
m,p-Xylene	100	2.00	"	100	ND	100	70-130	0.150	20	
o-Xylene	49.6	1.00	"	50.0	ND	99.2	70-130	0.723	20	
Surrogate: 1,2-Dichloroethane-d4	58		"	62.5		92.3	70-130			
Surrogate: Toluene-d8	62		"	62.5		99.9	70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5		97.4	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO #88711538,
66666667
Project: KMG - Platteville Compressor Station

Notes and Definitions

U Sample is Non-Detect.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini For Noelle Doyle Mathis, President

August 22, 2019

LT Environmental, Inc.

Brian Sulzberger

4600 West 60th Avenue

Arvada CO 80003

**Project Name - KMG - Platteville Compressor
Station**

Project Number - 014213112/WO #887115

Attached are your analytical results for KMG - Platteville Compressor Station received by Origins Laboratory, Inc. August 15, 2019. This project is associated with Origins project number Y908270-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO #88711538,
000000000
Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW01	Y908270-01	Water	August 15, 2019 10:15	08/15/2019 17:02
MW02	Y908270-02	Water	August 15, 2019 10:22	08/15/2019 17:02
MW03	Y908270-03	Water	August 15, 2019 10:30	08/15/2019 17:02
MW04	Y908270-04	Water	August 15, 2019 10:36	08/15/2019 17:02
MW05	Y908270-05	Water	August 15, 2019 10:41	08/15/2019 17:02
MW06	Y908270-06	Water	August 15, 2019 10:50	08/15/2019 17:02
MW07	Y908270-07	Water	August 15, 2019 10:58	08/15/2019 17:02
MW08	Y908270-08	Water	August 15, 2019 11:04	08/15/2019 17:02
MW09R	Y908270-09	Water	August 15, 2019 11:12	08/15/2019 17:02
MW10	Y908270-10	Water	August 15, 2019 11:20	08/15/2019 17:02
MW11	Y908270-11	Water	August 15, 2019 11:27	08/15/2019 17:02
MW12	Y908270-12	Water	August 15, 2019 11:33	08/15/2019 17:02
MW13	Y908270-13	Water	August 15, 2019 11:40	08/15/2019 17:02
MW14	Y908270-14	Water	August 15, 2019 11:46	08/15/2019 17:02

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO #88711538,
000000000
Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW15	Y908270-15	Water	August 15, 2019 11:53	08/15/2019 17:02
MW16	Y908270-16	Water	August 15, 2019 12:00	08/15/2019 17:02
MW17	Y908270-17	Water	August 15, 2019 12:07	08/15/2019 17:02
MW18	Y908270-18	Water	August 15, 2019 12:13	08/15/2019 17:02
MW19	Y908270-19	Water	August 15, 2019 12:20	08/15/2019 17:02
MW20	Y908270-20	Water	August 15, 2019 12:28	08/15/2019 17:02
MW21	Y908270-21	Water	August 15, 2019 12:35	08/15/2019 17:02
MW22	Y908270-22	Water	August 15, 2019 12:40	08/15/2019 17:02
MW23	Y908270-23	Water	August 15, 2019 12:46	08/15/2019 17:02
MW24	Y908270-24	Water	August 15, 2019 12:53	08/15/2019 17:02
MW25	Y908270-25	Water	August 15, 2019 13:01	08/15/2019 17:02
MW26	Y908270-26	Water	August 15, 2019 13:10	08/15/2019 17:02
MW27	Y908270-27	Water	August 15, 2019 13:15	08/15/2019 17:02

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 88666667
 Project: KMG - Platteville Compressor Station

ORIGINS
 LABORATORY, INC

1908270

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Client: LT Environmental, Inc. Project Manager: Brian Sulzberger
 Project: KMG - Platteville Compressor Station Project Number: 014213112/WO #88711538, 88662837

Number	Sample Identification	Matrix	Sample Date	Sample Time	Sampled By	Container	Qty	Analyses
01-001	MW01	Water	8/15/19	1015	BS	12_40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C
02-001	MW02	Water	8/15/19	1022		12_40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C
03-001	MW03	Water	8/15/19	1030		12_40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C
04-001	MW04	Water	8/15/19	1036		12_40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C
05-001	MW05	Water	8/15/19	1041		12_40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C
06-001	MW06	Water	8/15/19	1050		12_40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C
07-001	MW07	Water	8/15/19	1058		12_40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C
08-001	MW08	Water	8/15/19	1104		12_40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C
09-001	MW09	Water	8/15/19	1112		12_40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C
10-001	MW10	Water	8/15/19	1120		12_40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C
11-001	MW11	Water	8/15/19	1127		12_40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C

Relinquished By: *[Signature]* Date / Time: 8-15-19 1702
 Relinquished By: *[Signature]* Date / Time: 8/15/19 1702
 Received By: _____ Date / Time: _____
 Received By: _____ Date / Time: _____
 Temperature on Receipt: 14.6
 Turn Around Time: Same Day 24-hr 72-hr Standard 48-hr

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 Project: KMG - Platteville Compressor Station

ORIGINS
 LABORATORY, INC

1408270

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

12-001	MW12	Water	8/15/19	1133	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
13-001	MW13	Water	8/15/19	1140	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
14-001	MW14	Water	8/15/19	1146	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
15-001	MW15	Water	8/15/19	1153	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
16-001	MW16	Water	8/15/19	1200	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
17-001	MW17	Water	8/15/19	1207	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
18-001	MW18	Water	8/15/19	1213	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
19-001	MW19	Water	8/15/19	1220	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
20-001	MW20	Water	8/15/19	1228	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
21-001	MW21	Water	8/15/19	1235	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
22-001	MW22	Water	8/15/19	1240	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
23-001	MW23	Water	8/15/19	1246	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
24-001	MW24	Water	8/15/19	1253	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C
25-001	MW25	Water	8/15/19	1301	12_40mL Amber VOA Via - HCL	3	BTEX by EPA 8260C

Relinquished By: *[Signature]* Date / Time: 8-15-19 17:02

Received By: *[Signature]* Date / Time: 8-15-19 17:02

Temperature on Receipt: 14.6

Turn Around Time: Same Day 24-hr 72-hr Standard 48-hr

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 66666667
 Project: KMG - Platteville Compressor Station

ORIGINS
 LABORATORY, INC

108270

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

26-001	MW26	Water	8/15/19	1310	AM	12-40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C
27-001	MW27	Water	8/15/19	1315	AM	12-40mL Amber VOA Vial - HCL	3	BTEX by EPA 8260C

Temperature on Receipt: 14.6

Turn Around Time: Same Day 24-hr 72-hr Standard 48-hr

Relinquished By: [Signature] Date / Time: 8-15-19

Received By: [Signature] Date / Time: 8-15-19

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 Project: KMG - Platteville Compressor Station

Origins Laboratory

F-012207-01-R1
 Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: Y908270

Client: LTE

Client Project ID: KMG - Platteville

Checklist Completed by: JCo

Shipped Via: HD
 (UPS, FedEx, Hand Delivered, Pick-up, etc.)

Date/time completed: 8/16/19

Airbill #: NA

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other:

Cooler Number/Temperature: 1 / 14.6° c / ° c / ° c / ° c (Describe)

Thermometer ID: TOUB

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ^{(1)?}		<input checked="" type="checkbox"/>		<u>sampled same day</u>
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>			
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Were all samples received intact ^{(1)?}	<input checked="" type="checkbox"/>			
Was adequate sample volume provided ^{(1)?}	<input checked="" type="checkbox"/>			
Are short holding time analytes or samples with HTs due within 48 hours present ^{(1)?}		<input checked="" type="checkbox"/>		
Is a chain-of-custody (COC) present and filled out completely ^{(1)?}	<input checked="" type="checkbox"/>			
Does the COC agree with the number and type of sample bottles received ^{(1)?}	<input checked="" type="checkbox"/>			
Do the sample IDs on the bottle labels match the COC ^{(1)?}	<input checked="" type="checkbox"/>			
Is the COC properly relinquished by the client with date and time recorded ^{(1)?}	<input checked="" type="checkbox"/>			
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.		<input checked="" type="checkbox"/>		
Are samples preserved that require preservation and was it checked ^{(1)?} (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO3, HCL, H2SO4) / (pH >10 for samples preserved with NaAsO2+NaOH, ZnAc+NaOH)	<input checked="" type="checkbox"/>			<u>179</u>
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Reviewed by: [Signature] (Project Manager)

Date/Time Reviewed: 8/19/19

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 888888887
 Project: KMG - Platteville Compressor Station

MW01

8/15/2019 10:15:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-01 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/19/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	97.2 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.7 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO #88711538,
00000000
Project: KMG - Platteville Compressor Station

MW02

8/15/2019 10:22:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-02 (Water)

BTEX by EPA 8260D

Benzene	66.4	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/19/2019	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	4.03	1.00	"	"	"	KDK	"	"	
Xylenes, total	30.1	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	96.9 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 00000000
 Project: KMG - Platteville Compressor Station

MW03

8/15/2019 10:30:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-03 (Water)

BTEX by EPA 8260D

Benzene	51.2	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/19/2019	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	1.88	1.00	"	"	"	KDK	"	"	
Xylenes, total	8.12	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	97.2 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.7 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW04

8/15/2019 10:36:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-04 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/19/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	98.8 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.1 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW05

8/15/2019 10:41:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-05 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/19/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	98.7 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.5 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW06

8/15/2019 10:50:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-06 (Water)

BTEX by EPA 8260D

Benzene	47.1	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/19/2019	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	1.91	1.00	"	"	"	KDK	"	"	
Xylenes, total	23.7	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	98.8 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.3 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW07

8/15/2019 10:58:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-07 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/19/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	99.3 %	70-130				"	"	"	
Surrogate: Toluene-d8	97.5 %	70-130				"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130				"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 888888887
 Project: KMG - Platteville Compressor Station

MW08

8/15/2019 11:04:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-08 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/19/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	99.7 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.6 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 888888887
 Project: KMG - Platteville Compressor Station

MW09R

8/15/2019 11:12:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-09 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/19/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	96.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 888888887
 Project: KMG - Platteville Compressor Station

MW10

8/15/2019 11:20:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-10 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/19/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	102 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW11

8/15/2019 11:27:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-11 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/19/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	97.2 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.1 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 888888887
 Project: KMG - Platteville Compressor Station

MW12

8/15/2019 11:33:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-12 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	102 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.1 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW13

8/15/2019 11:40:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-13 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	2.43	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	102 %	70-130			"	"		"	
Surrogate: Toluene-d8	96.6 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW14

8/15/2019 11:46:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-14 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	1.39	1.00	"	"	"	KDK	"	"	
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	102 %	70-130			"	"	"		
Surrogate: Toluene-d8	96.7 %	70-130			"	"	"		
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"		

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW15

8/15/2019 11:53:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-15 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	3.81	1.00	"	"	"	KDK	"	"	
Xylenes, total	4.14	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	96.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 00000000
 Project: KMG - Platteville Compressor Station

MW16

8/15/2019 12:00:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-16 (Water)

BTEX by EPA 8260D

Benzene	186	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/20/2019	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	7.46	1.00	"	"	"	KDK	"	"	
Xylenes, total	20.0	1.00	"	"	"	KDK	"	"	
Surrogate: 1,2-Dichloroethane-d4	96.9 %			70-130		"	"	"	
Surrogate: Toluene-d8	96.1 %			70-130		"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %			70-130		"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO #88711538,
00000000
Project: KMG - Platteville Compressor Station

MW17

8/15/2019 12:07:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-17 (Water)

BTEX by EPA 8260D

Benzene	828	10.0	ug/L	10	B9H1902	KDK	08/19/2019	08/20/2019	
Toluene	462	10.0	"	"	"	KDK	"	"	
Ethylbenzene	262	10.0	"	"	"	KDK	"	"	
Xylenes, total	3830	10.0	"	"	"	KDK	"	"	
Surrogate: 1,2-Dichloroethane-d4	111 %			70-130		"	"	"	
Surrogate: Toluene-d8	94.0 %			70-130		"	"	"	
Surrogate: 4-Bromofluorobenzene	99.9 %			70-130		"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW18

8/15/2019 12:13:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-18 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	92.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	103 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW19

8/15/2019 12:20:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-19 (Water)

BTEX by EPA 8260D

Benzene	93.1	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/20/2019	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	22.6	1.00	"	"	"	KDK	"	"	
Xylenes, total	7.50	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	95.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW20

8/15/2019 12:28:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-20 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1902	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	103 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	96.5 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW21

8/15/2019 12:35:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-21 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1904	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	96.4 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.4 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW22

8/15/2019 12:40:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-22 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1904	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	95.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW23

8/15/2019 12:46:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-23 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1904	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	95.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW24

8/15/2019 12:53:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-24 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1904	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	93.9 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	103 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW25

8/15/2019 1:01:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-25 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1904	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	94.3 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

MW26

8/15/2019 1:10:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-26 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1904	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	95.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 88888887
 Project: KMG - Platteville Compressor Station

MW27

8/15/2019 1:15:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y908270-27 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9H1904	KDK	08/19/2019	08/20/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	95.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	103 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9H1902 - EPA 5030B (Water)

Blank (B9H1902-BLK1)

Prepared: 08/19/2019 Analyzed: 08/19/2019

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5	97.8		70-130			
Surrogate: Toluene-d8	61		"	62.5	98.3		70-130			
Surrogate: 4-Bromofluorobenzene	63		"	62.5	100		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 00000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9H1902 - EPA 5030B (Water)

LCS (B9H1902-BS1)

Prepared: 08/19/2019 Analyzed: 08/19/2019

Benzene	59.4	1.00	ug/L	50.0		119	70-130			
Toluene	54.4	1.00	"	50.0		109	70-130			
Ethylbenzene	52.8	1.00	"	50.0		106	70-130			
m,p-Xylene	106	2.00	"	100		106	70-130			
o-Xylene	54.0	1.00	"	50.0		108	70-130			
Surrogate: 1,2-Dichloroethane-d4	59		"	62.5		95.2	70-130			
Surrogate: Toluene-d8	61		"	62.5		97.5	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		99.1	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9H1902 - EPA 5030B (Water)

Matrix Spike (B9H1902-MS1)	Source: Y908270-11			Prepared: 08/19/2019 Analyzed: 08/19/2019						
Benzene	58.9	1.00	ug/L	50.0	ND	118	70-130			
Toluene	54.4	1.00	"	50.0	ND	109	70-130			
Ethylbenzene	52.5	1.00	"	50.0	0.080	105	70-130			
m,p-Xylene	104	2.00	"	100	0.480	104	70-130			
o-Xylene	53.7	1.00	"	50.0	ND	107	70-130			
Surrogate: 1,2-Dichloroethane-d4	58		"	62.5		92.4	70-130			
Surrogate: Toluene-d8	61		"	62.5		97.9	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		98.8	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9H1902 - EPA 5030B (Water)

Matrix Spike Dup (B9H1902-MSD1)	Source: Y908270-11			Prepared: 08/19/2019 Analyzed: 08/19/2019						
Benzene	60.0	1.00	ug/L	50.0	ND	120	70-130	1.83	20	
Toluene	56.0	1.00	"	50.0	ND	112	70-130	2.75	20	
Ethylbenzene	52.7	1.00	"	50.0	0.080	105	70-130	0.228	20	
m,p-Xylene	105	2.00	"	100	0.480	104	70-130	0.737	20	
o-Xylene	53.9	1.00	"	50.0	ND	108	70-130	0.409	20	
Surrogate: 1,2-Dichloroethane-d4	58		"	62.5		92.2	70-130			
Surrogate: Toluene-d8	61		"	62.5		98.1	70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5		98.0	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9H1904 - EPA 5030B (Water)

Blank (B9H1904-BLK1)

Prepared: 08/19/2019 Analyzed: 08/19/2019

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	68		"	62.5	109		70-130			
Surrogate: Toluene-d8	56		"	62.5	89.3		70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5	97.5		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9H1904 - EPA 5030B (Water)

LCS (B9H1904-BS1)

Prepared: 08/19/2019 Analyzed: 08/19/2019

Benzene	64.1	1.00	ug/L	50.0		128	70-130			
Toluene	51.0	1.00	"	50.0		102	70-130			
Ethylbenzene	47.0	1.00	"	50.0		93.9	70-130			
m,p-Xylene	97.4	2.00	"	100		97.4	70-130			
o-Xylene	49.4	1.00	"	50.0		98.9	70-130			
Surrogate: 1,2-Dichloroethane-d4	69		"	62.5		110	70-130			
Surrogate: Toluene-d8	55		"	62.5		87.7	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		98.6	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9H1904 - EPA 5030B (Water)

Matrix Spike (B9H1904-MS1)	Source: Y908266-01			Prepared: 08/19/2019 Analyzed: 08/19/2019						
Benzene	72.0	1.00	ug/L	50.0	9.45	125	70-130			
Toluene	47.9	1.00	"	50.0	ND	95.7	70-130			
Ethylbenzene	43.1	1.00	"	50.0	0.230	85.8	70-130			
m,p-Xylene	91.1	2.00	"	100	0.310	90.8	70-130			
o-Xylene	46.1	1.00	"	50.0	0.150	91.8	70-130			
Surrogate: 1,2-Dichloroethane-d4	72		"	62.5		115	70-130			
Surrogate: Toluene-d8	54		"	62.5		85.6	70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5		98.4	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #88711538,
 000000000
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9H1904 - EPA 5030B (Water)

Matrix Spike Dup (B9H1904-MSD1)	Source: Y908266-01			Prepared: 08/19/2019 Analyzed: 08/19/2019						
Benzene	71.6	1.00	ug/L	50.0	9.45	124	70-130	0.501	20	
Toluene	47.7	1.00	"	50.0	ND	95.4	70-130	0.335	20	
Ethylbenzene	42.8	1.00	"	50.0	0.230	85.2	70-130	0.698	20	
m,p-Xylene	89.3	2.00	"	100	0.310	89.0	70-130	1.94	20	
o-Xylene	45.8	1.00	"	50.0	0.150	91.3	70-130	0.610	20	
Surrogate: 1,2-Dichloroethane-d4	70		"	62.5		113	70-130			
Surrogate: Toluene-d8	53		"	62.5		85.5	70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		98.5	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO #88711538,
66666667
Project: KMG - Platteville Compressor Station

Notes and Definitions

U Sample is Non-Detect.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini For Noelle Doyle Mathis, President

December 05, 2019

LT Environmental, Inc.

Brian Sulzberger

4600 West 60th Avenue

Arvada CO 80003

**Project Name - KMG - Platteville Compressor
Station**

Project Number - 014213112/WO #899770

Attached are your analytical results for KMG - Platteville Compressor Station received by Origins Laboratory, Inc. December 02, 2019. This project is associated with Origins project number Y912023-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO #89977003
Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW01	Y912023-01	Water	December 2, 2019 12:58	12/02/2019 16:15
MW02	Y912023-02	Water	December 2, 2019 13:06	12/02/2019 16:15
MW03	Y912023-03	Water	December 2, 2019 13:14	12/02/2019 16:15
MW04	Y912023-04	Water	December 2, 2019 13:21	12/02/2019 16:15
MW05	Y912023-05	Water	December 2, 2019 13:29	12/02/2019 16:15
MW06	Y912023-06	Water	December 2, 2019 13:36	12/02/2019 16:15
MW07	Y912023-07	Water	December 2, 2019 13:45	12/02/2019 16:15
MW08	Y912023-08	Water	December 2, 2019 13:56	12/02/2019 16:15
MW09R	Y912023-09	Water	December 2, 2019 14:04	12/02/2019 16:15
MW10	Y912023-10	Water	December 2, 2019 14:10	12/02/2019 16:15
MW11	Y912023-11	Water	December 2, 2019 14:17	12/02/2019 16:15
MW12	Y912023-12	Water	December 2, 2019 14:24	12/02/2019 16:15
MW13	Y912023-13	Water	December 2, 2019 14:32	12/02/2019 16:15
MW14	Y912023-14	Water	December 2, 2019 14:40	12/02/2019 16:15

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO #89977003
Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW15	Y912023-15	Water	December 2, 2019 14:48	12/02/2019 16:15
MW16	Y912023-16	Water	December 2, 2019 14:54	12/02/2019 16:15
MW17	Y912023-17	Water	December 2, 2019 15:01	12/02/2019 16:15
MW18	Y912023-18	Water	December 2, 2019 15:09	12/02/2019 16:15
MW19	Y912023-19	Water	December 2, 2019 15:16	12/02/2019 16:15
MW20	Y912023-20	Water	December 2, 2019 15:24	12/02/2019 16:15
MW21	Y912023-21	Water	December 2, 2019 15:30	12/02/2019 16:15
MW22	Y912023-22	Water	December 2, 2019 15:36	12/02/2019 16:15
MW23	Y912023-23	Water	December 2, 2019 15:40	12/02/2019 16:15
MW24	Y912023-24	Water	December 2, 2019 15:46	12/02/2019 16:15
MW25	Y912023-25	Water	December 2, 2019 15:50	12/02/2019 16:15
MW26	Y912023-26	Water	December 2, 2019 15:56	12/02/2019 16:15
MW27	Y912023-27	Water	December 2, 2019 16:00	12/02/2019 16:15

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station



1912023

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Client: LT Environmental, Inc. Project Manager: Brian Sulzberger
 Project: KMG - Platteville Compressor Station Project Number: 014213112/WO #89977003
 Number Sample Identification Matrix Sample Date Sample Time Sampled By Container Qty Analyses

Number	Sample Identification	Matrix	Sample Date	Sample Time	Sampled By	Container	Qty	Analyses
01-001	MMW01	Water	12/21/19	1358	HAJ/S/DA	40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
02-001	MMW02	Water		1304		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
03-001	MMW03	Water		1314		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
04-001	MMW04	Water		1322		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
05-001	MMW05	Water		1329		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
06-001	MMW06	Water		1336		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
07-001	MMW07	Water		1345		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
08-001	MMW08	Water		1356		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
09-001	MMW09R	Water		1404		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
10-001	MMW10	Water		1410		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
11-001	MMW11	Water		1417		40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C

Relinquished By: [Signature] Date / Time: 12/21/19 1615
 Relinquished By: [Signature] Date / Time: 12/21/19 1615
 Received By: [Signature] Date / Time: [Blank]
 Received By: [Signature] Date / Time: [Blank]

Temperature on Receipt: 5.4
 Turn Around Time: 72-hr Standard 24-hr 48-hr

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

1912023

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

12-001	MW12	Water	12/2/19	1424	14013107X	2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
13-001	MW13	Water		1432		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
14-001	MW14	Water		1440		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
15-001	MW15	Water		1448		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
16-001	MW16	Water		1454		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
17-001	MW17	Water		1501		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
18-001	MW18	Water		1509		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
19-001	MW19	Water		1516		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
20-001	MW20	Water		1524		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
21-001	MW21	Water		1530		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
22-001	MW22	Water		1536		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
23-001	MW23	Water		1540		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
24-001	MW24	Water		1546		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
25-001	MW25	Water		1550		2 40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C

Relinquished By: [Signature] Date / Time: 12/2/2019 10:55

Received By: _____ Date / Time: _____

Relinquished By: [Signature] Date / Time: 12/2/19 16:15

Received By: [Signature] Date / Time: _____

Temperature on Receipt: 54

Turn Around Time: Same Day 24-hr 72-hr Standard 48-hr

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station



1/12/2013

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

26-001	MW26	Water	1/12/2013	1550	HQ, JF, DH	40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C
27-001	MW27	Water	1/12/2013	1600	J	40mL Amber VOA Vial - HC	3	BTEX by EPA 8260C

Relinquished By: Date/Time: 1/22/09 10:05

Received By: Date/Time: 1/22/09 16:15

Temperature on Receipt: 5.4

Turn Around Time: Same Day 24-hr 48-hr 72-hr Standard

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

Origins Laboratory

F-012207-01-R1
 Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: Y912023

Client: LTE
 Client Project ID: Platteville Compressor

Checklist Completed by: JG
 Date/time completed: 12/3/2019

Shipped Via: HD
(UPS, FedEx, Hand Delivered, Pick-up, etc.)
 Airbill #: N/A

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other: _____

Cooler Number/Temperature: 1 / 5.4 °C _____ / _____ °C _____ / _____ °C (Describe) _____ °C

Thermometer ID: T003

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>			
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?		<input checked="" type="checkbox"/>		
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
For volatiles in water – is there headspace (> 1/4 inch bubble) present? If yes, contact client and note in narrative.		<input checked="" type="checkbox"/>		
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO ₃ , HCL, H ₂ SO ₄) / (pH >10 for samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH)		<input checked="" type="checkbox"/>		
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

[Signature]
 Reviewed by (Project Manager)

12/4/19
 Date/Time Reviewed

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW01

12/2/2019 12:58:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-01 (Water)

BTEX by EPA 8260D

Benzene	455	4.00	ug/L	4	B9L0309	ZZZ	12/03/2019	12/05/2019	
Toluene	ND	1.00	"	1	"	ZZZ	"	12/05/2019	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	66.2	1.00	"	"	"	ZZZ	"	"	

Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"		
Surrogate: Toluene-d8	97.2 %	70-130			"	"	"		
Surrogate: 4-Bromofluorobenzene	93.9 %	70-130			"	"	"		

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW02

12/2/2019 1:06:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-02 (Water)

BTEX by EPA 8260D

Benzene	2270	50.0	ug/L	50	B9L0309	ZZZ	12/03/2019	12/05/2019	
Toluene	ND	50.0	"	"	"	ZZZ	"	"	U
Ethylbenzene	175	50.0	"	"	"	ZZZ	"	"	
Xylenes, total	2070	50.0	"	"	"	ZZZ	"	"	

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	96.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	93.9 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW03

12/2/2019 1:14:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-03 (Water)

BTEX by EPA 8260D

Benzene	1860	50.0	ug/L	50	B9L0309	ZZZ	12/03/2019	12/05/2019	
Toluene	ND	50.0	"	"	"	ZZZ	"	"	U
Ethylbenzene	107	50.0	"	"	"	ZZZ	"	"	
Xylenes, total	694	50.0	"	"	"	ZZZ	"	"	

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	94.0 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW04

12/2/2019 1:21:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-04 (Water)

BTEX by EPA 8260D

Benzene	3.67	1.00	ug/L	1	B9L0309	ZZZ	12/03/2019	12/05/2019	
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	33.8	1.00	"	"	"	ZZZ	"	"	
Xylenes, total	13.2	1.00	"	"	"	ZZZ	"	"	

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	93.8 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW05

12/2/2019 1:29:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-05 (Water)

BTEX by EPA 8260D

Benzene	1.87	1.00	ug/L	1	B9L0309	ZZZ	12/03/2019	12/05/2019	
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	47.5	1.00	"	"	"	ZZZ	"	"	

Surrogate: 1,2-Dichloroethane-d4	109 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	93.9 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW06

12/2/2019 1:36:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-06 (Water)

BTEX by EPA 8260D

Benzene	874	50.0	ug/L	50	B9L0309	ZZZ	12/03/2019	12/05/2019	
Toluene	ND	50.0	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	50.0	"	"	"	ZZZ	"	"	U
Xylenes, total	646	50.0	"	"	"	ZZZ	"	"	

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	104 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	96.7 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW07

12/2/2019 1:45:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-07 (Water)

BTEX by EPA 8260D

Benzene	105	1.00	ug/L	1	B9L0309	ZZZ	12/03/2019	12/05/2019	
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	2.38	1.00	"	"	"	ZZZ	"	"	
Xylenes, total	34.3	1.00	"	"	"	ZZZ	"	"	

Surrogate: 1,2-Dichloroethane-d4	105 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	96.5 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW08

12/2/2019 1:56:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-08 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0309	ZZZ	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.7 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW09R

12/2/2019 2:04:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-09 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0309	ZZZ	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	96.8 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW10
12/2/2019 2:10:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-10 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0309	ZZZ	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	94.1 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW11

12/2/2019 2:17:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-11 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0309	ZZZ	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	94.4 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW12
12/2/2019 2:24:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-12 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0309	ZZZ	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.4 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	93.0 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW13

12/2/2019 2:32:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-13 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0309	ZZZ	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	109 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.3 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW14
12/2/2019 2:40:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-14 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0309	ZZZ	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.6 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.4 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW15

12/2/2019 2:48:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-15 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0309	KDK	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	85.0 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	96.5 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.5 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW16

12/2/2019 2:54:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-16 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0309	KDK	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	86.2 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	93.6 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW17

12/2/2019 3:01:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-17 (Water)

BTEX by EPA 8260D

Benzene	328	10.0	ug/L	10	B9L0309	KDK	12/03/2019	12/05/2019	
Toluene	193	10.0	"	"	"	KDK	"	"	
Ethylbenzene	172	10.0	"	"	"	KDK	"	"	
Xylenes, total	2550	10.0	"	"	"	KDK	"	"	
Surrogate: 1,2-Dichloroethane-d4	85.9 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.4 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	96.1 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW18
12/2/2019 3:09:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-18 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0309	KDK	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	86.3 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.5 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	94.5 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW19
12/2/2019 3:16:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-19 (Water)

BTEX by EPA 8260D

Benzene	1.40	1.00	ug/L	1	B9L0309	KDK	12/03/2019	12/05/2019	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	2.00	1.00	"	"	"	KDK	"	"	
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	86.7 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.1 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW20
12/2/2019 3:24:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-20 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0309	KDK	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	87.4 %	70-130				"	"	"	
Surrogate: Toluene-d8	97.5 %	70-130				"	"	"	
Surrogate: 4-Bromofluorobenzene	95.0 %	70-130				"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW21

12/2/2019 3:30:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-21 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0311	KDK	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	86.6 %	70-130				"	"	"	
Surrogate: Toluene-d8	97.9 %	70-130				"	"	"	
Surrogate: 4-Bromofluorobenzene	94.5 %	70-130				"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW22

12/2/2019 3:36:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-22 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0311	KDK	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	85.7 %	70-130				"	"	"	
Surrogate: Toluene-d8	98.2 %	70-130				"	"	"	
Surrogate: 4-Bromofluorobenzene	94.2 %	70-130				"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW23

12/2/2019 3:40:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-23 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0311	KDK	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	86.6 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.9 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	93.7 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW24

12/2/2019 3:46:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-24 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0311	KDK	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	87.5 %	70-130				"	"	"	
Surrogate: Toluene-d8	97.5 %	70-130				"	"	"	
Surrogate: 4-Bromofluorobenzene	95.3 %	70-130				"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW25

12/2/2019 3:50:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-25 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0311	KDK	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	86.0 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	96.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	94.3 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW26

12/2/2019 3:56:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-26 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0311	KDK	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	87.7 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	93.2 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

MW27

12/2/2019 4:00:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y912023-27 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B9L0311	KDK	12/03/2019	12/05/2019	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	87.1 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.3 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	93.5 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9L0309 - EPA 5030B (Water)

Blank (B9L0309-BLK1)

Prepared: 12/03/2019 Analyzed: 12/04/2019

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	66		"	62.5		105	70-130			
Surrogate: Toluene-d8	64		"	62.5		102	70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5		97.1	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9L0309 - EPA 5030B (Water)

LCS (B9L0309-BS1)

Prepared: 12/03/2019 Analyzed: 12/04/2019

Benzene	36.8	1.00	ug/L	50.0		73.6	70-130			
Toluene	38.0	1.00	"	50.0		75.9	70-130			
Ethylbenzene	37.4	1.00	"	50.0		74.8	70-130			
m,p-Xylene	76.1	2.00	"	100		76.1	70-130			
o-Xylene	40.1	1.00	"	50.0		80.2	70-130			
Surrogate: 1,2-Dichloroethane-d4	69		"	62.5		110	70-130			
Surrogate: Toluene-d8	64		"	62.5		102	70-130			
Surrogate: 4-Bromofluorobenzene	60		"	62.5		95.3	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9L0309 - EPA 5030B (Water)

Matrix Spike (B9L0309-MS1)	Source: Y912023-08			Prepared: 12/03/2019 Analyzed: 12/04/2019						
Benzene	38.8	1.00	ug/L	50.0	0.150	77.4	70-130			
Toluene	39.2	1.00	"	50.0	ND	78.3	70-130			
Ethylbenzene	39.6	1.00	"	50.0	ND	79.1	70-130			
m,p-Xylene	80.4	2.00	"	100	0.310	80.0	70-130			
o-Xylene	43.4	1.00	"	50.0	ND	86.7	70-130			
Surrogate: 1,2-Dichloroethane-d4	70		"	62.5		111	70-130			
Surrogate: Toluene-d8	64		"	62.5		103	70-130			
Surrogate: 4-Bromofluorobenzene	57		"	62.5		90.9	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9L0309 - EPA 5030B (Water)

Matrix Spike Dup (B9L0309-MSD1)	Source: Y912023-08			Prepared: 12/03/2019 Analyzed: 12/05/2019						
Benzene	38.7	1.00	ug/L	50.0	0.150	77.1	70-130	0.439	20	
Toluene	37.4	1.00	"	50.0	ND	74.7	70-130	4.73	20	
Ethylbenzene	38.5	1.00	"	50.0	ND	77.0	70-130	2.74	20	
m,p-Xylene	78.3	2.00	"	100	0.310	78.0	70-130	2.61	20	
o-Xylene	41.3	1.00	"	50.0	ND	82.5	70-130	4.94	20	
Surrogate: 1,2-Dichloroethane-d4	70		"	62.5		112	70-130			
Surrogate: Toluene-d8	61		"	62.5		98.1	70-130			
Surrogate: 4-Bromofluorobenzene	58		"	62.5		93.5	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9L0311 - EPA 5030B (Water)

Blank (B9L0311-BLK1)

Prepared: 12/03/2019 Analyzed: 12/04/2019

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	64		"	62.5		103	70-130			
Surrogate: Toluene-d8	63		"	62.5		101	70-130			
Surrogate: 4-Bromofluorobenzene	61		"	62.5		97.7	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9L0311 - EPA 5030B (Water)

LCS (B9L0311-BS1)

Prepared: 12/03/2019 Analyzed: 12/04/2019

Benzene	42.6	1.00	ug/L	50.0		85.2	70-130			
Toluene	45.6	1.00	"	50.0		91.2	70-130			
Ethylbenzene	45.2	1.00	"	50.0		90.4	70-130			
m,p-Xylene	90.9	2.00	"	100		90.9	70-130			
o-Xylene	45.8	1.00	"	50.0		91.5	70-130			
Surrogate: 1,2-Dichloroethane-d4	67		"	62.5		108	70-130			
Surrogate: Toluene-d8	63		"	62.5		101	70-130			
Surrogate: 4-Bromofluorobenzene	59		"	62.5		93.8	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9L0311 - EPA 5030B (Water)

Matrix Spike (B9L0311-MS1)	Source: Y912020-01			Prepared: 12/03/2019 Analyzed: 12/04/2019						
Benzene	38.9	1.00	ug/L	50.0	ND	77.9	70-130			
Toluene	43.0	1.00	"	50.0	ND	86.0	70-130			
Ethylbenzene	42.1	1.00	"	50.0	0.100	84.0	70-130			
m,p-Xylene	84.5	2.00	"	100	ND	84.5	70-130			
o-Xylene	44.1	1.00	"	50.0	ND	88.2	70-130			
Surrogate: 1,2-Dichloroethane-d4	67		"	62.5		107	70-130			
Surrogate: Toluene-d8	69		"	62.5		110	70-130			
Surrogate: 4-Bromofluorobenzene	57		"	62.5		91.5	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO #89977003
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B9L0311 - EPA 5030B (Water)

Matrix Spike Dup (B9L0311-MSD1)	Source: Y912020-01			Prepared: 12/03/2019 Analyzed: 12/04/2019						
Benzene	48.6	1.00	ug/L	50.0	ND	97.1	70-130	22.0	20	QR-02
Toluene	47.7	1.00	"	50.0	ND	95.4	70-130	10.4	20	
Ethylbenzene	50.5	1.00	"	50.0	0.100	101	70-130	18.0	20	
m,p-Xylene	101	2.00	"	100	ND	101	70-130	18.1	20	
o-Xylene	51.5	1.00	"	50.0	ND	103	70-130	15.5	20	
Surrogate: 1,2-Dichloroethane-d4	70		"	62.5		112	70-130			
Surrogate: Toluene-d8	61		"	62.5		98.0	70-130			
Surrogate: 4-Bromofluorobenzene	60		"	62.5		96.2	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO #89977003
Project: KMG - Platteville Compressor Station

Notes and Definitions

U Sample is Non-Detect.

QR-02 The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini For Noelle Doyle Mathis, President



March 03, 2020

LT Environmental, Inc.

Brian Sulzberger

4600 West 60th Avenue

Arvada CO 80003

**Project Name - KMG - Platteville Compressor
Station**

Project Number - 014213112/WO #887115

Attached are your analytical results for KMG - Platteville Compressor Station received by Origins Laboratory, Inc. February 25, 2020. This project is associated with Origins project number Y002364-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW01	Y002364-01	Water	February 25, 2020 9:30	02/25/2020 14:30
MW02	Y002364-02	Water	February 25, 2020 9:40	02/25/2020 14:30
MW03	Y002364-03	Water	February 25, 2020 9:50	02/25/2020 14:30
MW04	Y002364-04	Water	February 25, 2020 10:00	02/25/2020 14:30
MW05	Y002364-05	Water	February 25, 2020 10:10	02/25/2020 14:30
MW06	Y002364-06	Water	February 25, 2020 10:20	02/25/2020 14:30
MW07	Y002364-07	Water	February 25, 2020 10:30	02/25/2020 14:30
MW08	Y002364-08	Water	February 25, 2020 10:40	02/25/2020 14:30
MW09R	Y002364-09	Water	February 25, 2020 10:50	02/25/2020 14:30
MW10	Y002364-10	Water	February 25, 2020 11:00	02/25/2020 14:30
MW11	Y002364-11	Water	February 25, 2020 11:10	02/25/2020 14:30
MW12	Y002364-12	Water	February 25, 2020 11:20	02/25/2020 14:30
MW13	Y002364-13	Water	February 25, 2020 11:30	02/25/2020 14:30
MW14	Y002364-14	Water	February 25, 2020 11:40	02/25/2020 14:30

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW15	Y002364-15	Water	February 25, 2020 11:50	02/25/2020 14:30
MW16	Y002364-16	Water	February 25, 2020 12:00	02/25/2020 14:30
MW17	Y002364-17	Water	February 25, 2020 12:10	02/25/2020 14:30
MW18	Y002364-18	Water	February 25, 2020 12:20	02/25/2020 14:30
MW19	Y002364-19	Water	February 25, 2020 12:30	02/25/2020 14:30
MW20	Y002364-20	Water	February 25, 2020 12:40	02/25/2020 14:30
MW21	Y002364-21	Water	February 25, 2020 12:50	02/25/2020 14:30
MW22	Y002364-22	Water	February 25, 2020 13:00	02/25/2020 14:30
MW23	Y002364-23	Water	February 25, 2020 13:10	02/25/2020 14:30
MW24	Y002364-24	Water	February 25, 2020 13:20	02/25/2020 14:30
MW25	Y002364-25	Water	February 25, 2020 13:30	02/25/2020 14:30
MW26	Y002364-26	Water	February 25, 2020 13:40	02/25/2020 14:30
MW27	Y002364-27	Water	February 25, 2020 13:50	02/25/2020 14:30

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

www.originslaboratory.com
 page 1 of 3
 400234
ORIGINS
 LABORATORY, INC

Client: LT Environmental
 Address: 4600 W. 60th Ave
Arvada CO 80003
 Telephone Number: 303-433-9788
 Email Address: KMG Group
 Project Manager: Brian Sulzberger
 Project Name: Platteville Compressor Station
 Project Number: 014213112
 Samples Collected By: RT+KM

1725 Elk Place | Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645

Sample ID Description	Date Sampled	Time Sampled	# of Containers	Preservative				Matrix			Analysis	Sample Instructions		
				Unpreserved	HCl	HNO ₃	Other	Groundwater	Soil	Air Summa #				
MW01	2-25-20	0930	3	X				X						
MW02		0940	1											
MW03		0950	1											
MW04		1000	1											
MW05		1010	1											
MW06		1020	1											
MW07		1030	1											
MW08		1040	1											
MW09R		1050	1											
MW10		1100	1											
Relinquished By:				Date:	2-25-20	Time:	1430	Received By:		Date:	2/25/20	Time:	1430	Turnaround Time:
Relinquished By:				Date:		Time:		Received By:		Date:		Time:		Same Day <input type="checkbox"/>
														24 Hr <input type="checkbox"/>
														48 Hr <input type="checkbox"/>
														Standard <input checked="" type="checkbox"/>

Temp Received- 5.7
 Date Results Needed

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

www.originslaboratory.com

page 2 of 3

ORIGINS
 LABORATORY, INC

7002364

Client: LT Environmental
 Address: 4600 W. 60th Ave
Arvada CO 80003
 Telephone Number: 303-433-9788
 Email Address: KMG Group

Project Manager: Brian Sulzberger
 Project Name: Platteville Compressor Station
 Project Number: 014213112
 Samples Collected By: RTKM

Sample ID Description	Date Sampled	Time Sampled	# of Containers	Preservative				Matrix				Analysis	Sample Instructions	
				Unpreserved	HCl	HNO ₃	Other	Groundwater	Soil	Air/Summ#	Other			
MW11	2-25-20	1110	3	X				X						
MW12		1120												
MW13		1130												
MW14		1140												
MW15		1150												
MW16		1200												
MW17		1210												
MW18		1220												
MW19		1230												
MW20		1240												
Relinquished By: <u>[Signature]</u>	Date: <u>2-25-20</u>	Time: <u>1430</u>	Received By: <u>[Signature]</u>	Date: <u>2/25/20</u>	Time: <u>1430</u>	Date: <u>2/25/20</u>	Time: <u>1430</u>	Turnaround Time: Same Day <input type="checkbox"/> 24 Hr <input type="checkbox"/> 48 Hr <input type="checkbox"/> 72 Hr <input checked="" type="checkbox"/> Standard						

Date Results Needed

Temp Received: 5.7

Date Results Needed

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Origins Laboratory

F-012207-01-R1
 Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: Y002364

Client: LTE
 Client Project ID: Platteville Compressor

Checklist Completed by: JG

Shipped Via: HD
 (UPS, FedEx, Hand Delivered, Pick-up, etc.)
 Airbill #: N/A

Date/time completed: 2/25/2020

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other:

Cooler Number/Temperature: 1 / 5.7 °C / _____ °C / _____ °C (Describe)

Thermometer ID: T003

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>			
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		<input checked="" type="checkbox"/>		
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?		<input checked="" type="checkbox"/>		
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>			
For volatiles in water — is there headspace (> 1/8 inch bubble) present? If yes, contact client and note in narrative.		<input checked="" type="checkbox"/>		
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO ₃ , HCL, H ₂ SO ₄) / (pH >10 for samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH)		<input checked="" type="checkbox"/>		
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action in the additional comments (above) and the case narrative.

MS
 Reviewed by (Project Manager)

8/26/20
 Date/Time Reviewed

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW01

2/25/2020 9:30:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-01 (Water)

BTEX by EPA 8260D

Benzene	ND	4.00	ug/L	4	B0B2605	KDK	02/26/2020	03/02/2020	U
Toluene	ND	4.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	4.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	4.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	104 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.6 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW02

2/25/2020 9:40:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-02 (Water)

BTEX by EPA 8260D

Benzene	752	50.0	ug/L	50	B0B2605	KDK	02/26/2020	02/29/2020	
Toluene	ND	50.0	"	"	"	KDK	"	"	U
Ethylbenzene	140	50.0	"	"	"	KDK	"	"	
Xylenes, total	1620	50.0	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	108 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

MW03

2/25/2020 9:50:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-03 (Water)

BTEX by EPA 8260D

Benzene	1950	50.0	ug/L	50	B0B2605	KDK	02/26/2020	02/29/2020	
Toluene	ND	50.0	"	"	"	KDK	"	"	U
Ethylbenzene	106	50.0	"	"	"	KDK	"	"	
Xylenes, total	604	50.0	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	109 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.1 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW04

2/25/2020 10:00:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-04 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	2.65	1.00	"	"	"	KDK	"	"	
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	113 %	70-130			"	"		"	
Surrogate: Toluene-d8	92.8 %	70-130			"	"		"	
Surrogate: 4-Bromofluorobenzene	99.6 %	70-130			"	"		"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW05

2/25/2020 10:10:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-05 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	111 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	115 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW06

2/25/2020 10:20:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-06 (Water)

BTEX by EPA 8260D

Benzene	1080	50.0	ug/L	50	B0B2605	KDK	02/26/2020	02/29/2020	
Toluene	ND	50.0	"	"	"	KDK	"	"	U
Ethylbenzene	ND	50.0	"	"	"	KDK	"	"	U
Xylenes, total	377	50.0	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	94.0 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW07

2/25/2020 10:30:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-07 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	116 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	103 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW08

2/25/2020 10:40:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-08 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	109 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.4 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW09R

2/25/2020 10:50:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-09 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	110 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.9 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW10
2/25/2020 11:00:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-10 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	88.3 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW11

2/25/2020 11:10:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-11 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	118 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW12
2/25/2020 11:20:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-12 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	72.8 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW13

2/25/2020 11:30:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-13 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	91.8 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	98.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW14
2/25/2020 11:40:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-14 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW15
2/25/2020 11:50:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-15 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.2 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.8 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW16

2/25/2020 12:00:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-16 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	94.2 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW17

2/25/2020 12:10:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-17 (Water)

BTEX by EPA 8260D

Benzene	103	50.0	ug/L	50	B0B2605	KDK	02/26/2020	02/29/2020	
Toluene	ND	50.0	"	"	"	KDK	"	"	U
Ethylbenzene	162	50.0	"	"	"	KDK	"	"	
Xylenes, total	2240	50.0	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	106 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.6 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW18

2/25/2020 12:20:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-18 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	03/02/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	102 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	86.9 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW19

2/25/2020 12:30:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-19 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2605	KDK	02/26/2020	03/02/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	109 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW20

2/25/2020 12:40:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-20 (Water)

BTEX by EPA 8260D

Benzene	1.17	1.00	ug/L	1	B0B2605	KDK	02/26/2020	03/02/2020	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	26.2	1.00	"	"	"	KDK	"	"	
Xylenes, total	121	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	97.9 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	81.8 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	98.2 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW21

2/25/2020 12:50:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-21 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2606	ZZZ	02/26/2020	02/28/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	95.9 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.7 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	97.4 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW22

2/25/2020 1:00:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-22 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2606	ZZZ	02/26/2020	02/28/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	94.6 %	70-130			"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	
Surrogate: 4-Bromofluorobenzene	98.0 %	70-130			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW23

2/25/2020 1:10:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-23 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2606	ZZZ	02/26/2020	02/28/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	94.7 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95.7 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW24

2/25/2020 1:20:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-24 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2606	ZZZ	02/26/2020	02/28/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	93.4 %	70-130			"	"	"		
Surrogate: Toluene-d8	98.0 %	70-130			"	"	"		
Surrogate: 4-Bromofluorobenzene	98.7 %	70-130			"	"	"		

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW25

2/25/2020 1:30:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-25 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2606	ZZZ	02/26/2020	02/28/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	93.5 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	97.6 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	99.0 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW26
2/25/2020 1:40:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-26 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2606	ZZZ	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	93.5 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	96.4 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW27

2/25/2020 1:50:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y002364-27 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0B2606	ZZZ	02/26/2020	02/29/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	94.6 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.9 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	97.6 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B2605 - EPA 5030B (Water)

Blank (B0B2605-BLK1)

Prepared: 02/26/2020 Analyzed: 02/28/2020

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	68		"	62.5	108		70-130			
Surrogate: Toluene-d8	63		"	62.5	101		70-130			
Surrogate: 4-Bromofluorobenzene	63		"	62.5	101		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B2605 - EPA 5030B (Water)

LCS (B0B2605-BS1)

Prepared: 02/28/2020 Analyzed: 02/28/2020

Benzene	47.2	1.00	ug/L	50.0		94.3	70-130			
Toluene	49.1	1.00	"	50.0		98.3	70-130			
Ethylbenzene	47.5	1.00	"	50.0		95.0	70-130			
m,p-Xylene	97.8	2.00	"	100		97.8	70-130			
o-Xylene	50.5	1.00	"	50.0		101	70-130			
Surrogate: 1,2-Dichloroethane-d4	65		"	62.5		104	70-130			
Surrogate: Toluene-d8	64		"	62.5		102	70-130			
Surrogate: 4-Bromofluorobenzene	64		"	62.5		103	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B2605 - EPA 5030B (Water)

Matrix Spike (B0B2605-MS1)	Source: Y002364-04			Prepared: 02/26/2020 Analyzed: 02/28/2020						
Benzene	49.0	1.00	ug/L	50.0	ND	98.1	70-130			
Toluene	49.1	1.00	"	50.0	ND	98.3	70-130			
Ethylbenzene	49.8	1.00	"	50.0	2.65	94.2	70-130			
m,p-Xylene	93.9	2.00	"	100	0.830	93.1	70-130			
o-Xylene	50.5	1.00	"	50.0	ND	101	70-130			
Surrogate: 1,2-Dichloroethane-d4	65		"	62.5		104	70-130			
Surrogate: Toluene-d8	63		"	62.5		101	70-130			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		102	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B2605 - EPA 5030B (Water)

Matrix Spike Dup (B0B2605-MSD1)	Source: Y002364-04			Prepared: 02/26/2020 Analyzed: 02/28/2020						
Benzene	50.8	1.00	ug/L	50.0	ND	102	70-130	3.56	20	
Toluene	48.1	1.00	"	50.0	ND	96.2	70-130	2.10	20	
Ethylbenzene	58.2	1.00	"	50.0	2.65	111	70-130	15.6	20	
m,p-Xylene	98.0	2.00	"	100	0.830	97.2	70-130	4.23	20	
o-Xylene	50.4	1.00	"	50.0	ND	101	70-130	0.218	20	
Surrogate: 1,2-Dichloroethane-d4	71		"	62.5		113	70-130			
Surrogate: Toluene-d8	64		"	62.5		102	70-130			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		101	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B2606 - EPA 5030B (Water)

Blank (B0B2606-BLK1)

Prepared: 02/26/2020 Analyzed: 02/28/2020

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	60		"	62.5	95.4		70-130			
Surrogate: Toluene-d8	64		"	62.5	103		70-130			
Surrogate: 4-Bromofluorobenzene	62		"	62.5	99.1		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B2606 - EPA 5030B (Water)

LCS (B0B2606-BS1)

Prepared: 02/26/2020 Analyzed: 02/28/2020

Benzene	49.9	1.00	ug/L	50.0		99.8	70-130			
Toluene	55.7	1.00	"	50.0		111	70-130			
Ethylbenzene	55.2	1.00	"	50.0		110	70-130			
m,p-Xylene	110	2.00	"	100		110	70-130			
o-Xylene	55.9	1.00	"	50.0		112	70-130			
Surrogate: 1,2-Dichloroethane-d4	55		"	62.5		87.9	70-130			
Surrogate: Toluene-d8	67		"	62.5		107	70-130			
Surrogate: 4-Bromofluorobenzene	59		"	62.5		93.6	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B2606 - EPA 5030B (Water)

Matrix Spike (B0B2606-MS1)	Source: Y002365-01			Prepared: 02/26/2020 Analyzed: 02/28/2020						
Benzene	50.3	1.00	ug/L	50.0	ND	101	70-130			
Toluene	58.6	1.00	"	50.0	ND	117	70-130			
Ethylbenzene	57.0	1.00	"	50.0	0.060	114	70-130			
m,p-Xylene	113	2.00	"	100	ND	113	70-130			
o-Xylene	57.8	1.00	"	50.0	ND	116	70-130			
Surrogate: 1,2-Dichloroethane-d4	64		"	62.5		103	70-130			
Surrogate: Toluene-d8	69		"	62.5		110	70-130			
Surrogate: 4-Bromofluorobenzene	58		"	62.5		92.8	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B2606 - EPA 5030B (Water)

Matrix Spike Dup (B0B2606-MSD1)	Source: Y002365-01			Prepared: 02/26/2020 Analyzed: 02/28/2020						
Benzene	48.5	1.00	ug/L	50.0	ND	97.1	70-130	3.66	20	
Toluene	56.7	1.00	"	50.0	ND	113	70-130	3.33	20	
Ethylbenzene	56.8	1.00	"	50.0	0.060	113	70-130	0.457	20	
m,p-Xylene	111	2.00	"	100	ND	111	70-130	1.56	20	
o-Xylene	55.6	1.00	"	50.0	ND	111	70-130	3.83	20	
Surrogate: 1,2-Dichloroethane-d4	63		"	62.5		101	70-130			
Surrogate: Toluene-d8	69		"	62.5		111	70-130			
Surrogate: 4-Bromofluorobenzene	57		"	62.5		90.8	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

Notes and Definitions

U Sample is Non-Detect.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini For Noelle Doyle Mathis, President



May 13, 2020

LT Environmental, Inc.

Brian Sulzberger

4600 West 60th Avenue

Arvada CO 80003

**Project Name - KMG - Platteville Compressor
Station**

Project Number - 014213112/WO #887115

Attached are your analytical results for KMG - Platteville Compressor Station received by Origins Laboratory, Inc. May 06, 2020. This project is associated with Origins project number Y005074-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW01	Y005074-01	Water	May 6, 2020 13:20	05/06/2020 16:10
MW02	Y005074-02	Water	May 6, 2020 13:31	05/06/2020 16:10
MW03	Y005074-03	Water	May 6, 2020 12:57	05/06/2020 16:10
MW04	Y005074-04	Water	May 6, 2020 12:42	05/06/2020 16:10
MW05	Y005074-05	Water	May 6, 2020 12:34	05/06/2020 16:10
MW06	Y005074-06	Water	May 6, 2020 14:34	05/06/2020 16:10
MW07	Y005074-07	Water	May 6, 2020 13:51	05/06/2020 16:10
MW08	Y005074-08	Water	May 6, 2020 12:26	05/06/2020 16:10
MW09R	Y005074-09	Water	May 6, 2020 14:11	05/06/2020 16:10
MW10	Y005074-10	Water	May 6, 2020 10:07	05/06/2020 16:10
MW11	Y005074-11	Water	May 6, 2020 9:58	05/06/2020 16:10
MW12	Y005074-12	Water	May 6, 2020 12:51	05/06/2020 16:10
MW13	Y005074-13	Water	May 6, 2020 13:40	05/06/2020 16:10
MW14	Y005074-14	Water	May 6, 2020 14:02	05/06/2020 16:10

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW15	Y005074-15	Water	May 6, 2020 14:20	05/06/2020 16:10
MW16	Y005074-16	Water	May 6, 2020 12:53	05/06/2020 16:10
MW17	Y005074-17	Water	May 6, 2020 14:44	05/06/2020 16:10
MW18	Y005074-18	Water	May 6, 2020 12:13	05/06/2020 16:10
MW19	Y005074-19	Water	May 6, 2020 12:20	05/06/2020 16:10
MW20	Y005074-20	Water	May 6, 2020 12:38	05/06/2020 16:10
MW21	Y005074-21	Water	May 6, 2020 12:45	05/06/2020 16:10
MW22	Y005074-22	Water	May 6, 2020 14:28	05/06/2020 16:10
MW23	Y005074-23	Water	May 6, 2020 12:04	05/06/2020 16:10
MW24	Y005074-24	Water	May 6, 2020 12:15	05/06/2020 16:10
MW25	Y005074-25	Water	May 6, 2020 12:07	05/06/2020 16:10
MW26	Y005074-26	Water	May 6, 2020 12:28	05/06/2020 16:10
MW27	Y005074-27	Water	May 6, 2020 12:57	05/06/2020 16:10

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station



1005074 / 073

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

Client:	Project	Project Manager	Project Number	Sample Date	Matrix	Sample Time	Container	Qty	Analyses
LT Environmental, Inc.	KMG - Platteville Compressor Sta	Brian Sulzberger	014213112/WO #88711538	5-6-20	Water	1320	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
					Water	1331	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
					Water	1357	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
					Water	1242	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
					Water	1234	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
					Water	1434	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
					Water	1351	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
					Water	1226	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
					Water	1411	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
					Water	1007	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
					Water	0958	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C

Relinquished By: *[Signature]* Date / Time: 5/6/20 1610
 Relinquished By: *[Signature]* Date / Time: 5/6/20 1610
 Received By: *[Signature]* Date / Time: 5/6/20 1610
 Received By: *[Signature]* Date / Time: 5/6/20 1610
 Temperature on Receipt: 5.3
 Turn Around Time: 72-hr Standard

Origins Laboratory, Inc.

[Signature]

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

105074

2 of 3

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

12-001	MW12	Water	5-6-20	1251	RN	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
13-001	MW13	Water		1340	RN	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
14-001	MW14	Water		1402	RN	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
15-001	MW15	Water		1420	RN	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
16-001	MW16	Water		1253	KM	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
17-001	MW17	Water		1444	RN	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
18-001	MW18	Water		1213	RN	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
19-001	MW19	Water		1220	KM	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
20-001	MW20	Water		1238	KM	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
21-001	MW21	Water		1245	KM	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
22-001	MW22	Water		1428	RN	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
23-001	MW23	Water		1204	RN	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
24-001	MW24	Water		1215	RN	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C
25-001	MW25	Water		1207	RN	40mL Amber VOA Vial - H	3	BTEX by EPA 8260C

Relinquished By: *[Signature]* Date / Time: 5/6/20 1610

Received By: *[Signature]* Date / Time: _____

Temperature on Receipt: *SS*

Turn Around Time: Same Day 72-hr 24-hr Standard 48-hr

Origins Laboratory, Inc.

[Signature]

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

ORIGINS
 LABORATORY, INC

7005074

3 of 3

1725 Elk Place, Denver, CO 80211
 Laboratory # - 303.433.1322

26-001	MW26	Water	5-6-20	1223	6M	40mL-Amber VOA Vial - H	3	BTEX by EPA 8260C
27-001	MW27	Water	1	1257	6M	40mL-Amber VOA Vial - H	3	BTEX by EPA 8260C

Relinquished By: *[Signature]* Date / Time: 5/6/20 16:10
 Received By: _____ Date / Time: _____

Relinquished By: *[Signature]* Date / Time: 5/6/20 16:10
 Received By: _____ Date / Time: _____

Temperature on Receipt: 5.9
 Turn Around Time: 72-hr Standard
 Same Day: 24-hr 48-hr

Origins Laboratory, Inc.

[Signature]

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Origins Laboratory

F-012207-01-R1
 Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: Y005074

Client: LTE
 Client Project ID: Platteville Compressor

Checklist Completed by: JG
 Date/time completed: 5/7/2020

Shipped Via: HD
 (UPS, FedEx, Hand Delivered, Pick-up, etc.)
 Airbill #: N/A

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other: _____ (Describe)

Cooler Number/Temperature: 1 / 5.3 °C / °C / °C

Thermometer ID: T003

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)(pH <2 for samples preserved with HNO ₃ , HCL, H ₂ SO ₄) / (pH >10 for samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Jm
 Reviewed by (Project Manager)

5-8-20
 Date/Time Reviewed

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW01

5/6/2020 1:20:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-01 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	99.7 %	70-130				"	"	"	
Surrogate: Toluene-d8	104 %	70-130				"	"	"	
Surrogate: 4-Bromofluorobenzene	123 %	70-130				"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW02

5/6/2020 1:31:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-02 (Water)

BTEX by EPA 8260D

Benzene	1040	100	ug/L	100	B0E0701	KDK	05/07/2020	05/07/2020	
Toluene	ND	100	"	"	"	KDK	"	"	U
Ethylbenzene	710	100	"	"	"	KDK	"	"	
Xylenes, total	8080	100	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	100 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	104 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	122 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW03

5/6/2020 12:57:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-03 (Water)

BTEX by EPA 8260D

Benzene	402	100	ug/L	100	B0E0701	KDK	05/07/2020	05/07/2020	
Toluene	ND	100	"	"	"	KDK	"	"	U
Ethylbenzene	ND	100	"	"	"	KDK	"	"	U
Xylenes, total	ND	100	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	123 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW04

5/6/2020 12:42:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-04 (Water)

BTEX by EPA 8260D

Benzene	5.80	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	62.0	1.00	"	"	"	KDK	"	"	
Xylenes, total	21.2	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	103 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	123 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

MW05

5/6/2020 12:34:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-05 (Water)

BTEX by EPA 8260D

Benzene	1.54	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	23.4	1.00	"	"	"	KDK	"	"	
Xylenes, total	277	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	99.5 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	104 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	124 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW06

5/6/2020 2:34:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-06 (Water)

BTEX by EPA 8260D

Benzene	950	50.0	ug/L	50	B0E0701	KDK	05/07/2020	05/07/2020	
Toluene	ND	50.0	"	"	"	KDK	"	"	U
Ethylbenzene	ND	50.0	"	"	"	KDK	"	"	U
Xylenes, total	286	50.0	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	103 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	124 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW07

5/6/2020 1:51:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-07 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	102 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	124 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW08

5/6/2020 12:26:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-08 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	100 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	103 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	123 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW09R

5/6/2020 2:11:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-09 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	102 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	103 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	124 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW10
5/6/2020 10:07:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-10 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	102 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	103 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	122 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW11

5/6/2020 9:58:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-11 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	99.9 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	125 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW12

5/6/2020 12:51:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-12 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	103 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	125 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

MW13

5/6/2020 1:40:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-13 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	99.6 %	70-130				"	"	"	
Surrogate: Toluene-d8	104 %	70-130				"	"	"	
Surrogate: 4-Bromofluorobenzene	125 %	70-130				"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW14

5/6/2020 2:02:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-14 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	99.8 %	70-130				"	"	"	
Surrogate: Toluene-d8	104 %	70-130				"	"	"	
Surrogate: 4-Bromofluorobenzene	121 %	70-130				"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

MW15

5/6/2020 2:20:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-15 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	99.9 %	70-130				"	"	"	
Surrogate: Toluene-d8	102 %	70-130				"	"	"	
Surrogate: 4-Bromofluorobenzene	125 %	70-130				"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW16

5/6/2020 12:53:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-16 (Water)

BTEX by EPA 8260D

Benzene	3.32	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	103 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	123 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW17

5/6/2020 2:44:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-17 (Water)

BTEX by EPA 8260D

Benzene	27.0	10.0	ug/L	10	B0E0701	KDK	05/07/2020	05/07/2020	
Toluene	ND	10.0	"	"	"	KDK	"	"	U
Ethylbenzene	85.8	10.0	"	"	"	KDK	"	"	
Xylenes, total	1700	10.0	"	"	"	KDK	"	"	
Surrogate: 1,2-Dichloroethane-d4	98.9 %			70-130		"	"	"	
Surrogate: Toluene-d8	102 %			70-130		"	"	"	
Surrogate: 4-Bromofluorobenzene	126 %			70-130		"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW18

5/6/2020 12:13:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-18 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	103 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	124 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW19

5/6/2020 12:20:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-19 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	ND	1.00	"	"	"	KDK	"	"	U

Surrogate: 1,2-Dichloroethane-d4	98.2 %	70-130				"	"	"	
Surrogate: Toluene-d8	101 %	70-130				"	"	"	
Surrogate: 4-Bromofluorobenzene	124 %	70-130				"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW20

5/6/2020 12:38:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-20 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0701	KDK	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	KDK	"	"	U
Ethylbenzene	ND	1.00	"	"	"	KDK	"	"	U
Xylenes, total	13.8	1.00	"	"	"	KDK	"	"	

Surrogate: 1,2-Dichloroethane-d4	101 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	104 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	122 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW21

5/6/2020 12:45:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-21 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0702	ZZZ	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	100 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	81.4 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW22

5/6/2020 2:28:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-22 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0702	ZZZ	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	79.9 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW23

5/6/2020 12:04:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-23 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0702	ZZZ	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	107 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	107 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	79.3 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW24

5/6/2020 12:15:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-24 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0702	ZZZ	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	108 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	102 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	80.3 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

MW25

5/6/2020 12:07:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-25 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0702	ZZZ	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	109 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	80.4 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW26

5/6/2020 12:28:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-26 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0702	ZZZ	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	113 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	101 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	78.7 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

MW27

5/6/2020 12:57:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y005074-27 (Water)

BTEX by EPA 8260D

Benzene	ND	1.00	ug/L	1	B0E0702	ZZZ	05/07/2020	05/07/2020	U
Toluene	ND	1.00	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	1.00	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	1.00	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4	113 %	70-130			"	"	"	"	
Surrogate: Toluene-d8	99.1 %	70-130			"	"	"	"	
Surrogate: 4-Bromofluorobenzene	81.0 %	70-130			"	"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0E0701 - EPA 5030B (Water)

Blank (B0E0701-BLK1)

Prepared: 05/07/2020 Analyzed: 05/07/2020

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	63		"	62.5		101	70-130			
Surrogate: Toluene-d8	65		"	62.5		104	70-130			
Surrogate: 4-Bromofluorobenzene	76		"	62.5		122	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0E0701 - EPA 5030B (Water)

LCS (B0E0701-BS1)

Prepared: 05/07/2020 Analyzed: 05/07/2020

Benzene	48.7	1.00	ug/L	50.0		97.4	70-130			
Toluene	52.8	1.00	"	50.0		106	70-130			
Ethylbenzene	48.7	1.00	"	50.0		97.3	70-130			
m,p-Xylene	102	2.00	"	100		102	70-130			
o-Xylene	47.7	1.00	"	50.0		95.4	70-130			
Surrogate: 1,2-Dichloroethane-d4	60		"	62.5		96.3	70-130			
Surrogate: Toluene-d8	65		"	62.5		103	70-130			
Surrogate: 4-Bromofluorobenzene	77		"	62.5		123	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0E0701 - EPA 5030B (Water)

Matrix Spike (B0E0701-MS1)	Source: Y005074-08			Prepared: 05/07/2020 Analyzed: 05/07/2020						
Benzene	53.5	1.00	ug/L	50.0	ND	107	70-130			
Toluene	58.9	1.00	"	50.0	ND	118	70-130			
Ethylbenzene	53.7	1.00	"	50.0	ND	107	70-130			
m,p-Xylene	111	2.00	"	100	ND	111	70-130			
o-Xylene	52.5	1.00	"	50.0	ND	105	70-130			
Surrogate: 1,2-Dichloroethane-d4	60		"	62.5		95.7	70-130			
Surrogate: Toluene-d8	65		"	62.5		105	70-130			
Surrogate: 4-Bromofluorobenzene	76		"	62.5		122	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0E0701 - EPA 5030B (Water)

Matrix Spike Dup (B0E0701-MSD1)	Source: Y005074-08			Prepared: 05/07/2020 Analyzed: 05/07/2020						
Benzene	53.9	1.00	ug/L	50.0	ND	108	70-130	0.857	20	
Toluene	60.2	1.00	"	50.0	ND	120	70-130	2.07	20	
Ethylbenzene	55.2	1.00	"	50.0	ND	110	70-130	2.74	20	
m,p-Xylene	114	2.00	"	100	ND	114	70-130	2.46	20	
o-Xylene	53.5	1.00	"	50.0	ND	107	70-130	1.89	20	
Surrogate: 1,2-Dichloroethane-d4	59		"	62.5		94.3	70-130			
Surrogate: Toluene-d8	65		"	62.5		105	70-130			
Surrogate: 4-Bromofluorobenzene	76		"	62.5		122	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0E0702 - EPA 5030B (Water)

Blank (B0E0702-BLK1)

Prepared: 05/07/2020 Analyzed: 05/07/2020

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	62		"	62.5	98.7		70-130			
Surrogate: Toluene-d8	66		"	62.5	106		70-130			
Surrogate: 4-Bromofluorobenzene	53		"	62.5	85.5		70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0E0702 - EPA 5030B (Water)

LCS (B0E0702-BS1)

Prepared: 05/07/2020 Analyzed: 05/07/2020

Benzene	49.4	1.00	ug/L	50.0		98.8	70-130			
Toluene	51.3	1.00	"	50.0		103	70-130			
Ethylbenzene	54.2	1.00	"	50.0		108	70-130			
m,p-Xylene	107	2.00	"	100		107	70-130			
o-Xylene	51.6	1.00	"	50.0		103	70-130			
Surrogate: 1,2-Dichloroethane-d4	63		"	62.5		102	70-130			
Surrogate: Toluene-d8	64		"	62.5		103	70-130			
Surrogate: 4-Bromofluorobenzene	55		"	62.5		88.0	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0E0702 - EPA 5030B (Water)

Matrix Spike (B0E0702-MS1)	Source: Y005074-21			Prepared: 05/07/2020 Analyzed: 05/07/2020						
Benzene	43.8	1.00	ug/L	50.0	ND	87.5	70-130			
Toluene	46.4	1.00	"	50.0	ND	92.8	70-130			
Ethylbenzene	49.1	1.00	"	50.0	ND	98.3	70-130			
m,p-Xylene	101	2.00	"	100	ND	101	70-130			
o-Xylene	50.1	1.00	"	50.0	ND	100	70-130			
Surrogate: 1,2-Dichloroethane-d4	69		"	62.5		111	70-130			
Surrogate: Toluene-d8	64		"	62.5		102	70-130			
Surrogate: 4-Bromofluorobenzene	53		"	62.5		84.8	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
 4600 West 60th Avenue
 Arvada CO 80003

Brian Sulzberger
 Project Number: 014213112/WO
 Project: KMG - Platteville Compressor Station

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0E0702 - EPA 5030B (Water)

Matrix Spike Dup (B0E0702-MSD1)	Source: Y005074-21			Prepared: 05/07/2020 Analyzed: 05/07/2020						
Benzene	43.3	1.00	ug/L	50.0	ND	86.7	70-130	0.965	20	
Toluene	47.1	1.00	"	50.0	ND	94.2	70-130	1.45	20	
Ethylbenzene	49.8	1.00	"	50.0	ND	99.7	70-130	1.39	20	
m,p-Xylene	100	2.00	"	100	ND	100	70-130	0.408	20	
o-Xylene	50.4	1.00	"	50.0	ND	101	70-130	0.577	20	
Surrogate: 1,2-Dichloroethane-d4	68		"	62.5		108	70-130			
Surrogate: Toluene-d8	64		"	62.5		103	70-130			
Surrogate: 4-Bromofluorobenzene	53		"	62.5		85.0	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO 80003

Brian Sulzberger
Project Number: 014213112/WO
Project: KMG - Platteville Compressor Station

Notes and Definitions

U Sample is Non-Detect.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.