

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402402264

Date Received:

05/26/2020

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

4 of 5 CAs from the FIR responded to on this Form

4 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 46290

Name of Operator: KP KAUFFMAN COMPANY INC

Address: 1675 BROADWAY, STE 2800

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Victoria Dizghinjili

Phone

303-825-4822

Email

vdizghinjili@kpk.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 697001252

Inspection Date: 05/12/2020

FIR Submit Date: 05/12/2020

FIR Status: _____

Inspected Operator Information:

Company Name: KP KAUFFMAN COMPANY INC

Company Number: 46290

Address: 1675 BROADWAY, STE 2800

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 319437

Location Name: Walters-Wedco-Ryland Number: SW-21 County: _____

Qtrqr: NESW Sec: 21 Twp: 4N Range: 67W Meridian: 6

Latitude: 40.295330 Longitude: -104.899610

FACILITY - API Number: 05-123- -00 Facility ID: 319437

Facility Name: Walters-Wedco-Ryland Number: SW-21

Qtrqr: NESW Sec: 21 Twp: 4N Range: 67W Meridian: 6

Latitude: 40.295330 Longitude: -104.899610

CORRECTIVE ACTIONS:

2  CA# 138955

Corrective Action: Install sign to comply with Rule 210.b.

Date: 07/17/2020

Response: CA COMPLETED

Date of Completion: 05/15/2020

Operator Comment: KPK has ordered new aluminium well signs and will installed them immediately after delivery.

COGCC Decision: Not Approved

COGCC
Representative:

3 ☒ CA# 138956

Corrective Action: Install sign to comply with Rule 210.d.

Date: 07/17/2020

Response: CA COMPLETED

Date of Completion: 05/19/2020

Operator
Comment:

KPK has ordered new placards and will installed them immediatelly after delivery.

COGCC Decision: **Not Approved**

COGCC
Representative:

4 ☒ CA# 138957

Corrective Action: Measure gas per Rule 329.

Date: 07/17/2020

Response: CA COMPLETED

Date of Completion: 05/15/2020

Operator
Comment:

Meter is a property of DCP. KPK is unable to calibrate the meter. KPK has submitted a request to DCP to have the meter calibrated to comply with Rule 329 and will send a copy of updated calibration to COGCC.

COGCC Decision: **Not Approved**

COGCC
Representative:

5 ☒ CA# 138958

Corrective Action: Comply with Rule 603.f .

Date: 07/17/2020

Response: CA COMPLETED

Date of Completion: 05/15/2020

Operator
Comment:

Fencing around wellheads were installed. All other unused equipment has bee removed from location. Please see attached pictures.

COGCC Decision: **Not Approved**

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Victoria Dizghinjili

Signed:

Title: Engineering Tech

Date: 5/26/2020 12:48:02 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
402402264	FIR RESOLUTION SUBMITTED
402402293	CA PIC1
402402294	CA PIC2
402402296	CA PIC3

Total Attach: 4 Files