

VERDAD RESOURCES

WATTENBERG FIELD

1N-65W-31 COUNTY LINE 3107 PAD

COUNTY LINE 3107-06H

Wellbore #1

Design #3

Anticollision Summary Report

02 June, 2020

HP

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well COUNTY LINE 3107-06H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 24' @ 5065.00usft (RIG)
Reference Site:	1N-65W-31 COUNTY LINE 3107 PAD	MD Reference:	RKB = 24' @ 5065.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	COUNTY LINE 3107-06H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #3	Offset TVD Reference:	Offset Datum

Reference	Design #3		
Filter type:	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
Interpolation Method:	Stations	Error Model:	ISCWSA
Depth Range:	Unlimited	Scan Method:	Closest Approach 3D
Results Limited by:	Maximum centre distance of 1,500.00usft	Error Surface:	Pedal Curve
Warning Levels Evaluated at:	2.45 Sigma	Casing Method:	Added to Error Values

Survey Tool Program		Date	6/2/2020		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
0.00	1,700.00	Design #3 (Wellbore #1)	ISCWSA REV 2 MWD	Fixed:v2:standard declination	
1,700.00	17,193.50	Design #3 (Wellbore #1)	ISCWSA REV 2 MWD	Fixed:v2:standard declination	

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
1N-65W-30 JOHNSON PAD						
JOHNSON 01N-65W-30-8N - Verdad PR Well - Actual BH						Out of range
1N-65W-30 Offsets						
GILMORE #1-30 - ARLIAN INC P/A Well - No Surveys						Out of range
LEHL #1 - DEM P/A Well - No Surveys						Out of range
M B LEHL A #1 - Amoco D/A Well - No Surveys						Out of range
MARGUERITE B LEHL #A-1 - XOG SI Well - No Surveys						Out of range
1N-65W-31 COUNTY LINE 3107 PAD						
COUNTY LINE 3107-05H - Wellbore #1 - Design #3	400.00	399.00	14.99	7.21	1.926	CC, ES
COUNTY LINE 3107-05H - Wellbore #1 - Design #3	17,193.50	17,665.74	660.69	233.42	1.546	SF
COUNTY LINE 3107-07H - Wellbore #1 - Design #3	450.00	450.00	15.02	7.15	1.910	CC, ES
COUNTY LINE 3107-07H - Wellbore #1 - Design #3	17,188.09	17,038.07	590.17	115.52	1.243	Level 2, SF
COUNTY LINE 3107-08H - Wellbore #1 - Design #3	450.00	451.00	30.00	22.14	3.816	CC, ES
COUNTY LINE 3107-08H - Wellbore #1 - Design #3	17,184.60	17,227.03	1,216.61	752.18	2.620	SF
COUNTY LINE 3107-09H - Wellbore #1 - Design #3	450.00	451.00	44.99	37.13	5.722	CC, ES
COUNTY LINE 3107-09H - Wellbore #1 - Design #3	500.00	501.00	45.43	37.48	5.714	SF
COUNTY LINE 3107-10H - Wellbore #1 - Design #3	450.00	451.00	60.01	52.25	7.739	CC, ES
COUNTY LINE 3107-10H - Wellbore #1 - Design #3	500.00	501.00	60.44	52.60	7.709	SF
COUNTY LINE 3107-11H - Wellbore #1 - Design #3	215.99	217.99	75.00	67.42	9.896	CC
COUNTY LINE 3107-11H - Wellbore #1 - Design #3	300.00	301.95	75.00	67.34	9.798	ES, SF
COUNTY LINE 3107-12H - Wellbore #1 - Design #3	115.99	117.99	90.01	82.48	11.953	CC
COUNTY LINE 3107-12H - Wellbore #1 - Design #3	200.00	201.94	90.01	82.44	11.894	ES, SF
1N-65W-31 COUNTY LINE 3112 PAD						
COUNTY LINE 3112-01H - Wellbore #1 - Design #3	200.00	196.00	75.00	67.43	9.912	CC, ES, SF
COUNTY LINE 3112-02H - Wellbore #1 - Design #3	207.11	204.11	60.01	52.44	7.926	CC, ES
COUNTY LINE 3112-02H - Wellbore #1 - Design #3	300.00	296.03	60.38	52.74	7.894	SF
COUNTY LINE 3112-03H - Wellbore #1 - Design #3	300.00	298.00	44.99	37.34	5.880	CC, ES, SF
COUNTY LINE 3112-04H - Wellbore #1 - Design #3	305.90	303.90	30.00	22.35	3.918	CC, ES
COUNTY LINE 3112-04H - Wellbore #1 - Design #3	17,193.50	17,633.98	1,180.35	705.23	2.484	SF

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well COUNTY LINE 3107-06H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 24' @ 5065.00usft (RIG)
Reference Site:	1N-65W-31 COUNTY LINE 3107 PAD	MD Reference:	RKB = 24' @ 5065.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	COUNTY LINE 3107-06H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #3	Offset TVD Reference:	Offset Datum

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)		Separation Factor	Warning
Offset Well - Wellbore - Design						
1N-65W-31 COUNTY LINE 3130 PAD						
COUNTY LINE 3130-01H - Wellbore #1 - Design #3	593.00	609.34	230.10	221.94	28.217	CC
COUNTY LINE 3130-01H - Wellbore #1 - Design #3	600.00	616.32	230.11	221.93	28.160	ES
COUNTY LINE 3130-01H - Wellbore #1 - Design #3	900.00	915.01	247.21	238.07	27.072	SF
COUNTY LINE 3130-02H - Wellbore #1 - Design #3	453.34	457.64	255.24	247.37	32.451	CC, ES
COUNTY LINE 3130-02H - Wellbore #1 - Design #3	700.00	704.31	265.60	257.24	31.799	SF
COUNTY LINE 3130-03H - Wellbore #1 - Design #3	307.82	311.82	270.26	262.59	35.264	CC, ES
COUNTY LINE 3130-03H - Wellbore #1 - Design #3	600.00	597.34	277.13	269.02	34.153	SF
COUNTY LINE 3130-04H - Wellbore #1 - Design #3	215.28	219.28	285.27	277.70	37.640	CC
COUNTY LINE 3130-04H - Wellbore #1 - Design #3	300.00	303.72	285.28	277.62	37.268	ES
COUNTY LINE 3130-04H - Wellbore #1 - Design #3	500.00	489.22	290.91	282.99	36.739	SF
COUNTY LINE 3130-05H - Wellbore #1 - Design #3	206.06	210.06	300.26	292.69	39.651	CC, ES
COUNTY LINE 3130-05H - Wellbore #1 - Design #3	450.00	436.89	306.00	298.16	39.068	SF
COUNTY LINE 3130-06H - Wellbore #1 - Design #3	115.28	119.28	315.25	307.72	41.863	CC
COUNTY LINE 3130-06H - Wellbore #1 - Design #3	200.00	200.00	315.28	307.71	41.663	ES
COUNTY LINE 3130-06H - Wellbore #1 - Design #3	400.00	385.26	321.24	313.48	41.416	SF

HP

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well COUNTY LINE 3107-06H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 24' @ 5065.00usft (RIG)
Reference Site:	1N-65W-31 COUNTY LINE 3107 PAD	MD Reference:	RKB = 24' @ 5065.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	COUNTY LINE 3107-06H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #3	Offset TVD Reference:	Offset Datum

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
1N-65W-31 Offsets						
ADAM TEN 1-A - CPR P&A Well - No Surveys	450.00	425.00	1,449.05	1,431.13	80.831	CC
ADAM TEN 1-A - CPR P&A Well - No Surveys	600.00	574.93	1,452.95	1,429.69	62.457	ES
ADAM TEN 1-A - CPR P&A Well - No Surveys	900.00	873.15	1,484.06	1,449.93	43.477	SF
DREYER 1 - EnCana P&A Well - No Surveys						Out of range
EPPINGER 1 - CPR P&A Well - No Surveys	6,287.11	5,983.10	814.04	562.44	3.235	CC
EPPINGER 1 - CPR P&A Well - No Surveys	6,600.00	6,281.07	819.62	555.28	3.101	ES
EPPINGER 1 - CPR P&A Well - No Surveys	6,950.00	6,614.29	840.74	562.77	3.025	SF
LOCHBUIE #1 - EnCana P&A Well - No Surveys						Out of range
LOCHBUIE 21-31 - CPR P&A Well - No Surveys						Out of range
Lochbuie 2A-31H - CPR PR Well - Actual Cathedral Surv	7,411.29	11,889.00	1,215.39	1,074.76	8.643	CC, ES
Lochbuie 2A-31H - CPR PR Well - Actual Cathedral Surv	7,500.00	11,889.00	1,222.60	1,080.01	8.574	SF
Lochbuie 2B-31H - CPR PR Well - Actual Cathedral Surv	7,436.97	12,051.00	1,003.97	879.59	8.072	CC
Lochbuie 2B-31H - CPR PR Well - Actual Cathedral Surv	7,450.00	12,051.00	1,004.17	879.47	8.053	ES
Lochbuie 2B-31H - CPR PR Well - Actual Cathedral Surv	7,500.00	12,051.00	1,008.60	882.85	8.021	SF
Lochbuie 2C-31H - CPR PR Well - Actual Cathedral Surv	7,330.31	11,822.00	673.22	557.67	5.826	CC, ES
Lochbuie 2C-31H - CPR PR Well - Actual Cathedral Surv	7,350.00	11,822.00	673.79	558.11	5.824	SF
Lochbuie 2D-31H - CPR PR Well - Actual Cathedral Surv	7,372.80	12,087.00	662.38	580.27	8.068	CC, ES
Lochbuie 2D-31H - CPR PR Well - Actual Cathedral Surv	7,450.00	12,087.00	671.35	587.36	7.993	SF
Lochbuie 2E-31H - CPR PR Well - Actual Cathedral Surv	7,269.86	11,932.00	681.33	577.72	6.576	CC
Lochbuie 2E-31H - CPR PR Well - Actual Cathedral Surv	7,300.00	11,932.00	682.55	577.31	6.486	ES
Lochbuie 2E-31H - CPR PR Well - Actual Cathedral Surv	7,350.00	11,932.00	689.89	582.43	6.420	SF
Lochbuie 2F-31H - CPR PR Well - Actual Cathedral Surv	7,195.55	11,821.00	1,168.74	1,058.16	10.569	CC
Lochbuie 2F-31H - CPR PR Well - Actual Cathedral Surv	7,200.00	11,821.00	1,168.76	1,058.02	10.554	ES
Lochbuie 2F-31H - CPR PR Well - Actual Cathedral Surv	7,300.00	11,821.00	1,179.44	1,065.65	10.365	SF
Lochbuie 2G-31H - CPR PR Well - Actual Cathedral Surv	7,140.37	12,011.00	1,170.35	1,039.97	8.976	CC
Lochbuie 2G-31H - CPR PR Well - Actual Cathedral Surv	7,150.00	12,011.00	1,170.42	1,039.67	8.952	ES
Lochbuie 2G-31H - CPR PR Well - Actual Cathedral Surv	7,300.00	12,011.00	1,188.03	1,052.83	8.787	SF
Lochbuie 2H-31H - CPR PR Well - Actual Cathedral Surv						Out of range
LUTZ 1 - EnCana P&A Well - No Surveys						Out of range
LUTZ 1A - CPR D/A Well - No Surveys						Out of range
SACK-DREYER #1 - CPR P&A Well - No Surveys						Out of range
Walla #5-10-2L - Confluence Planned Well - Planned Pro	450.00	449.00	1,429.01	1,421.15	181.787	CC, ES
Walla #5-10-2L - Confluence Planned Well - Planned Pro	1,100.00	1,093.44	1,499.62	1,489.95	154.963	SF
Walla #5-10-4L - Confluence Planned Well - Planned Pro	450.00	447.00	1,405.57	1,397.71	178.824	CC, ES
Walla #5-10-4L - Confluence Planned Well - Planned Pro	1,200.00	1,188.46	1,499.34	1,489.26	148.728	SF
Walla #5-6-2L - Confluence Planned Well - Planned Pro D						Out of range
Walla #5-7-1L - Confluence Planned Well - Planned Pro D						Out of range
Walla #5-8-4L - Confluence Planned Well - Planned Pro D	450.00	450.00	1,497.04	1,489.18	190.420	CC, ES
Walla #5-8-4L - Confluence Planned Well - Planned Pro D	500.00	500.00	1,497.46	1,489.51	188.390	SF
Walla #5-9-1L - Confluence Planned Well - Planned Pro D	450.00	449.00	1,475.15	1,467.29	187.656	CC, ES
Walla #5-9-1L - Confluence Planned Well - Planned Pro D	800.00	798.13	1,495.72	1,487.07	172.811	SF
Walla #5-9-3L - Confluence Planned Well - Planned Pro D	450.00	449.00	1,452.51	1,444.65	184.776	CC, ES
Walla #5-9-3L - Confluence Planned Well - Planned Pro D	900.00	897.15	1,486.45	1,477.49	165.845	SF
1S-65W-06 Offsets						
ADAM 10 'B' UNIT #1 - Verdad SI Well - No Surveys						Out of range
ADAM TEN LTD #1 - KPK P/A Well - No Surveys						Out of range
HSR-MILE HIGH #6-6 - HS Resources P/A Well - No Sur	8,393.99	7,155.00	823.09	533.38	2.841	CC, ES, SF
MILE-HI DUCK CLUB-PASCOE #1 - VESSELS P/A Well	11,400.00	7,162.00	226.63	-129.35	0.637	Level 1, ES, SF
MILE-HI DUCK CLUB-PASCOE #1 - VESSELS P/A Well	11,403.69	7,162.00	226.60	-128.86	0.637	Level 1, CC

HP

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well COUNTY LINE 3107-06H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 24' @ 5065.00usft (RIG)
Reference Site:	1N-65W-31 COUNTY LINE 3107 PAD	MD Reference:	RKB = 24' @ 5065.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	COUNTY LINE 3107-06H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #3	Offset TVD Reference:	Offset Datum

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)		Separation Factor	Warning
Offset Well - Wellbore - Design						
1S-65W-07 Offsets						
EDNA #1 - Verdad PR Well - No Surveys						Out of range
GREEN #1 - Verdad PR Well - No Surveys	16,572.44	7,199.00	193.80	-282.83	0.407	Level 1, CC, ES, SF
VAN AIRE #1 - Patina P/A Well - No Surveys						Out of range
1S-66W-01 Offsets						
HSR-EPPINGER #1-1 - Kerr McGee P&A Well - No Surv						Out of range
HSR-EPPINGER #6-1 - Great Western PR Well - No Su						Out of range
1S-66W-12 Offsets						
MILE-HI DUCK CLUB-TRACY #1 - Vessels Oil P/A Well						Out of range
DUCK CLUB 12W-20-10N - XOG PR Well - Actual Integr						Out of range
DUCK CLUB 12W-20-11N - XOG PR Well - Actual Integr						Out of range
DUCK CLUB 12W-20-12C - XOG PR Well - Actual Integr						Out of range
DUCK CLUB 12W-20-1C - XOG PR Well - Actual XOG S						Out of range
DUCK CLUB 12W-20-2N - XOG PR Well - Actual Integr						Out of range
DUCK CLUB 12W-20-3N - XOG PR Well - Actual Integr						Out of range
DUCK CLUB 12W-20-4N - XOG PR Well - Actual Integr						Out of range
DUCK CLUB 12W-20-5C - XOG PR Well - Actual Integr						Out of range
DUCK CLUB 12W-20-6N - XOG PR Well - Actual Integr						Out of range
DUCK CLUB 12W-20-7N - XOG PR Well - Actual Integr						Out of range
DUCK CLUB 12W-20-8C - XOG PR Well - Actual Integr						Out of range
DUCK CLUB 12W-20-9N - XOG PR Well - Actual Integr						Out of range


HP
Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well COUNTY LINE 3107-06H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 24' @ 5065.00usft (RIG)
Reference Site:	1N-65W-31 COUNTY LINE 3107 PAD	MD Reference:	RKB = 24' @ 5065.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	COUNTY LINE 3107-06H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #3	Offset TVD Reference:	Offset Datum

Reference Depths are relative to RKB = 24' @ 5065.00usft (RIG)
Offset Depths are relative to Offset Datum
Central Meridian is -105.500000

Coordinates are relative to: COUNTY LINE 3107-06H
Coordinate System is US State Plane 1983, Colorado Northern Zone
Grid Convergence at Surface is: 0.51°

Ladder Plot



LEGEND

COUNTY LINE 3107-05H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-07H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-08H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-09H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-10H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-11H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-12H, Wellbore #1, Design #3 V0
COUNTY LINE 3112-01H, Wellbore #1, Design #3 V0
COUNTY LINE 3112-02H, Wellbore #1, Design #3 V0
COUNTY LINE 3112-03H, Wellbore #1, Design #3 V0
COUNTY LINE 3112-04H, Wellbore #1, Design #3 V0
COUNTY LINE 3130-01H, Wellbore #1, Design #3 V0

COUNTY LINE 3130-02H, Wellbore #1, Design #3 V0
COUNTY LINE 3130-03H, Wellbore #1, Design #3 V0
COUNTY LINE 3130-04H, Wellbore #1, Design #3 V0
COUNTY LINE 3130-05H, Wellbore #1, Design #3 V0
COUNTY LINE 3130-06H, Wellbore #1, Design #3 V0
ADAM TEN 1A, CPR P&A Well, No Surveys V0
EPPINGER 1, CPR P&A Well, No Surveys V0
Lochbule 2A-31H, CPR PR Well Actual Cathedral Surveys V0
Lochbule 2B-31H, CPR PR Well Actual Cathedral Surveys V0
Lochbule 2C-31H, CPR PR Well Actual Cathedral Surveys V0
Lochbule 2D-31H, CPR PR Well Actual Cathedral Surveys V0
Lochbule 2E-31H, CPR PR Well Actual Cathedral Surveys V0

Lochbule 2F-31H, CPR PR Well Actual Cathedral Surveys V0
Lochbule 2G-31H, CPR PR Well Actual Cathedral Surveys V0
Wells #5-10-2L, Confluence Planned Well Planned Pro Directional Surveys V0
Wells #5-10-4L, Confluence Planned Well Planned Pro Directional Surveys V0
Wells #5-8-4L, Confluence Planned Well Planned Pro Directional Surveys V0
Wells #5-9-1L, Confluence Planned Well Planned Pro Directional Surveys V0
Wells #5-9-3L, Confluence Planned Well Planned Pro Directional Surveys V0
HSR-MILE HIGH #6-6, HS Resources P/A Well, No Surveys V0
MILE-HI DUCK CLUB-PASCOE #1, VESSELS P/A Well, No Surveys V0
GREEN #1, Verdad PR Well, No Surveys V0

Anticollision Summary Report

Company:	VERDAD RESOURCES	Local Co-ordinate Reference:	Well COUNTY LINE 3107-06H
Project:	WATTENBERG FIELD	TVD Reference:	RKB = 24' @ 5065.00usft (RIG)
Reference Site:	1N-65W-31 COUNTY LINE 3107 PAD	MD Reference:	RKB = 24' @ 5065.00usft (RIG)
Site Error:	0.00 usft	North Reference:	True
Reference Well:	COUNTY LINE 3107-06H	Survey Calculation Method:	Minimum Curvature
Well Error:	3.28 usft	Output errors are at	2.45 sigma
Reference Wellbore	Wellbore #1	Database:	EDM 5000.16 Single User Db
Reference Design:	Design #3	Offset TVD Reference:	Offset Datum

Reference Depths are relative to RKB = 24' @ 5065.00usft (RIG)

Offset Depths are relative to Offset Datum


Central Meridian is -105.500000

Coordinates are relative to: COUNTY LINE 3107-06H

Coordinate System is US State Plane 1983, Colorado Northern Zone

Grid Convergence at Surface is: 0.51°

Separation Factor Plot



LEGEND

COUNTY LINE 3107-05H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-07H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-08H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-09H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-10H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-11H, Wellbore #1, Design #3 V0
COUNTY LINE 3107-12H, Wellbore #1, Design #3 V0
COUNTY LINE 3112-01H, Wellbore #1, Design #3 V0
COUNTY LINE 3112-02H, Wellbore #1, Design #3 V0
COUNTY LINE 3112-03H, Wellbore #1, Design #3 V0
COUNTY LINE 3112-04H, Wellbore #1, Design #3 V0
COUNTY LINE 3130-01H, Wellbore #1, Design #3 V0

COUNTY LINE 3130-02H, Wellbore #1, Design #3 V0
COUNTY LINE 3130-03H, Wellbore #1, Design #3 V0
COUNTY LINE 3130-04H, Wellbore #1, Design #3 V0
COUNTY LINE 3130-05H, Wellbore #1, Design #3 V0
COUNTY LINE 3130-06H, Wellbore #1, Design #3 V0
ADAM TEN 1A, CPR P&A Well, No Surveys V0
EPPINGER 1, CPR P&A Well, No Surveys V0
Lochbue 2A-31H, CPR PR Well Actual Cathedral Surveys V0
Lochbue 2B-31H, CPR PR Well Actual Cathedral Surveys V0
Lochbue 2C-31H, CPR PR Well Actual Cathedral Surveys V0
Lochbue 2D-31H, CPR PR Well Actual Cathedral Surveys V0
Lochbue 2E-31H, CPR PR Well Actual Cathedral Surveys V0

Lochbue 2F-31H, CPR PR Well Actual Cathedral Surveys V0
Lochbue 2G-31H, CPR PR Well Actual Cathedral Surveys V0
Wells #5-10-2L, Confluence Planned Well Planned Pro Directional Surveys V0
Wells #5-10-4L, Confluence Planned Well Planned Pro Directional Surveys V0
Wells #5-9-4L, Confluence Planned Well Planned Pro Directional Surveys V0
Wells #5-9-1L, Confluence Planned Well Planned Pro Directional Surveys V0
Wells #5-9-3L, Confluence Planned Well Planned Pro Directional Surveys V0
HSR-MILE HIGH #6-6, HS Resources P/A Well, No Surveys V0
MILE-HI DUCK CLUB-PASCOE #1, VESSELS P/A Well, No Surveys V0
GREEN #1, Verdad PR Well, No Surveys V0