



Gamma Ray,  
Cement Bond,  
Variable Density,  
CCL

Company PDC Energy		Country USA					
Well Stout 11N		Well Stout 11N					
Field Wattenberg		Field Wattenberg					
County Weld		County Weld					
State Colorado		State Colorado					
Location: 288' FNL & 2561' FWL NE / NW		API # : 05-123-50480					
Permanent Datum GL		Elevation 5072'					
Log Measured From KB		Other Services					
Drilling Measured From KB		Elevation K.B. 5095" D.F. 5094' G.L. 5072'					
SEC 18 TWP 7N RGE 66W							
Date May 6, 2020							
Run Number	1						
Depth Driller							
Depth Logger	7600'						
Bottom Logged Interval	7600'-0'						
Top Log Interval							
Open Hole Size							
Type Fluid	water						
Density / Viscosity							
Max. Recorded Temp.	231° F						
Estimated Cement Top							
Time Well Ready							
Time Logger on Bottom							
Equipment Number	2-3/4" RBL Probe						
Location	Hwy14+wc23.e1.2.sinto						
Recorded By	Meisner						
Witnessed By	Billy M.						
Borehole Record		Tubing Record					
Run Number	Bit	From	To	Size	Weight	From	To
Casing Record	Size	Wgt/Ft	Top	Bottom			
Surface String							
Prot. String							
Production String	5.5"						
Liner							

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Stout 16 Well Pad

<WEST> O O O O O O O O O O X O O O O O <EAST>

X = Stout 11N

Database File pdc11n.db  
Dataset Pathname pass2  
Presentation Format pdc  
Dataset Creation Wed May 06 07:17:11 2020  
Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	200	CCL\$1	0	AMPMIN	100	200	WVF5FT (usec)	1200	1	SECTORS	8
-5	CCL\$1	1	0.5	0.8	0	AMPMAX	100					
400	TT3FT (usec)	200			0	AMP3FT (mV)	100					





































































































