



June 4, 2020

Purcell Conservation Group, LLC
P.O. Box 766
Windsor, CO

RE: Colorado Oil and Gas Conservation Commission Rule Surface Location Exception Waiver
Rule 318.A.a and Rule 318.A.c
Purcell 6-62-25_24 SESW Pad (SHL: SESW, Sec. 25, T6N-R62W)
Weld County, Colorado

Dear Mr. Kross:

HighPoint Operating Corporation ("HPOC") is planning to drill the wells on Exhibit A from the above mentioned well pad. Rule 318A.a of the Colorado Oil and Gas Conservation Commission's rules and regulations requires that each well be drilled within a square four hundred (400) feet in length, the center of which is the center of any quarter/quarter section, or a square with sides eight hundred (800) feet in length, the center of which is the center of any quarter section (the "GWA Windows"). The surface locations of HPOC's proposed wells have been staked outside of the 318A.a GWA Windows. Therefore, a waiver is needed to satisfy this requirement.

In addition, Rule 318A.c requires that new well locations be "twinned" (located within 50 feet) of an existing well when such wells exist.

For your convenience the Construction Layout, Cross Sections, Interim Reclamation Plan, and Location Drawing are attached.

By signing this Surface Location Exception, you hereby waive requirements to comply with COGCC Rule 318A.a and Rule 318.A.c where applicable. If you have any questions, please contact Cory Neighbors, Surface Landman at (970) 381-6027 or by email at cneighbors@hpres.com.

Sincerely,

HighPoint Operating Corporation

A handwritten signature in black ink, appearing to read "Cory Neighbors", written over a horizontal line.

Cory Neighbors
Surface Landman



Purcell 6-62-25_24 SESW Pad (SHL: SESW, Sec. 25, T6N-R62W)

Weld County, Colorado

I hereby waive the above requirements for all wells on the well pad surface location described on the attached Exhibit A, effective the date executed below.

Surface Owner:

Purcell Conservation Group, LLC

A handwritten signature in black ink, appearing to read "Mark Kross", is written over a horizontal line.

By: Mark Kross, Manager

Date: 6/5/2020



Exhibit A

Purcell 6-62-25 SESW Pad	
Purcell 6-62-25-6401BB	SESW Section 25-6N-62W
Purcell 6-62-25-6302B	SESW Section 25-6N-62W
Purcell 6-62-25-6104B	SESW Section 25-6N-62W
Purcell 6-62-25-6005B	SESW Section 25-6N-62W
Purcell 6-62-25-5906B	SESW Section 25-6N-62W
Purcell 6-62-25-5807B	SESW Section 25-6N-62W
Purcell 6-62-25-5708BB	SESW Section 25-6N-62W
Purcell 6-62-35-0801BB	SESW Section 25-6N-62W
Purcell 6-62-35-0801B	SESW Section 25-6N-62W

Note: Well names subject to change. Surface Owner consent based on pad locations as described, not specific well names.