



**Location**

Overall Good:

**Signs/Marker:**

Type	WELLHEAD		
Comment:	adequate x 2		
Corrective Action:		Date:	

Emergency Contact Number:

Comment:

Corrective Action:  Date: \_\_\_\_\_

Overall Good:

**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment:

Multiple Spills and Releases?

**Fencing/:**

Type	WELLHEAD		
Comment:	Ag fence x 2		
Corrective Action:		Date:	

**Equipment:**

Type: Bradenhead	# 2		corrective date
Comment:	partially exposed at surface		
Corrective Action:		Date:	

**Venting:**

Yes/No	NO		
Comment:			
Corrective Action:		Date:	

**Flaring:**

Type			
Comment:			
Corrective Action:		Date:	

**Inspected Facilities**

Facility ID: 423024 Type: WELL API Number: 123-33492 Status: SI Insp. Status: SI

**Idle Well**

Purpose:  Shut In  Temporarily Abandoned Reminder: \_\_\_\_\_

Comment: SI since 3-1-2019 Form 42 (PR) Doc # 402397440 was submitted on 5-13-2020 and is approved

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 423044 Type: WELL API Number: 123-33499 Status: SI Insp. Status: SI

**Idle Well**

Purpose:  Shut In  Temporarily Abandoned Reminder: \_\_\_\_\_

Comment: SI since 11-1-2019 Form 42 (PR) Doc # 402397453 was submitted on 5-13-2020 and is approved

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**COGCC Comments**

Comment	User	Date
<p>COGCC Inspection Report Summary                      On Thursday 7/2/2020 at approximately 1300 hrs. I, Inspector Robbie Revas, Conducted an on-site inspection at a Kerr McGee location:</p> <p style="text-align: center;">Warner 33-18 at Location # 423034</p> <p>in Weld County Colorado.                      While there, I observed a multi well pad.                      Warner 33-18: SI since 11-1-2019 Form 42 (PR) Doc # 402397453 was submitted on 5-13-2020 and is approved.                      Warner 35-18: SI since 3-1-2019 Form 42 (PR) Doc # 402397440 was submitted on 5-13-2020 and is approved                      During this inspection no compliance issues were observed:                      See attached photos.                      Location is dry, weather is clear.                      No follow up on this site inspection needs to be conducted to ensure the Compliance issues have been corrected to comply with COGCC rules.                      Continuing education COGCC Inspection Report Summary.                      This is a summary of inspection report.</p>	revasr	07/02/2020

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
699302064	location pics	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5190108">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5190108</a>