

State of Colorado
Oil and Gas Conservation Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

OGCC RECEPTION

Receive Date:

06/19/2020

Document Number:

402426869

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610

Operator Information

OGCC Operator Number: 10646

Contact Person: Jamie Kempema

Company Name: AXIS EXPLORATION LLC

Phone: (970) 576-3447

Address: 370 17TH ST SUITE 5300

Email: jkempema@extractionog.com

City: DENVER State: CO Zip: 80202

Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes ☒ No ☐

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 460823 Location Type: Production Facilities

Name: Champlin 248 Facility

Number:

County: ADAMS

Qtr Qtr: NWNW Section: 11 Township: 3S Range: 64W Meridian: 6

Latitude: 39.808919 Longitude: -104.526881

Description of Corrosion Protection

Extraction's corrosion procedures are detailed in its Flowline Management SOP. Coating materials will be used that minimize internal and external corrosion, such as internally coated pipe or stainless steel for water service, and externally coated FBE on all buried steel pipe. If flowlines are repaired due to corrosion, Extraction will investigate the failure, promptly respond with the appropriate remedial actions and determine the root cause and apply corrective actions as necessary. Extraction retains records of its chemical program in the form of Failure Analysis Reports, records of chemical invoices and chemical delivery.

Description of Integrity Management Program

Extraction's integrity management program is detailed in its Flowline Management SOP, which covers flowline installation, operation, maintenance, inspection, testing, and repairs. Prior to beginning any project involving flowlines, Extraction ensures the project plans, flowline installation, flowline maintenance (including repairs) and all flowline inspection and testing projects meet the requirements of the Flowline Management SOP. All pressure tests on flowlines will be conducted by an independent, third party qualified to do such testing. Precautions shall be taken to protect employees and the general public.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

n/a

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 461312 Flowline Type: Wellhead Line Action Type: **OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 320153 Location Type: Well Site ☐

Name: GREAT WESTERN CHAMPLIN 248 AM Number: 1

County: ADAMS No Location ID ☐

Qtr Qtr: NWNW Section: 11 Township: 3S Range: 64W Meridian: 6

Latitude: 39.809253 Longitude: -104.524759

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375

Bedding Material: Native Materials Date Construction Completed: 01/03/1983

Maximum Anticipated Operating Pressure (PSI): 62 Testing PSI: 62

Test Date: 04/01/2018

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment VerificationDate: **Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:****FLOWLINE FACILITY INFORMATION**Flowline Facility ID: 461311 Flowline Type: Wellhead Line Action Type: Pre-Abandonment Notice**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: Location Type: Well Site ☐

Name: GREAT WESTERN CHAMPLIN 248 AM Number: 2

County: ADAMS No Location ID ☐

Qtr Qtr: NWSW Section: 11 Township: 3S Range: 64W Meridian: 6

Latitude: 39.801863 Longitude: -104.524769

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.375

Bedding Material: Native Materials Date Construction Completed: 07/27/1983

Maximum Anticipated Operating Pressure (PSI): 65 Testing PSI: 65

Test Date: 04/12/2018

OFF LOCATION FLOWLINE Pre-Abandonment Notice

Date: 07/20/2020

Pre-Abandonment 30-day Notice☒ Removed per Rule 1105.d.(2)☐ Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:

- ☐ A. A surface owner agreement executed by a surface owner allows abandonment in place.
- ☐ B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
- ☐ C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
- ☐ D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
- ☐ E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
- ☐ F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
- ☐ G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
- ☐ H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.

☐ Abandoned In Place per Rule 1105.d.(3)**Description of Pre-Abandonment Notice:**

The entire length of the 2" steel line will be pulled out from bell holes dug along the route of the line.

OPERATOR COMMENTS AND SUBMITTAL

Comments This form is being submitted to provide pre-abandonment notice for the removal of the steel line associated with the Champlin 248 D2 well. API 005-001-08301.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 06/19/2020 Email: jkempema@extractionog.com

Print Name: Jamie Kempema Title: Operations Tech

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Director of COGCC Date: _____

Attachment Check List**Att Doc Num** **Name**

--	--

Total Attach: 0 Files