Log Variables







































gyrodata

MAIN PASS - Ran with Zero PSI

5 in / 100 ft

gyrodata

REPEAT PASS - Ran with Zero PSI

5 in / 100 ft

Database File	2020_03_08_extraction_ad_fed_ j_evans_20w-25-03_cbl\2020_03_08_extraction_ad_fed_ j_evans_20w-2
Dataset Pathname	pass2
Presentation Format	rcbl_8k
Dataset Creation	Sun Mar 08 13:01:33 2020
Charted by	Depth in Feet scaled 1:240



gyrodata

REPEAT PASS - Ran with Zero PSI

5 in / 100 ft

Calibration Report

Database File	d:\warrior\data\2020_03_08_extraction_ad_fed_ j_evans_20w-25-03_cbl\2020_03_08_extraction_ad_fed_ j_
Dataset Pathname	pass3
Dataset Creation	Sun Mar 08 13:08:21 2020

Gamma Ray Calibration Report

Serial Number:	IXEM9-01	
Tool Model:	2 3/4" TekCo	
Performed:	Fri Sep 13 16:16:19 2019	
Calibrator Value:	194.0	GAPI
Background Reading:	58.0	cps
Calibrator Reading:	330.4	cps
Sensitivity:	0.7121	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	ISF06-04
Tool Model:	2 3/4" RIB Analog

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.002	0.847	0.000	62.000	73.365	-0.158
CAL	-0.004	0.749				
5'	0.005	1.203	0.000	62.000	51.761	-0.269
SUM						
S1	0.004	0.991	0.000	62.000	62.793	-0.243
S2	0.009	0.851	0.000	62.000	73.585	-0.633
S3	0.006	0.782	0.000	62.000	79.873	-0.467
S4	0.001	0.799	0.000	62.000	77.729	-0.111
S5	0.001	0.857	0.000	62.000	72.389	-0.040
S6	-0.004	0.950	0.000	62.000	64.981	0.269
S7	-0.003	1.066	0.000	62.000	58.014	0.164
S8	-0.002	1.055	0.000	62.000	58.642	0.141

Temperature Calibration Report

Serial Number:	ISF06-04			
Tool Model:	2 3/4" RIB Analog			
Performed:	Tue Jan 08 13:48:09 2019			
	Reference		Reading	
Low Reference:	0.00	degF	0.00	usec
High Reference:	1.00	degF	1.00	usec
Gain:	0.33			
Offset:	0.00			
Delta Spacing	1			

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb
			CableHead-TitanConeType2	1.03	1.44	3.60
CCL	13.50		CCL_Log-2 3/4" TekCo (IS2T1-08)	1.83	2.75	33.00
TEMP	10.05		Antelope-Overbody	1.25	2.75	
WVFS8	8.76		RBTA-2 3/4" RIB Analog (ISF06-04)	9.13	2.75	102.00
WVFS7	8.76					
WVFS6	8.76					
WVFS5	8.76					
WVFS4	8.76					
WVFS3	8.76					
WVFS2	8.76					
WVFS1	8.76					
WVF3FT	8.01					
WVF5FT	7.01					
WVFSYNC	3.68					
WVFTEMP	3.68		Antelope-Overbody	1.25	2.75	
WVFCAL	3.68		GR_Log-2 3/4" TekCo (IXEM9-01)	3.68	2.75	47.00
GR	1.04					
LOCTIM	0.00					
UTCTIM	0.00					
PMON	0.00					

Dataset:	2020_03_08_extraction_ad_fed_ j_evans_20w-25-03_cbl.db: field/well/run1/pass3
Total length:	15.67 ft
Total weight:	185.60 lb
O.D.:	2.75 in

gyrodata

Company	EXTRACTION OIL AND GAS INC.
Well	AD FED J EVANS 20W 25-03
Field	WATTENBURG
County	WELD
State	COLORADO
Country	U.S.A.