

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

402393171

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10459

2. Name of Operator: EXTRACTION OIL & GAS INC

3. Address: 370 17TH STREET SUITE 5300

City: DENVER State: CO Zip: 80202

4. Contact Name: Elaine Winick

Phone: (970) 576-3461

Fax: (970) 534-6001

Email: ewinick@extractionog.com

5. API Number 05-123-41133-00

7. Well Name: AD FED J EVANS

8. Location: QtrQtr: NWSW Section: 21 Township: 5N Range: 65W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 20W-25-3

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION
Treatment Date: 04/13/2020 End Date: 04/21/2020 Date of First Production this formation: 07/25/2020
Perforations Top: 7437 Bottom: 19657 No. Holes: 1380 Hole size: 40/100
Provide a brief summary of the formation treatment: Open Hole: ☐

Frac'd Niobrara with 31 stage plug and perf:
10774980 total pounds proppant pumped: 5556770 pounds 40/70 mesh; 5218210 pounds 30/50 mesh.
165408 total bbls fluid pumped: 150609 bbls gelled fluid; 14738 bbls fresh water and 61 bbls 28% HCl Acid.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 165408 Max pressure during treatment (psi): 9369
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: Min frac gradient (psi/ft): 1.00
Total acid used in treatment (bbl): 61 Number of staged intervals: 31
Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 15513
Fresh water used in treatment (bbl): 14738 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 10774980 Rule 805 green completion techniques were utilized: ☒
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 08/05/2020 Hours: 24 Bbl oil: 476 Mcf Gas: 3299 Bbl H2O: 76
Calculated 24 hour rate: Bbl oil: 476 Mcf Gas: 3299 Bbl H2O: 76 GOR: 6931
Test Method: flowing Casing PSI: 2990 Tubing PSI: 2662 Choke Size: 18/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1247 API Gravity Oil: 55
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7425 Tbg setting date: 06/08/2020 Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

TPZ: 1713 FNL & 507 FEL

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Elaine Winick
Title: Completions Tech Date: Email: ewinick@extractionog.com

Attachment Check List

Att Doc Num **Name**

402459397 WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)