

# State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



|                                      |    |    |    |
|--------------------------------------|----|----|----|
| DE                                   | ET | OE | ES |
| Document Number:<br><b>402470687</b> |    |    |    |
| Date Received:<br><b>08/19/2020</b>  |    |    |    |

## SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10583 Contact Name ALEX COREY  
Name of Operator: PETRO OPERATING COMPANY LLC Phone: (713) 408-7174  
Address: 9033 E EASTER PLACE SUITE 112 Fax: ( )  
City: CENTENNIAL State: CO Zip: 80112-2105 Email: alex.corey@iptenergyservices.com

Complete the Attachment  
Checklist

OP OGCC

API Number : 05-001 10213 00 OGCC Facility ID Number: 458084  
Well/Facility Name: BEF WEST Well/Facility Number: 10  
Location QtrQtr: SENE Section: 2 Township: 1S Range: 66W Meridian: 6  
County: ADAMS Field Name: WATTENBERG  
Federal, Indian or State Lease Number:

|                     |  |  |
|---------------------|--|--|
| Survey Plat         |  |  |
| Directional Survey  |  |  |
| Srvc Eqpmt Diagram  |  |  |
| Technical Info Page |  |  |
| Other               |  |  |

## CHANGE OF LOCATION OR AS BUILT GPS REPORT

☒ Change of Location \* ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

\* Well location change requires new plat. A substantive surface location change may require new Form 2A.

**SURFACE LOCATION GPS DATA** Data must be provided for Change of Surface Location and As Built Reports.

Latitude 39.994890 GPS Quality Value: 1.9 Type of GPS Quality Value: PDOP Measurement Date: 01/15/2018  
Longitude -104.734610 GPS Instrument Operator's Name JAKE STILLE

### LOCATION CHANGE (all measurements in Feet)

Well will be: HORIZONTAL (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From** Exterior Section Lines:

Change of **Surface** Footage **To** Exterior Section Lines:

Current **Surface** Location **From** QtrQtr SENE Sec 2

New **Surface** Location **To** QtrQtr SENE Sec 2

Change of **Top of Productive Zone** Footage **From** Exterior Section Lines:

Change of **Top of Productive Zone** Footage **To** Exterior Section Lines:

Current **Top of Productive Zone** Location **From** Sec 2

New **Top of Productive Zone** Location **To** Sec 2

Change of **Bottomhole** Footage **From** Exterior Section Lines:

Change of **Bottomhole** Footage **To** Exterior Section Lines:

Current **Bottomhole** Location Sec 2 Twp 1S

New **Bottomhole** Location Sec 2 Twp 1S

Is location in High Density Area? No

Distance, in feet, to nearest building 2308, public road: 1797, above ground utility: 1005, railroad: 3960,

property line: 151, lease line: 460, well in same formation: 246

Ground Elevation 5048 feet Surface owner consultation date 09/28/2018

| FNL/FSL          |                  | FEL/FWL           |     |
|------------------|------------------|-------------------|-----|
| 2040             | FNL              | 295               | FEL |
| 2056             | FNL              | 296               | FEL |
| Twp <u>1S</u>    | Range <u>66W</u> | Meridian <u>6</u> |     |
| Twp <u>1S</u>    | Range <u>66W</u> | Meridian <u>6</u> |     |
| 2145             | FSL              | 460               | FEL |
| 2190             | FSL              | 460               | FEL |
| Twp <u>1S</u>    | Range <u>66W</u> |                   |     |
| Twp <u>1S</u>    | Range <u>66W</u> |                   |     |
| 2145             | FSL              | 460               | FWL |
| 2190             | FSL              | 460               | FWL |
| Range <u>66W</u> |                  |                   |     |
| Range <u>66W</u> |                  |                   |     |

\*\*

\*\*

\*\* attach deviated drilling plan

**CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT**

| <u>Objective Formation</u> | <u>Formation Code</u> | <u>Spacing Order Number</u> | <u>Unit Acreage</u> | <u>Unit Configuration</u> |
|----------------------------|-----------------------|-----------------------------|---------------------|---------------------------|
|                            |                       |                             |                     |                           |

**OTHER CHANGES**

☐ **REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment

☐ **CHANGE OF WELL, FACILITY OR OIL & GAS LOCATION NAME OR NUMBER**

From: Name BEF WEST Number 10 Effective Date: \_\_\_\_\_

To: Name \_\_\_\_\_ Number \_\_\_\_\_

☐ **ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**

☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 905)

☐ **CENTRALIZED E&P WASTE MANAGEMENT FACILITY:** Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 908)

OIL & GAS LOCATION ID Number: \_\_\_\_\_

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

☐ **REQUEST FOR CONFIDENTIAL STATUS**

☐ **DIGITAL WELL LOG UPLOAD**

☐ **DOCUMENTS SUBMITTED** Purpose of Submission: \_\_\_\_\_

**RECLAMATION****INTERIM RECLAMATION**

☐ Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

**FINAL RECLAMATION**

☐ Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

#### ENGINEERING AND ENVIRONMENTAL WORK

##### ☐ NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below or provide as an attachment, as required by Rule 319.b.(3).

Date well temporarily abandoned \_\_\_\_\_ Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required if shut in longer than 2 years. Date of last MIT \_\_\_\_\_

☐ SPUD DATE: \_\_\_\_\_

#### TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ NOTICE OF INTENT Approximate Start Date 09/01/2020

☐ REPORT OF WORK DONE Date Work Completed \_\_\_\_\_

- |  |   |  |
|--|---|--|
| <input type="checkbox"/> Intent to Recomplete (Form 2 also required) | <input type="checkbox"/> Request to Vent or Flare   | <input type="checkbox"/> E&P Waste Mangement Plan      |
| <input checked="" type="checkbox"/> Change Drilling Plan             | <input type="checkbox"/> Repair Well  | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change                       | <input type="checkbox"/> Rule 502 variance requested. Must provide detailed info regarding request. |  |
| <input type="checkbox"/> Other _____                                 | <input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases          |  |

#### COMMENTS:

Request to change the SHL, TPZ & BHL, as well as update Casing & Cement to a 3-string design for this well. Updated Plat, Deviated Drilling Plan, and Multi-Well Plan attached and Data Sheet uploaded.

#### CASING AND CEMENTING CHANGES

| Casing Type      | Size | Of | / | Hole | Size | Of | / | Casing | Wt/Ft | Csg/LinTop | Setting Depth | Sacks of Cement | Cement Bottom | Cement Top |
|------------------|------|----|---|------|------|----|---|--------|-------|------------|---------------|-----------------|---------------|------------|
| Conductor Casing | 26   |    |   |      | 16   |    |   |        | 42    | 0          | 80            | 400             | 80            | 0          |
| Surface String   | 13   | 2  |   | 2    | 9    | 5  |   | 8      | 36    | 0          | 1500          | 576             | 1500          | 0          |
| First String     | 8    | 3  |   | 4    | 7    |    |   |        | 26    | 0          | 7735          | 1202            | 7735          | 0          |
| 1ST LINER        | 6    | 1  |   | 8    | 4    | 1  |   | 2      | 13.5  | 6918       | 12499         | 886             | 12499         | 6918       |

#### H2S REPORTING

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**Best Management Practices**

| <b><u>No</u></b> |  | <b><u>BMP/COA Type</u></b> | <b><u>Description</u></b> |
|------------------|--|----------------------------|---------------------------|
|                  |  |                            |                           |

**Operator Comments:**

Request to change the SHL, TPZ & BHL, as well as update Casing & Cement to a 3-string design for this well. Updated Plat, Deviated Drilling Plan, and Multi-Well Plan attached and Data Sheet uploaded. Distance to nearest well in the same formation is to the BEF West 9: 246', Measurement determined using 3D SYSDRILL SOFTWARE

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: PAUL GOTTLÖB  
Title: Regulatory & Engin. Tech. Email: paul.gottlob@iptenergyservices.com Date: 8/19/2020

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Jacobson, Eric Date: 8/24/2020

**CONDITIONS OF APPROVAL, IF ANY:**

| <u>COA Type</u> | <u>Description</u>  |
|-----------------|---|
|                 | 2) Comply with Rule 317.j. and provide cement coverage from end of 7-inch casing to a minimum of 500' above Niobrara. Verify coverage with cement bond log. |

**General Comments**

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|-------------------|----------------|---------------------|
|                   |                | Stamp Upon Approval |

Total: 0 comment(s)

**Attachment Check List**

| <u>Att Doc Num</u> | <u>Name</u>                         |
|--------------------|-------------------------------------|
| 402470687          | SUNDRY NOTICE APPROVED-LOC-DRLG-CSG |
| 402471012          | DEVIATED DRILLING PLAN              |
| 402471013          | MULTI-WELL PLAN                     |
| 402471015          | WELL LOCATION PLAT                  |
| 402471016          | DIRECTIONAL DATA                    |
| 402473270          | FORM 4 SUBMITTED                    |

Total Attach: 6 Files