

Rifle Area, Colorado, Parts of Garfield and Mesa Counties

53—Parachute-Rhone loams, 5 to 30 percent slopes

Map Unit Setting

National map unit symbol: jnyp
Elevation: 7,600 to 8,600 feet
Mean annual precipitation: 18 to 22 inches
Mean annual air temperature: 36 to 40 degrees F
Frost-free period: 55 to 75 days
Farmland classification: Not prime farmland

Map Unit Composition

Parachute and similar soils: 55 percent
Rhone and similar soils: 30 percent
Irigul and similar soils: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Parachute

Setting

Landform: Mountain slopes
Landform position (three-dimensional): Mountaintop, mountainflank
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Colluvium over residuum weathered from sandstone and shale

Typical profile

A - 0 to 5 inches: loam
Bw1 - 5 to 18 inches: loam
Bw2 - 18 to 29 inches: extremely cobbly loam
R - 29 to 59 inches: bedrock

Properties and qualities

Slope: 5 to 30 percent
Depth to restrictive feature: 20 to 40 inches to lithic bedrock
Natural drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Low to moderately high (0.01 to 0.57 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Salinity, maximum in profile: Nonsaline (0.0 to 1.0 mmhos/cm)
Available water storage in profile: Low (about 3.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 6e
Hydrologic Soil Group: C

Ecological site: Mountain Loam (R048AY228CO)
Hydric soil rating: No

Description of Rhone

Setting

Landform: Mountain slopes
Landform position (three-dimensional): Mountainflank, mountaintop
Down-slope shape: Convex
Across-slope shape: Concave
Parent material: Colluvium over residuum weathered from sandstone and shale

Typical profile

A1 - 0 to 8 inches: loam
A2 - 8 to 28 inches: sandy clay loam
C - 28 to 52 inches: very channery sandy clay loam
R - 52 to 60 inches: bedrock

Properties and qualities

Slope: 5 to 30 percent
Depth to restrictive feature: 40 to 60 inches to lithic bedrock
Natural drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Low to moderately high (0.01 to 0.57 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Salinity, maximum in profile: Nonsaline (0.0 to 1.0 mmhos/cm)
Available water storage in profile: Moderate (about 7.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 6e
Hydrologic Soil Group: B
Ecological site: Mountain Loam (R048AY228CO)
Hydric soil rating: No

Description of Irigul

Setting

Landform: Mountain slopes
Landform position (three-dimensional): Mountaintop, mountainflank
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Colluvium over residuum weathered from sandstone and shale

Typical profile

A1 - 0 to 6 inches: channery loam
A2 - 6 to 13 inches: very channery loam
R - 13 to 60 inches: bedrock

Properties and qualities

Slope: 5 to 12 percent

Depth to restrictive feature: 10 to 20 inches to lithic bedrock
Natural drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Low to moderately high (0.01 to 0.57 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Available water storage in profile: Very low (about 1.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: D
Ecological site: Loamy Slopes (R048AY303CO)
Hydric soil rating: No

Data Source Information

Soil Survey Area: Rifle Area, Colorado, Parts of Garfield and Mesa Counties
Survey Area Data: Version 12, Sep 13, 2019

Rifle Area, Colorado, Parts of Garfield and Mesa Counties

52—Parachute loam, 25 to 65 percent slopes

Map Unit Setting

National map unit symbol: jnyn
Elevation: 7,500 to 8,700 feet
Frost-free period: 45 to 75 days
Farmland classification: Not prime farmland

Map Unit Composition

Parachute and similar soils: 85 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Parachute

Setting

Landform: Mountainsides
Landform position (three-dimensional): Mountainflank
Down-slope shape: Concave
Across-slope shape: Concave
Parent material: Residuum weathered from sandstone

Typical profile

H1 - 0 to 5 inches: loam
H2 - 5 to 18 inches: loam
H3 - 18 to 29 inches: extremely channery loam
H4 - 29 to 33 inches: unweathered bedrock

Properties and qualities

Slope: 25 to 65 percent
Depth to restrictive feature: 20 to 40 inches to paralithic bedrock
Drainage class: Well drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water capacity: Low (about 3.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: C
Ecological site: R048AY238CO

Hydric soil rating: No

Data Source Information

Soil Survey Area: Rifle Area, Colorado, Parts of Garfield and Mesa Counties
Survey Area Data: Version 13, Jun 5, 2020