



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

28 August 2020

Michael Hannigan
Kinder Morgan
17801 Hwy 491
Cortez, CO 81321
RE: EC/pH/SAR

Enclosed are the results of analyses for samples received by the laboratory on 08/26/20 14:45.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads "Jeremy D. Allen". The signature is written in a cursive style.

Jeremy D Allen For Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8.



Kinder Morgan
17801 Hwy 491
Cortez CO, 81321

Project: EC/pH/SAR
Project Name / Number: Drilling Pit Soil Samples YE-6 Surface
Project Manager: Michael Hannigan

Reported:
08/28/20 16:39

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
YE-6-SB-1	2008317-01	Solid	08/25/20 11:15	08/26/20 14:45	
YE-6-SB-3	2008317-02	Solid	08/25/20 11:20	08/26/20 14:45	
YE-6-SB-7	2008317-03	Solid	08/25/20 11:25	08/26/20 14:45	
YE-6-SB-8	2008317-04	Solid	08/25/20 11:30	08/26/20 14:45	

Green Analytical Laboratories

Jeremy D Allen For Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Kinder Morgan 17801 Hwy 491 Cortez CO, 81321	Project: EC/pH/SAR Project Name / Number: Drilling Pit Soil Samples YE-6 Surface Project Manager: Michael Hannigan	Reported: 08/28/20 16:39
--	--	-----------------------------

YE-6-SB-1

2008317-01 (Solid)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Saturated Paste Extraction

Calcium	407	0.200	0.033	mg/L	2	08/28/20 13:34	EPA200.7		AES
Conductivity	1940			umho/cm @ 25.0°C	1	08/28/20 11:15	ASA#9 10-3.3		VJW
Magnesium	97.1	0.200	0.047	mg/L	2	08/28/20 13:34	EPA200.7		AES
pH	7.46			pH Units	1	08/28/20 07:49	ASA#9 10-3.2		VJW
SAR	0.29			No Unit	1	08/28/20 13:34	Calculation		AES
Sodium	24.7	2.00	0.201	mg/L	2	08/28/20 13:34	EPA200.7		AES

Green Analytical Laboratories

Jeremy D Allen For Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Kinder Morgan 17801 Hwy 491 Cortez CO, 81321	Project: EC/pH/SAR Project Name / Number: Drilling Pit Soil Samples YE-6 Surface Project Manager: Michael Hannigan	Reported: 08/28/20 16:39
--	--	-----------------------------

YE-6-SB-3

2008317-02 (Solid)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Saturated Paste Extraction

Calcium	388	0.200	0.033	mg/L	2	08/28/20 13:42	EPA200.7		AES
Conductivity	1990			umho/cm @ 25.0°C	1	08/28/20 11:15	ASA#9 10-3.3		VJW
Magnesium	111	0.200	0.047	mg/L	2	08/28/20 13:42	EPA200.7		AES
pH	7.55			pH Units	1	08/28/20 07:49	ASA#9 10-3.2		VJW
SAR	0.25			No Unit	1	08/28/20 13:42	Calculation		AES
Sodium	21.5	2.00	0.201	mg/L	2	08/28/20 13:42	EPA200.7		AES

Green Analytical Laboratories

Jeremy D Allen For Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Kinder Morgan 17801 Hwy 491 Cortez CO, 81321	Project: EC/pH/SAR Project Name / Number: Drilling Pit Soil Samples YE-6 Surface Project Manager: Michael Hannigan	Reported: 08/28/20 16:39
--	--	-----------------------------

YE-6-SB-7

2008317-03 (Solid)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Saturated Paste Extraction

Calcium	90.5	0.100	0.017	mg/L	1	08/28/20 13:49	EPA200.7		AES
Conductivity	642			umho/cm @ 25.0°C	1	08/28/20 11:15	ASA#9 10-3.3		VJW
Magnesium	27.6	0.100	0.023	mg/L	1	08/28/20 13:49	EPA200.7		AES
pH	7.61			pH Units	1	08/28/20 07:49	ASA#9 10-3.2		VJW
SAR	0.25			No Unit	1	08/28/20 13:49	Calculation		AES
Sodium	10.4	1.00	0.101	mg/L	1	08/28/20 13:49	EPA200.7		AES

Green Analytical Laboratories

Jeremy D Allen For Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Kinder Morgan 17801 Hwy 491 Cortez CO, 81321	Project: EC/pH/SAR Project Name / Number: Drilling Pit Soil Samples YE-6 Surface Project Manager: Michael Hannigan	Reported: 08/28/20 16:39
--	--	-----------------------------

YE-6-SB-8

2008317-04 (Solid)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Saturated Paste Extraction

Calcium	147	0.200	0.033	mg/L	2	08/28/20 13:53	EPA200.7		AES
Conductivity	1020			umho/cm @ 25.0°C	1	08/28/20 11:15	ASA#9 10-3.3		VJW
Magnesium	51.3	0.200	0.047	mg/L	2	08/28/20 13:53	EPA200.7		AES
pH	7.61			pH Units	1	08/28/20 07:49	ASA#9 10-3.2		VJW
SAR	0.35			No Unit	1	08/28/20 13:53	Calculation		AES
Sodium	19.4	2.00	0.201	mg/L	2	08/28/20 13:53	EPA200.7		AES

Green Analytical Laboratories

Jeremy D Allen For Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Kinder Morgan 17801 Hwy 491 Cortez CO, 81321	Project: EC/pH/SAR Project Name / Number: Drilling Pit Soil Samples YE-6 Surface Project Manager: Michael Hannigan	Reported: 08/28/20 16:39
--	--	-----------------------------

Saturated Paste Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B201717 - Paste Extract

Duplicate (B201717-DUP1)		Source: 2008317-01		Prepared: 08/27/20		Analyzed: 08/28/20				
pH	7.54		pH Units		7.46			1.07	20	
Duplicate (B201717-DUP2)		Source: 2008320-05		Prepared: 08/27/20		Analyzed: 08/28/20				
pH	7.54		pH Units		7.54			0.00	20	
Duplicate (B201717-DUP3)		Source: 2008326-02		Prepared: 08/27/20		Analyzed: 08/28/20				
pH	9.18		pH Units		9.14			0.437	20	
Reference (B201717-SRM1)				Prepared: 08/27/20		Analyzed: 08/28/20				
pH	7.19		pH Units	6.98		103	95-105			
Reference (B201717-SRM2)				Prepared: 08/27/20		Analyzed: 08/28/20				
pH	7.20		pH Units	6.98		103	95-105			

Batch B201718 - Paste Extract

Duplicate (B201718-DUP1)		Source: 2008317-01		Prepared: 08/27/20		Analyzed: 08/28/20				
Conductivity	1910		umho/cm @ 25.0°C		1940			1.19	20	
Duplicate (B201718-DUP2)		Source: 2008320-05		Prepared: 08/27/20		Analyzed: 08/28/20				
Conductivity	882		umho/cm @ 25.0°C		821			7.16	20	
Duplicate (B201718-DUP3)		Source: 2008326-02		Prepared: 08/27/20		Analyzed: 08/28/20				
Conductivity	2180		umho/cm @ 25.0°C		2300			5.36	20	
Reference (B201718-SRM1)				Prepared: 08/27/20		Analyzed: 08/28/20				
Conductivity	2990		umho/cm @ 25.0°C	2930		102	90-110			
Reference (B201718-SRM2)				Prepared: 08/27/20		Analyzed: 08/28/20				
Conductivity	2690		umho/cm @ 25.0°C	2930		91.8	90-110			

Batch B201719 - Paste Extract

Blank (B201719-BLK1)				Prepared: 08/27/20		Analyzed: 08/28/20				
Calcium	ND	0.100	mg/L							
Magnesium	ND	0.100	mg/L							
SAR	0.00		No Unit							
Sodium	ND	1.00	mg/L							

Green Analytical Laboratories

Jeremy D Allen For Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Kinder Morgan 17801 Hwy 491 Cortez CO, 81321	Project: EC/pH/SAR Project Name / Number: Drilling Pit Soil Samples YE-6 Surface Project Manager: Michael Hannigan	Reported: 08/28/20 16:39
--	--	-----------------------------

**Saturated Paste Extraction - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B201719 - Paste Extract (Continued)

Duplicate (B201719-DUP1)		Source: 2008317-01		Prepared: 08/27/20		Analyzed: 08/28/20		
Calcium	396	0.200	mg/L		407		2.60	20
Magnesium	94.6	0.200	mg/L		97.1		2.66	20
SAR	0.28		No Unit		0.29		3.51	20
Sodium	24.1	2.00	mg/L		24.7		2.24	20
Duplicate (B201719-DUP2)		Source: 2008320-05		Prepared: 08/27/20		Analyzed: 08/28/20		
Calcium	136	0.100	mg/L		126		7.88	20
Magnesium	38.0	0.100	mg/L		34.7		9.09	20
SAR	0.27		No Unit		0.28		3.64	20
Sodium	14.0	1.00	mg/L		13.6		3.06	20
Duplicate (B201719-DUP3)		Source: 2008326-02		Prepared: 08/27/20		Analyzed: 08/28/20		
Calcium	ND	0.100	mg/L		475			20
Magnesium	ND	0.100	mg/L		18.7			20
SAR	1.88		No Unit		1.90		1.06	20
Sodium	ND	1.00	mg/L		155			20
Reference (B201719-SRM1)				Prepared: 08/27/20		Analyzed: 08/28/20		
SAR	5.63		No Unit	5.79		97.2	90-110	
Reference (B201719-SRM2)				Prepared: 08/27/20		Analyzed: 08/28/20		
SAR	5.64		No Unit	5.79		97.4	90-110	

Green Analytical Laboratories

Jeremy D Allen For Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Kinder Morgan 17801 Hwy 491 Cortez CO, 81321	Project: EC/pH/SAR Project Name / Number: Drilling Pit Soil Samples YE-6 Surface Project Manager: Michael Hannigan	Reported: 08/28/20 16:39
--	--	------------------------------------

Notes and Definitions

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
*Results reported on as received basis unless designated as dry.
- RPD Relative Percent Difference
- LCS Laboratory Control Sample (Blank Spike)
- RL Report Limit
- MDL Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen For Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

