

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402485985

Receive Date:

09/17/2020

Report taken by:

PETER GINTAUTAS

Site Investigation and Remediation Workplan (Supplemental Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by COGCC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27.

This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Refer to Rules 340, 905, 906, 907, 908, 909, and 910

OPERATOR INFORMATION

Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP	Operator No: 47120	Phone Numbers Phone: (970) 336-3500 Mobile: ()
Address: P O BOX 173779		
City: DENVER	State: CO Zip: 80217-3779	
Contact Person: Phil Hamlin	Email: Phillip_Hamlin@oxy.com	

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 13729

Initial Form 27 Document #: 402034955

PURPOSE INFORMATION

- | | |
|--|--|
| <input type="checkbox"/> 901.e. Sensitive Area Determination | <input checked="" type="checkbox"/> 909.c.(5), Rule 910.b.(4): Remediation of impacted ground water |
| <input checked="" type="checkbox"/> 909.c.(1), Rule 905: Pit or PW vessel closure | <input type="checkbox"/> Rule 909.e.(2)A.: Notice completion of remediation in accordance with Rule 909.b. |
| <input checked="" type="checkbox"/> 909.c.(2), Rule 906: Spill/Release Remediation | <input type="checkbox"/> Rule 909.e.(2)B.: Closure of remediation project |
| <input type="checkbox"/> 909.c.(3), Rule 907.e.: Land treatment of oily waste | <input type="checkbox"/> Rule 906.c.: Director request |
| <input type="checkbox"/> 909.c.(4), Rule 908.g.: Centralized E&P Waste Management Facility closure | <input type="checkbox"/> Other |

SITE INFORMATION

Y Multiple Facilities (in accordance with Rule 909.c.)

Facility Type: LOCATION	Facility ID: 450468	API #:	County Name: WELD
Facility Name: DANIEL V 11-1,9,10,15 TANK BATTERY		Latitude: 40.145394	Longitude: -104.850899
** correct Lat/Long if needed: Latitude: 40.145455		Longitude: -104.850820	
QtrQtr: SESE	Sec: 11	Twp: 2N	Range: 67W Meridian: 6 Sensitive Area? Yes
Facility Type: SPILL OR RELEASE	Facility ID: 463424	API #:	County Name: WELD
Facility Name: Daniel V 11-15		Latitude: 40.145452	Longitude: -104.850833
** correct Lat/Long if needed: Latitude:		Longitude:	
QtrQtr: SESE	Sec: 11	Twp: 2N	Range: 67W Meridian: 6 Sensitive Area? Yes

SITE CONDITIONS

General soil type - USCS Classifications SM

Most Sensitive Adjacent Land Use Agriculture and Livestock

Is domestic water well within 1/4 mile? Yes

Is surface water within 1/4 mile? Yes

Is groundwater less than 20 feet below ground surface? Yes

Other Potential Receptors within 1/4 mile

Domestic water wells approximately 400 feet (ft) south (S), 1120 ft S, 640 ft southeast (SE), 860 ft SE, 640 ft southwest (SW), 1140 ft SW, 1180 ft west (W), 900 ft W, and 820 ft northwest (NW). Geothermal water well approximately 1120 ft SW, irrigation water well approximately 940 ft northeast (NE), and commercial water well approximately 1200 ft NE. Livestock approximately 1060 ft S, 160 ft east (E), and 320 ft north (N). Occupied structures approximately 500 ft E, 640 ft SE, 980 ft SE, 1100 ft S, 330 ft S, 1010 ft SW, 1100 ft SW, and 1200 ft NE. Lupton Bottom Ditch 135 ft E, and wetlands approximately 1160 ft N.

SITE INVESTIGATION PLAN

TYPE OF WASTE:

- ☒ E&P Waste ☐ Other E&P Waste ☐ Non-E&P Waste
- ☒ Produced Water ☐ Workover Fluids
- ☒ Oil ☐ Tank Bottoms
- ☒ Condensate ☐ Pigging Waste
- ☐ Drilling Fluids ☐ Rig Wash
- ☐ Drill Cuttings ☐ Spent Filters
- ☐ Pit Bottoms
- ☐ Other (as described by EPA)

DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
Yes	GROUNDWATER	To be determined	Groundwater Samples/Laboratory Analytical Results
Yes	SOILS	59' (N-S) x 60' (E-W) x 14' bgs	Soil Samples/Laboratory Analytical Results

INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

On March 19, 2019, historical petroleum hydrocarbon impacts were discovered during site decommissioning activities associated with the closure of a partially buried produced water vessel (PWV) at the Daniel V 11-15 production facility. The volume of the release is unknown. A Topographic Site Location Map showing the geographic setting of the release is provided as Figure 1. The general site layout and extent of the excavation is provided as Figure 2.

PROPOSED SAMPLING PLAN

Proposed Soil Sampling

☒ Will soil samples be collected as part of this investigation? (Number, type (grab/composite), analyses, and locations of samples):

Between March 19, 2019 and January 14, 2020, following removal of the PWV, 16 soil samples were collected from the sidewalls and base of the excavation. The base soil samples were submitted for laboratory analysis of BTEX, naphthalene, and total petroleum hydrocarbons (TPH)-gasoline range organics (GRO) by United States Environmental Protection Agency (USEPA) Method 8260C, TPH-diesel range organics (DRO) and oil range organics (ORO) by USEPA Method 8015C, pH by USEPA Method 9045D, specific conductance (EC) by USEPA Method 9050A, and sodium adsorption ratio (SAR) by USDA Agricultural Handbook 60 Method 20B. The sidewall soil samples were submitted for laboratory analysis of BTEX, naphthalene, and TPH. The laboratory analytical results for the sidewall and base samples are in full compliance with COGCC Table 910-1 allowable levels at the final extent of the excavation. Soil analytical data is presented in Table 1.

Proposed Groundwater Sampling

☒ Will groundwater samples be collected as part of this investigation? (Number, analyses, and locations of samples):

On September 19, 2019, one groundwater sample (GW01) was collected from the excavation and submitted to Origins Laboratory in Denver, Colorado, for analysis of BTEX by USEPA 8260. The laboratory analytical results indicate that sample GW01 exceeded the COGCC Table 910-1 allowable levels for benzene at 165 µg/L. On January 10, 2020, following the removal of impacted groundwater, an additional groundwater sample (GW02) was collected from the excavation and submitted to Origins Laboratory in Denver, CO for analysis of BTEX by USEPA 8260. The laboratory analytical results indicate that sample GW02 exceeded the COGCC Table 910-1 allowable levels for benzene at 164 µg/L and total xylenes at 1420 µg/L. Groundwater analytical results are summarized in Table 2.

Proposed Surface Water Sampling

☐ Will surface water samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Additional Investigative Actions

☐ Additional alternative investigative actions described in attached Site Investigation Plan (summary):

SITE INVESTIGATION REPORT

SAMPLE SUMMARY

Soil

Number of soil samples collected 16

Number of soil samples exceeding 910-1 4

Was the areal and vertical extent of soil contamination delineated? Yes

Approximate areal extent (square feet) 3540

NA / ND

-- Highest concentration of TPH (mg/kg) 3020

-- Highest concentration of SAR 3.79

BTEX > 910-1 Yes

Vertical Extent > 910-1 (in feet) 14

Groundwater

Number of groundwater samples collected 2

Was extent of groundwater contaminated delineated? No

Depth to groundwater (below ground surface, in feet) 11'

Number of groundwater monitoring wells installed 0

Number of groundwater samples exceeding 910-1 2

-- Highest concentration of Benzene (µg/l) 165

-- Highest concentration of Toluene (µg/l) 113

-- Highest concentration of Ethylbenzene (µg/l) 280

-- Highest concentration of Xylene (µg/l) 1420

NA Highest concentration of Methane (mg/l)

Surface Water

0 Number of surface water samples collected

Number of surface water samples exceeding 910-1

If surface water is impacted, other agency notification may be required.

OTHER INVESTIGATION INFORMATION

☐ Were impacts to adjacent property or offsite impacts identified?

☐ Were background samples collected as part of this site investigation?

☐ Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards)

Volume of liquid waste (barrels)

☒ Is further site investigation required?

Groundwater monitoring wells will be installed at the site to fully define the extent and magnitude of any remaining petroleum hydrocarbon impacts. Site access for well installation is currently under consideration.

REMEDIAL ACTION PLAN

Does this Supplemental Form 27A include changes to a previously approved Remedial Action Plan? No

SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

Approximately 1380 cubic yards of soil were taken to the Kerr-McGee Landfarm in Weld County, Colorado. Approximately 5000 barrels of groundwater were removed from the excavation and taken to the Kerr-McGee Aggregate Recycle Facility in Weld County, Colorado.

REMEDIATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

While backfilling the excavation, 500 pounds of COGAC™, a carbon-based groundwater remediation product, was applied to the clean backfill to mitigate remaining hydrocarbon impacts in groundwater. In order to determine the extent and magnitude of the dissolved-phase hydrocarbon impacts, a minimum of four groundwater monitoring wells will be installed in the source area, crossgradient, and downgradient of the excavation footprint. Groundwater monitoring will be conducted on a quarterly basis and will continue until BTEX concentrations remain below COGCC Table 910-1 groundwater standards for four consecutive quarters.

Soil Remediation Summary

☐ In Situ

_____ Bioremediation (or enhanced bioremediation)
_____ Chemical oxidation
_____ Air sparge / Soil vapor extraction
_____ Natural Attenuation
_____ Other _____

☒ Ex Situ

Yes Excavate and offsite disposal
_____ If Yes: Estimated Volume (Cubic Yards) 1380
Name of Licensed Disposal Facility or COGCC Facility ID # 149007
_____ Excavate and onsite remediation
_____ Land Treatment
_____ Bioremediation (or enhanced bioremediation)
_____ Chemical oxidation
_____ Other _____

Groundwater Remediation Summary

Yes Bioremediation (or enhanced bioremediation)
Yes Chemical oxidation
No Air sparge / Soil vapor extraction
Yes Natural Attenuation
Yes Other Chemically Oxygenated
Granular Activated Carbon
(COGAC™) application and
groundwater removal

GROUNDWATER MONITORING

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

To determine the extent and magnitude of impacts, a minimum of four groundwater monitoring wells will be installed in the source area, cross-gradient, and downgradient of the excavation footprint. Groundwater monitoring will be conducted on a quarterly basis. Collected groundwater samples will be submitted for laboratory analysis of BTEX by USEPA Method 8260. Quarterly groundwater monitoring at the location will continue until BTEX concentrations remain below COGCC Table 910-1 groundwater standards for four consecutive quarters.

REMEDIATION PROGRESS UPDATE

PERIODIC REPORTING

Frequency: ☒ Quarterly ☐ Semi-Annually ☐ Annually ☐ Other _____

Report Type: ☒ Groundwater Monitoring ☐ Land Treatment Progress Report ☐ O&M Report

☐ Other _____

WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? Yes _____

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Approximately 1380 cubic yards of petroleum hydrocarbon impacted soil were transported to the Kerr-McGee Landfarm in Weld County, Colorado for recycling. Approximately 5000 barrels of petroleum hydrocarbon impacted groundwater were transported to the Kerr-McGee Aggregate Recycle Facility in Weld County, Colorado for recycling.

Volume of E&P Waste (solid) in cubic yards 1380

E&P waste (solid) description Petroleum hydrocarbon impacted soil

COGCC Disposal Facility ID #, if applicable: 149007

Non-COGCC Disposal Facility: _____

Volume of E&P Waste (liquid) in barrels 5000

E&P waste (liquid) description Petroleum hydrocarbon impacted groundwater

COGCC Disposal Facility ID #, if applicable: 434766

Non-COGCC Disposal Facility: _____

REMEDIATION COMPLETION REPORT

REMEDIATION COMPLETION SUMMARY

Is this a Final Closure Request for this Remediation Project? No _____

Do all soils meet Table 910-1 standards? Yes _____

Does the previous reply indicate consideration of background concentrations? No _____

Are the only residual soil impacts pH, SAR, or EC at depths greater than 3 feet below ground surface? _____

Does Groundwater meet Table 910-1 standards? No _____

Is additional groundwater monitoring to be conducted? Yes _____

RECLAMATION PLAN

RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

The site will be reclaimed in accordance with COGCC 1000 Series Reclamation Rules.

Is the described reclamation complete? _____

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

☐ Interim? ☐ Final?

Did the Surface Owner approve the seed mix? _____

If NO, does the seed mix comply with local soil conservation district recommendations? _____

IMPLEMENTATION SCHEDULE

PRIOR DATES

Date of Surface Owner notification/consultation, if required. 03/19/2019

Actual Spill or Release date, if known. _____

SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 03/19/2019

Date of commencement of Site Investigation. 03/19/2019

Date of completion of Site Investigation. _____

REMEDIAL ACTION DATES

Date of commencement of Remediation. 03/19/2019

Date of completion of Remediation. _____

SITE RECLAMATION DATES

Date of commencement of Reclamation. _____

Date of completion of Reclamation. _____

OPERATOR COMMENT

This form serves as a quarterly update to the remediation activities performed at this site under Remediation Project #13729. Site access for well installation is currently under consideration. Once groundwater monitoring wells are installed onsite, groundwater monitoring will be conducted on a quarterly basis and will continue until BTEX concentrations remain below COGCC Table 910-1 groundwater standards for four consecutive quarters. Subsequent Form 27 Supplemental documents will be submitted on a quarterly basis as a groundwater monitoring report update.

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: ` Phil Hamlin

Title: Sr. Env. Rep.

Submit Date: ` 09/17/2020

Email: Phillip_Hamlin@oxy.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: PETER GINTAUTAS

Date: 09/17/2020

Remediation Project Number: 13729

COA Type**Description**

	Submit reports of site investigation and progress of remediation including results of sampling and analysis at a minimum on a quarterly basis until further site investigation activities show that adequate points of compliance with respect to groundwater impacts have been established.
--	--

Attachment Check List

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

Att Doc Num**Name**

402485985	FORM 27-SUPPLEMENTAL-SUBMITTED
402486005	MAP
402486017	SITE MAP
402486026	ANALYTICAL RESULTS
402486028	ANALYTICAL RESULTS

Total Attach: 5 Files

General Comments**User Group****Comment****Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)