

MALLARD EXPLORATION

WELD COUNTY

SEC 27-T9N-R60W

BASHOR FED 27-3-6HN

ORIGINAL WELLBORE

Plan: PROPOSAL 1

Standard Planning Report

17 July, 2020



Project: WELD COUNTY
Site: SEC 27-T9N-R60W
Well: BASHOR FED 27-3-6HN
Wellbore: ORIGINAL WELLBORE
Design: PROPOSAL 1

PROJECT DETAILS: WELD COUNTY

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: Colorado Northern Zone
System Datum: Mean Sea Level



Azimuths to True North
Magnetic North: 7.60°
Magnetic Field
Strength: 52291.7nT
Dip Angle: 67.05°
Date: 7/6/2020
Model: IGRF2020

WELL DETAILS: BASHOR FED 27-3-6HN

+N/-S	+E/-W	Northing	Easting	4993.00	Latitude	Longitude	Slot
0.00	0.00	1510903.32	3395158.93		40.727099°N	104.074229°W	

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSec	Target
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	
3	1125.19	10.50	322.61	1122.25	38.14	-29.15	2.00	322.61	-37.11	
4	5801.65	10.50	322.61	5720.35	715.52	-546.80	0.00	0.00	-696.15	
5	6785.65	90.00	179.36	6373.00	147.93	-612.81	10.00	-142.79	-126.62	BASHOR FED 27-3-6HN - LP
6	20250.56	90.00	179.36	6373.00	-13316.13	-461.45	0.00	0.00	13324.13	BASHOR FED 27-3-6HN - PBHL

FORMATION TOP DETAILS

TVDPath	MDPath	Formation
609.00	609.00	Base Fox Hills
1538.00	1548.02	Pierre Shale Top
3425.00	3467.18	Richard Sandstone
3535.00	3579.06	Parkman Sandstone
4222.00	4277.77	Sussex Sandstone
4715.00	4779.17	Shannon Sandstone
5537.00	5615.18	TeePee Buttes
6173.00	6290.15	Sharon Springs
6210.00	6341.07	Niobrara Top
6361.00	6667.82	Niobrara B2 Chalk Top
6368.00	6785.65	Niobrara B2 Chalk Target Top
6373.00	6785.65	Niobrara B2 Chalk Target LP

ANNOTATIONS



MD	Inc	Azi	TVD	+N/-S	+E/-W	VSec	Departure	Annotation
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	Start Build 2.00
1125.19	10.50	322.61	1122.25	38.14	-29.15	-37.11	48.01	Start 4676.46 hold at 1125.19 MD
5801.65	10.50	322.61	5720.35	715.52	-546.80	-696.15	900.53	Start DLS 10.00 TFO -142.79
6785.65	90.00	179.36	6373.00	147.93	-612.81	-126.62	1496.42	Start 13464.92 hold at 6785.65 MD
20250.56	90.00	179.36	6373.00	-13316.13	-461.45	13324.13	14961.33	TD at 20250.56

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
BASHOR FED 27-3-6HN - LP	6785.65	147.93	-612.81	1511041.38	3394543.82	40.727505°N	104.076440°W
BASHOR FED 27-3-6HN - PBHL	6373.00	-13316.13	-461.45	1497581.49	3394911.63	40.690549°N	104.075893°W

SHL:
459' FNL, 1518' FEL
Sec 27-T9N-R60W
LP:
300' FNL, 2130' FEL
Sec 27-T9N-R60W
BHL:
2302' FSL, 2504' FEL
Sec 3-T8N-R60W

West(-)/East(+) (2500 usft/in)



Planning Report

Database:	EDM 5000.16 Single User Db	Local Co-ordinate Reference:	Well BASHOR FED 27-3-6HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB 27' @ 5020.00usft
Project:	WELD COUNTY	MD Reference:	KB 27' @ 5020.00usft
Site:	SEC 27-T9N-R60W	North Reference:	True
Well:	BASHOR FED 27-3-6HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL 1		

Project	WELD COUNTY		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		

Site	SEC 27-T9N-R60W			
Site Position:		Northing:	1,511,414.81 usft	Latitude: 40.728436°N
From:	Lat/Long	Easting:	3,396,667.25 usft	Longitude: 104.068758°W
Position Uncertainty:	0.00 usft	Slot Radius:	13.200 in	

Well	BASHOR FED 27-3-6HN			
Well Position	+N/-S	0.00 usft	Northing:	1,510,903.33 usft
	+E/-W	0.00 usft	Easting:	3,395,158.93 usft
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft
Grid Convergence:		0.92 °	Ground Level:	4,993.00 usft

Wellbore	ORIGINAL WELLBORE				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	7/6/2020	7.60	67.05	52,291.71728437

Design	PROPOSAL 1			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	181.98

Plan Survey Tool Program	Date	7/17/2020		
Depth From (usft)	Depth To (usft)	Survey (Wellbore)	Tool Name	Remarks
1	0.00	20,250.56	PROPOSAL 1 (ORIGINAL WELL	MWD
			OWSG MWD - Standard	

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00	
1,125.19	10.50	322.61	1,122.25	38.14	-29.15	2.00	2.00	0.00	322.61	
5,801.65	10.50	322.61	5,720.35	715.52	-546.80	0.00	0.00	0.00	0.00	
6,785.65	90.00	179.36	6,373.00	147.93	-612.81	10.00	8.08	-14.56	-142.79	BASHOR FED 27-3-6
20,250.56	90.00	179.36	6,373.00	-13,316.13	-461.45	0.00	0.00	0.00	0.00	BASHOR FED 27-3-6

Planning Report

Database:	EDM 5000.16 Single User Db	Local Co-ordinate Reference:	Well BASHOR FED 27-3-6HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB 27' @ 5020.00usft
Project:	WELD COUNTY	MD Reference:	KB 27' @ 5020.00usft
Site:	SEC 27-T9N-R60W	North Reference:	True
Well:	BASHOR FED 27-3-6HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL 1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00
Start Build 2.00									
609.00	0.18	322.61	609.00	0.01	-0.01	-0.01	2.00	2.00	0.00
Base Fox Hills									
700.00	2.00	322.61	699.98	1.39	-1.06	-1.35	2.00	2.00	0.00
800.00	4.00	322.61	799.84	5.54	-4.24	-5.39	2.00	2.00	0.00
900.00	6.00	322.61	899.45	12.47	-9.53	-12.13	2.00	2.00	0.00
1,000.00	8.00	322.61	998.70	22.15	-16.93	-21.55	2.00	2.00	0.00
1,100.00	10.00	322.61	1,097.47	34.58	-26.43	-33.65	2.00	2.00	0.00
1,125.19	10.50	322.61	1,122.25	38.14	-29.15	-37.11	2.00	2.00	0.00
Start 4676.46 hold at 1125.19 MD									
1,200.00	10.50	322.61	1,195.81	48.98	-37.43	-47.65	0.00	0.00	0.00
1,300.00	10.50	322.61	1,294.13	63.46	-48.50	-61.75	0.00	0.00	0.00
1,400.00	10.50	322.61	1,392.46	77.95	-59.57	-75.84	0.00	0.00	0.00
1,500.00	10.50	322.61	1,490.78	92.43	-70.64	-89.93	0.00	0.00	0.00
1,548.02	10.50	322.61	1,538.00	99.39	-75.95	-96.70	0.00	0.00	0.00
Pierre Shale Top									
1,600.00	10.50	322.61	1,589.11	106.92	-81.71	-104.02	0.00	0.00	0.00
1,700.00	10.50	322.61	1,687.43	121.40	-92.78	-118.12	0.00	0.00	0.00
1,800.00	10.50	322.61	1,785.76	135.89	-103.85	-132.21	0.00	0.00	0.00
1,900.00	10.50	322.61	1,884.08	150.37	-114.91	-146.30	0.00	0.00	0.00
2,000.00	10.50	322.61	1,982.40	164.86	-125.98	-160.40	0.00	0.00	0.00
2,100.00	10.50	322.61	2,080.73	179.34	-137.05	-174.49	0.00	0.00	0.00
2,200.00	10.50	322.61	2,179.05	193.83	-148.12	-188.58	0.00	0.00	0.00
2,300.00	10.50	322.61	2,277.38	208.31	-159.19	-202.67	0.00	0.00	0.00
2,400.00	10.50	322.61	2,375.70	222.80	-170.26	-216.77	0.00	0.00	0.00
2,500.00	10.50	322.61	2,474.02	237.28	-181.33	-230.86	0.00	0.00	0.00
2,600.00	10.50	322.61	2,572.35	251.77	-192.40	-244.95	0.00	0.00	0.00
2,700.00	10.50	322.61	2,670.67	266.25	-203.47	-259.05	0.00	0.00	0.00
2,800.00	10.50	322.61	2,769.00	280.74	-214.54	-273.14	0.00	0.00	0.00
2,900.00	10.50	322.61	2,867.32	295.22	-225.61	-287.23	0.00	0.00	0.00
3,000.00	10.50	322.61	2,965.65	309.71	-236.68	-301.32	0.00	0.00	0.00
3,100.00	10.50	322.61	3,063.97	324.19	-247.75	-315.42	0.00	0.00	0.00
3,200.00	10.50	322.61	3,162.29	338.68	-258.81	-329.51	0.00	0.00	0.00
3,300.00	10.50	322.61	3,260.62	353.16	-269.88	-343.60	0.00	0.00	0.00
3,400.00	10.50	322.61	3,358.94	367.65	-280.95	-357.70	0.00	0.00	0.00
3,467.18	10.50	322.61	3,425.00	377.38	-288.39	-367.16	0.00	0.00	0.00
Richard Sandstone									
3,500.00	10.50	322.61	3,457.27	382.13	-292.02	-371.79	0.00	0.00	0.00
3,579.06	10.50	322.61	3,535.00	393.58	-300.77	-382.93	0.00	0.00	0.00
Parkman Sandstone									
3,600.00	10.50	322.61	3,555.59	396.62	-303.09	-385.88	0.00	0.00	0.00
3,700.00	10.50	322.61	3,653.92	411.10	-314.16	-399.97	0.00	0.00	0.00
3,800.00	10.50	322.61	3,752.24	425.59	-325.23	-414.07	0.00	0.00	0.00
3,900.00	10.50	322.61	3,850.56	440.07	-336.30	-428.16	0.00	0.00	0.00
4,000.00	10.50	322.61	3,948.89	454.56	-347.37	-442.25	0.00	0.00	0.00
4,100.00	10.50	322.61	4,047.21	469.04	-358.44	-456.34	0.00	0.00	0.00

Planning Report

Database:	EDM 5000.16 Single User Db	Local Co-ordinate Reference:	Well BASHOR FED 27-3-6HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB 27' @ 5020.00usft
Project:	WELD COUNTY	MD Reference:	KB 27' @ 5020.00usft
Site:	SEC 27-T9N-R60W	North Reference:	True
Well:	BASHOR FED 27-3-6HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL 1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
4,200.00	10.50	322.61	4,145.54	483.52	-369.51	-470.44	0.00	0.00	0.00	
4,277.77	10.50	322.61	4,222.00	494.79	-378.12	-481.40	0.00	0.00	0.00	
Sussex Sandstone										
4,300.00	10.50	322.61	4,243.86	498.01	-380.58	-484.53	0.00	0.00	0.00	
4,400.00	10.50	322.61	4,342.19	512.49	-391.65	-498.62	0.00	0.00	0.00	
4,500.00	10.50	322.61	4,440.51	526.98	-402.72	-512.72	0.00	0.00	0.00	
4,600.00	10.50	322.61	4,538.83	541.46	-413.78	-526.81	0.00	0.00	0.00	
4,700.00	10.50	322.61	4,637.16	555.95	-424.85	-540.90	0.00	0.00	0.00	
4,779.17	10.50	322.61	4,715.00	567.42	-433.62	-552.06	0.00	0.00	0.00	
Shannon Sandstone										
4,800.00	10.50	322.61	4,735.48	570.43	-435.92	-554.99	0.00	0.00	0.00	
4,900.00	10.50	322.61	4,833.81	584.92	-446.99	-569.09	0.00	0.00	0.00	
5,000.00	10.50	322.61	4,932.13	599.40	-458.06	-583.18	0.00	0.00	0.00	
5,100.00	10.50	322.61	5,030.46	613.89	-469.13	-597.27	0.00	0.00	0.00	
5,200.00	10.50	322.61	5,128.78	628.37	-480.20	-611.37	0.00	0.00	0.00	
5,300.00	10.50	322.61	5,227.10	642.86	-491.27	-625.46	0.00	0.00	0.00	
5,400.00	10.50	322.61	5,325.43	657.34	-502.34	-639.55	0.00	0.00	0.00	
5,500.00	10.50	322.61	5,423.75	671.83	-513.41	-653.64	0.00	0.00	0.00	
5,600.00	10.50	322.61	5,522.08	686.31	-524.48	-667.74	0.00	0.00	0.00	
5,615.18	10.50	322.61	5,537.00	688.51	-526.16	-669.88	0.00	0.00	0.00	
TeePee Buttes										
5,700.00	10.50	322.61	5,620.40	700.80	-535.55	-681.83	0.00	0.00	0.00	
5,801.65	10.50	322.61	5,720.35	715.52	-546.80	-696.15	0.00	0.00	0.00	
Start DLS 10.00 TFO -142.79										
5,850.00	7.26	298.83	5,768.13	720.50	-552.15	-700.94	10.00	-6.71	-49.19	
5,900.00	6.49	256.55	5,817.80	721.37	-557.67	-701.62	10.00	-1.54	-84.55	
5,950.00	9.02	223.70	5,867.36	717.87	-563.13	-697.94	10.00	5.06	-65.70	
6,000.00	13.05	207.95	5,916.44	710.05	-568.49	-689.94	10.00	8.07	-31.51	
6,050.00	17.58	199.85	5,964.65	697.95	-573.70	-677.67	10.00	9.06	-16.20	
6,100.00	22.31	195.04	6,011.65	681.68	-578.73	-661.22	10.00	9.45	-9.61	
6,150.00	27.13	191.86	6,057.05	661.34	-583.54	-640.74	10.00	9.64	-6.36	
6,200.00	32.00	189.58	6,100.53	637.11	-588.09	-616.36	10.00	9.75	-4.56	
6,250.00	36.91	187.85	6,141.75	609.15	-592.35	-588.27	10.00	9.81	-3.46	
6,290.15	40.86	186.72	6,173.00	584.15	-595.53	-563.18	10.00	9.84	-2.80	
Sharon Springs										
6,300.00	41.83	186.47	6,180.39	577.69	-596.28	-556.70	10.00	9.86	-2.53	
6,341.07	45.88	185.53	6,210.00	549.40	-599.24	-528.32	10.00	9.87	-2.30	
Niobrara Top										
6,350.00	46.77	185.34	6,216.17	542.97	-599.86	-521.87	10.00	9.88	-2.11	
6,400.00	51.71	184.38	6,248.80	505.25	-603.05	-484.06	10.00	9.89	-1.93	
6,450.00	56.67	183.54	6,278.05	464.81	-605.84	-443.55	10.00	9.91	-1.68	
6,500.00	61.63	182.79	6,303.68	421.96	-608.20	-400.64	10.00	9.92	-1.50	
6,550.00	66.59	182.11	6,325.51	377.04	-610.12	-355.68	10.00	9.92	-1.36	
6,600.00	71.55	181.48	6,343.37	330.37	-611.58	-308.99	10.00	9.93	-1.26	
6,650.00	76.52	180.88	6,357.12	282.33	-612.56	-260.94	10.00	9.93	-1.19	
6,667.82	78.29	180.67	6,361.00	264.94	-612.80	-243.56	10.00	9.94	-1.16	
Niobrara B2 Chalk Top										
6,700.00	81.49	180.31	6,366.65	233.26	-613.07	-211.89	10.00	9.94	-1.14	
6,709.67	82.45	180.20	6,368.00	223.69	-613.11	-202.33	10.00	9.94	-1.12	
Niobrara B2 Chalk Target Top										
6,750.00	86.46	179.75	6,371.90	183.56	-613.09	-162.21	10.00	9.94	-1.11	
6,785.65	90.00	179.36	6,373.00	147.93	-612.81	-126.62	10.00	9.94	-1.10	
Start 13464.92 hold at 6785.65 MD - Niobrara B2 Chalk Target LP										

Planning Report

Database:	EDM 5000.16 Single User Db	Local Co-ordinate Reference:	Well BASHOR FED 27-3-6HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB 27' @ 5020.00usft
Project:	WELD COUNTY	MD Reference:	KB 27' @ 5020.00usft
Site:	SEC 27-T9N-R60W	North Reference:	True
Well:	BASHOR FED 27-3-6HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL 1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
6,800.00	90.00	179.36	6,373.00	133.58	-612.65	-112.28	0.00	0.00	0.00
6,900.00	90.00	179.36	6,373.00	33.59	-611.53	-12.39	0.00	0.00	0.00
7,000.00	90.00	179.36	6,373.00	-66.41	-610.40	87.51	0.00	0.00	0.00
7,100.00	90.00	179.36	6,373.00	-166.40	-609.28	187.40	0.00	0.00	0.00
7,200.00	90.00	179.36	6,373.00	-266.39	-608.15	287.30	0.00	0.00	0.00
7,300.00	90.00	179.36	6,373.00	-366.39	-607.03	387.19	0.00	0.00	0.00
7,400.00	90.00	179.36	6,373.00	-466.38	-605.91	487.09	0.00	0.00	0.00
7,500.00	90.00	179.36	6,373.00	-566.38	-604.78	586.98	0.00	0.00	0.00
7,600.00	90.00	179.36	6,373.00	-666.37	-603.66	686.88	0.00	0.00	0.00
7,700.00	90.00	179.36	6,373.00	-766.36	-602.53	786.77	0.00	0.00	0.00
7,800.00	90.00	179.36	6,373.00	-866.36	-601.41	886.67	0.00	0.00	0.00
7,900.00	90.00	179.36	6,373.00	-966.35	-600.29	986.56	0.00	0.00	0.00
8,000.00	90.00	179.36	6,373.00	-1,066.34	-599.16	1,086.45	0.00	0.00	0.00
8,100.00	90.00	179.36	6,373.00	-1,166.34	-598.04	1,186.35	0.00	0.00	0.00
8,200.00	90.00	179.36	6,373.00	-1,266.33	-596.91	1,286.24	0.00	0.00	0.00
8,300.00	90.00	179.36	6,373.00	-1,366.32	-595.79	1,386.14	0.00	0.00	0.00
8,400.00	90.00	179.36	6,373.00	-1,466.32	-594.66	1,486.03	0.00	0.00	0.00
8,500.00	90.00	179.36	6,373.00	-1,566.31	-593.54	1,585.93	0.00	0.00	0.00
8,600.00	90.00	179.36	6,373.00	-1,666.31	-592.42	1,685.82	0.00	0.00	0.00
8,700.00	90.00	179.36	6,373.00	-1,766.30	-591.29	1,785.72	0.00	0.00	0.00
8,800.00	90.00	179.36	6,373.00	-1,866.29	-590.17	1,885.61	0.00	0.00	0.00
8,900.00	90.00	179.36	6,373.00	-1,966.29	-589.04	1,985.51	0.00	0.00	0.00
9,000.00	90.00	179.36	6,373.00	-2,066.28	-587.92	2,085.40	0.00	0.00	0.00
9,100.00	90.00	179.36	6,373.00	-2,166.27	-586.80	2,185.30	0.00	0.00	0.00
9,200.00	90.00	179.36	6,373.00	-2,266.27	-585.67	2,285.19	0.00	0.00	0.00
9,300.00	90.00	179.36	6,373.00	-2,366.26	-584.55	2,385.09	0.00	0.00	0.00
9,400.00	90.00	179.36	6,373.00	-2,466.26	-583.42	2,484.98	0.00	0.00	0.00
9,500.00	90.00	179.36	6,373.00	-2,566.25	-582.30	2,584.88	0.00	0.00	0.00
9,600.00	90.00	179.36	6,373.00	-2,666.24	-581.18	2,684.77	0.00	0.00	0.00
9,700.00	90.00	179.36	6,373.00	-2,766.24	-580.05	2,784.67	0.00	0.00	0.00
9,800.00	90.00	179.36	6,373.00	-2,866.23	-578.93	2,884.56	0.00	0.00	0.00
9,900.00	90.00	179.36	6,373.00	-2,966.22	-577.80	2,984.46	0.00	0.00	0.00
10,000.00	90.00	179.36	6,373.00	-3,066.22	-576.68	3,084.35	0.00	0.00	0.00
10,100.00	90.00	179.36	6,373.00	-3,166.21	-575.56	3,184.24	0.00	0.00	0.00
10,200.00	90.00	179.36	6,373.00	-3,266.20	-574.43	3,284.14	0.00	0.00	0.00
10,300.00	90.00	179.36	6,373.00	-3,366.20	-573.31	3,384.03	0.00	0.00	0.00
10,400.00	90.00	179.36	6,373.00	-3,466.19	-572.18	3,483.93	0.00	0.00	0.00
10,500.00	90.00	179.36	6,373.00	-3,566.19	-571.06	3,583.82	0.00	0.00	0.00
10,600.00	90.00	179.36	6,373.00	-3,666.18	-569.94	3,683.72	0.00	0.00	0.00
10,700.00	90.00	179.36	6,373.00	-3,766.17	-568.81	3,783.61	0.00	0.00	0.00
10,800.00	90.00	179.36	6,373.00	-3,866.17	-567.69	3,883.51	0.00	0.00	0.00
10,900.00	90.00	179.36	6,373.00	-3,966.16	-566.56	3,983.40	0.00	0.00	0.00
11,000.00	90.00	179.36	6,373.00	-4,066.15	-565.44	4,083.30	0.00	0.00	0.00
11,100.00	90.00	179.36	6,373.00	-4,166.15	-564.31	4,183.19	0.00	0.00	0.00
11,200.00	90.00	179.36	6,373.00	-4,266.14	-563.19	4,283.09	0.00	0.00	0.00
11,300.00	90.00	179.36	6,373.00	-4,366.14	-562.07	4,382.98	0.00	0.00	0.00
11,400.00	90.00	179.36	6,373.00	-4,466.13	-560.94	4,482.88	0.00	0.00	0.00
11,500.00	90.00	179.36	6,373.00	-4,566.12	-559.82	4,582.77	0.00	0.00	0.00
11,600.00	90.00	179.36	6,373.00	-4,666.12	-558.69	4,682.67	0.00	0.00	0.00
11,700.00	90.00	179.36	6,373.00	-4,766.11	-557.57	4,782.56	0.00	0.00	0.00
11,800.00	90.00	179.36	6,373.00	-4,866.10	-556.45	4,882.46	0.00	0.00	0.00
11,900.00	90.00	179.36	6,373.00	-4,966.10	-555.32	4,982.35	0.00	0.00	0.00
12,000.00	90.00	179.36	6,373.00	-5,066.09	-554.20	5,082.25	0.00	0.00	0.00
12,100.00	90.00	179.36	6,373.00	-5,166.08	-553.07	5,182.14	0.00	0.00	0.00

Planning Report

Database:	EDM 5000.16 Single User Db	Local Co-ordinate Reference:	Well BASHOR FED 27-3-6HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB 27' @ 5020.00usft
Project:	WELD COUNTY	MD Reference:	KB 27' @ 5020.00usft
Site:	SEC 27-T9N-R60W	North Reference:	True
Well:	BASHOR FED 27-3-6HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL 1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
12,200.00	90.00	179.36	6,373.00	-5,266.08	-551.95	5,282.03	0.00	0.00	0.00	
12,300.00	90.00	179.36	6,373.00	-5,366.07	-550.83	5,381.93	0.00	0.00	0.00	
12,400.00	90.00	179.36	6,373.00	-5,466.07	-549.70	5,481.82	0.00	0.00	0.00	
12,500.00	90.00	179.36	6,373.00	-5,566.06	-548.58	5,581.72	0.00	0.00	0.00	
12,600.00	90.00	179.36	6,373.00	-5,666.05	-547.45	5,681.61	0.00	0.00	0.00	
12,700.00	90.00	179.36	6,373.00	-5,766.05	-546.33	5,781.51	0.00	0.00	0.00	
12,800.00	90.00	179.36	6,373.00	-5,866.04	-545.21	5,881.40	0.00	0.00	0.00	
12,900.00	90.00	179.36	6,373.00	-5,966.03	-544.08	5,981.30	0.00	0.00	0.00	
13,000.00	90.00	179.36	6,373.00	-6,066.03	-542.96	6,081.19	0.00	0.00	0.00	
13,100.00	90.00	179.36	6,373.00	-6,166.02	-541.83	6,181.09	0.00	0.00	0.00	
13,200.00	90.00	179.36	6,373.00	-6,266.02	-540.71	6,280.98	0.00	0.00	0.00	
13,300.00	90.00	179.36	6,373.00	-6,366.01	-539.58	6,380.88	0.00	0.00	0.00	
13,400.00	90.00	179.36	6,373.00	-6,466.00	-538.46	6,480.77	0.00	0.00	0.00	
13,500.00	90.00	179.36	6,373.00	-6,566.00	-537.34	6,580.67	0.00	0.00	0.00	
13,600.00	90.00	179.36	6,373.00	-6,665.99	-536.21	6,680.56	0.00	0.00	0.00	
13,700.00	90.00	179.36	6,373.00	-6,765.98	-535.09	6,780.46	0.00	0.00	0.00	
13,800.00	90.00	179.36	6,373.00	-6,865.98	-533.96	6,880.35	0.00	0.00	0.00	
13,900.00	90.00	179.36	6,373.00	-6,965.97	-532.84	6,980.25	0.00	0.00	0.00	
14,000.00	90.00	179.36	6,373.00	-7,065.96	-531.72	7,080.14	0.00	0.00	0.00	
14,100.00	90.00	179.36	6,373.00	-7,165.96	-530.59	7,180.04	0.00	0.00	0.00	
14,200.00	90.00	179.36	6,373.00	-7,265.95	-529.47	7,279.93	0.00	0.00	0.00	
14,300.00	90.00	179.36	6,373.00	-7,365.95	-528.34	7,379.83	0.00	0.00	0.00	
14,400.00	90.00	179.36	6,373.00	-7,465.94	-527.22	7,479.72	0.00	0.00	0.00	
14,500.00	90.00	179.36	6,373.00	-7,565.93	-526.10	7,579.61	0.00	0.00	0.00	
14,600.00	90.00	179.36	6,373.00	-7,665.93	-524.97	7,679.51	0.00	0.00	0.00	
14,700.00	90.00	179.36	6,373.00	-7,765.92	-523.85	7,779.40	0.00	0.00	0.00	
14,800.00	90.00	179.36	6,373.00	-7,865.91	-522.72	7,879.30	0.00	0.00	0.00	
14,900.00	90.00	179.36	6,373.00	-7,965.91	-521.60	7,979.19	0.00	0.00	0.00	
15,000.00	90.00	179.36	6,373.00	-8,065.90	-520.48	8,079.09	0.00	0.00	0.00	
15,100.00	90.00	179.36	6,373.00	-8,165.90	-519.35	8,178.98	0.00	0.00	0.00	
15,200.00	90.00	179.36	6,373.00	-8,265.89	-518.23	8,278.88	0.00	0.00	0.00	
15,300.00	90.00	179.36	6,373.00	-8,365.88	-517.10	8,378.77	0.00	0.00	0.00	
15,400.00	90.00	179.36	6,373.00	-8,465.88	-515.98	8,478.67	0.00	0.00	0.00	
15,500.00	90.00	179.36	6,373.00	-8,565.87	-514.86	8,578.56	0.00	0.00	0.00	
15,600.00	90.00	179.36	6,373.00	-8,665.86	-513.73	8,678.46	0.00	0.00	0.00	
15,700.00	90.00	179.36	6,373.00	-8,765.86	-512.61	8,778.35	0.00	0.00	0.00	
15,800.00	90.00	179.36	6,373.00	-8,865.85	-511.48	8,878.25	0.00	0.00	0.00	
15,900.00	90.00	179.36	6,373.00	-8,965.84	-510.36	8,978.14	0.00	0.00	0.00	
16,000.00	90.00	179.36	6,373.00	-9,065.84	-509.23	9,078.04	0.00	0.00	0.00	
16,100.00	90.00	179.36	6,373.00	-9,165.83	-508.11	9,177.93	0.00	0.00	0.00	
16,200.00	90.00	179.36	6,373.00	-9,265.83	-506.99	9,277.83	0.00	0.00	0.00	
16,300.00	90.00	179.36	6,373.00	-9,365.82	-505.86	9,377.72	0.00	0.00	0.00	
16,400.00	90.00	179.36	6,373.00	-9,465.81	-504.74	9,477.62	0.00	0.00	0.00	
16,500.00	90.00	179.36	6,373.00	-9,565.81	-503.61	9,577.51	0.00	0.00	0.00	
16,600.00	90.00	179.36	6,373.00	-9,665.80	-502.49	9,677.40	0.00	0.00	0.00	
16,700.00	90.00	179.36	6,373.00	-9,765.79	-501.37	9,777.30	0.00	0.00	0.00	
16,800.00	90.00	179.36	6,373.00	-9,865.79	-500.24	9,877.19	0.00	0.00	0.00	
16,900.00	90.00	179.36	6,373.00	-9,965.78	-499.12	9,977.09	0.00	0.00	0.00	
17,000.00	90.00	179.36	6,373.00	-10,065.78	-497.99	10,076.98	0.00	0.00	0.00	
17,100.00	90.00	179.36	6,373.00	-10,165.77	-496.87	10,176.88	0.00	0.00	0.00	
17,200.00	90.00	179.36	6,373.00	-10,265.76	-495.75	10,276.77	0.00	0.00	0.00	
17,300.00	90.00	179.36	6,373.00	-10,365.76	-494.62	10,376.67	0.00	0.00	0.00	
17,400.00	90.00	179.36	6,373.00	-10,465.75	-493.50	10,476.56	0.00	0.00	0.00	
17,500.00	90.00	179.36	6,373.00	-10,565.74	-492.37	10,576.46	0.00	0.00	0.00	

Planning Report

Database:	EDM 5000.16 Single User Db	Local Co-ordinate Reference:	Well BASHOR FED 27-3-6HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB 27' @ 5020.00usft
Project:	WELD COUNTY	MD Reference:	KB 27' @ 5020.00usft
Site:	SEC 27-T9N-R60W	North Reference:	True
Well:	BASHOR FED 27-3-6HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL 1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
17,600.00	90.00	179.36	6,373.00	-10,665.74	-491.25	10,676.35	0.00	0.00	0.00	
17,700.00	90.00	179.36	6,373.00	-10,765.73	-490.13	10,776.25	0.00	0.00	0.00	
17,800.00	90.00	179.36	6,373.00	-10,865.72	-489.00	10,876.14	0.00	0.00	0.00	
20,250.56	90.00	179.36	6,373.00	-13,316.13	-461.45	13,324.13	0.00	0.00	0.00	
TD at 20250.56										

Design Targets										
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
BASHOR FED 27-3-6HN - plan hits target center - Point	0.00	0.00	6,373.00	147.93	-612.81	1,511,041.39	3,394,543.82	40.727505°N	104.076440°W	
BASHOR FED 27-3-6HN - plan hits target center - Point	0.00	0.00	6,373.00	-13,316.13	-461.45	1,497,581.50	3,394,911.63	40.690549°N	104.075893°W	

Formations						
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)	
609.00	609.00	Base Fox Hills				
1,548.02	1,538.00	Pierre Shale Top				
3,467.18	3,425.00	Richard Sandstone				
3,579.06	3,535.00	Parkman Sandstone				
4,277.77	4,222.00	Sussex Sandstone				
4,779.17	4,715.00	Shannon Sandstone				
5,615.18	5,537.00	TeePee Buttes				
6,290.15	6,173.00	Sharon Springs				
6,341.07	6,210.00	Niobrara Top				
6,667.82	6,361.00	Niobrara B2 Chalk Top				
6,709.67	6,368.00	Niobrara B2 Chalk Target Top				
6,785.65	6,373.00	Niobrara B2 Chalk Target LP				

Plan Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment	
		+N/-S (usft)	+E/-W (usft)		
600.00	600.00	0.00	0.00	Start Build 2.00	
1,125.19	1,122.25	38.14	-29.15	Start 4676.46 hold at 1125.19 MD	
5,801.65	5,720.35	715.52	-546.80	Start DLS 10.00 TFO -142.79	
6,785.65	6,373.00	147.93	-612.81	Start 13464.92 hold at 6785.65 MD	
20,250.56	6,373.00	-13,316.13	-461.45	TD at 20250.56	