

Location

Overall Good:

Emergency Contact Number:

Comment:

Corrective Action:

Date: _____

Good Housekeeping:

Type	STORAGE OF SUPL		
Comment:	Chemical Tanks stored on location with no containment see pic 1,2,3,4,5,8,9,11		
Corrective Action:	Install or repair required BMPs per Rule 1002.f.	Date:	10/22/2020
Type	STORAGE OF SUPL		
Comment:	Storage of equipment on location see pic 1,2,3,4,5,8,9,11		
Corrective Action:	Comply with Rule 603.f .	Date:	10/22/2020
Type	OTHER		
Comment:	Tanks not painted all same color see pic 1,2,3,4,5,6,7,8,9,11,12,13,14		
Corrective Action:	Paint tanks per Rule 804.	Date:	03/22/2021
Type	WEEDS		
Comment:	Weeds unmanaged on locaton		
Corrective Action:	Comply with 603.f	Date:	10/22/2020

Overall Good:

Spills:				
Type	Area	Volume		

In Containment: No

Comment:

Multiple Spills and Releases?

Tanks and Berms:

Contents	#	Capacity	Type	Tank ID	SE GPS
CRUDE OIL	2	500 BBLs	STEEL AST		,
Comment:	<input type="text"/>				
Corrective Action:	<input type="text"/>				Date:

Paint

Condition Adequate

Other (Content)

Other (Capacity)

Other (Type)

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth	Adequate	Walls Sufficent	Base Sufficent	Adequate
Comment:	<input type="text"/>			

Corrective Action:					Date:
Contents	#	Capacity	Type	Tank ID	SE GPS
CRUDE OIL	4	300 BBLs	STEEL AST		,
Comment:					
Corrective Action:					Date:

Paint

Condition	Adequate
Other (Content)	
Other (Capacity)	
Other (Type)	

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth	Adequate	Walls Sufficient	Base Sufficient	Adequate
Comment:				
Corrective Action:				Date:

Contents	#	Capacity	Type	Tank ID	SE GPS
PRODUCED WATER	4	500 BBLs	FIBERGLASS AST		,
Comment:					
Corrective Action:					Date:

Paint

Condition	Adequate
Other (Content)	
Other (Capacity)	
Other (Type)	

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth	Adequate	Walls Sufficient	Base Sufficient	Adequate
Comment:				
Corrective Action:				Date:

Venting:

Yes/No	NO
Comment:	
Corrective Action:	
Date:	

Flaring:

Type	
Comment:	
Corrective Action:	
Date:	

Comment	User	Date
<p>COGCC Inspection Report Summary On 9/22/2020 at approximately 1000 I, Inspector Justin Medina conducted an on-site inspection at: Well Name- Nile D Sand Unit UIC injection facility Company Name- P3 Facility ID-150207 In Adams County Colorado. While there, I observed UIC Facility During this inspection the following possible compliance issues were observed: Tanks not painted all same color see pic 1,2,3,4,5,6,7,8,9,11,12,13,14 Paint tanks per Rule 804. 3/22/21 Chemical Tanks stored on location with no containment see pic 1,2,3,4,5,8,9,11 Install or repair required BMPs per Rule 1002.f. 10/22/20 Storage of equipment on location see pic 1,2,3,4,5,8,9,11 Comply with Rule 603.f . 10/22/20 Weeds unmanaged on location Comply with 603.f 10/22/20 A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules. At time of inspection weather conditions were sunny and calm. This is a summary of inspection report.</p>	<p>medinaj</p>	<p>09/22/2020</p>

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
699501720	pics	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5253338