



STATE OF
COLORADO

Treitz - DNR, Rebecca <rebecca.treitz@state.co.us>

FW: KMG SBJ doc no 402376823 DRAFT Pls review

6 messages

Tracy_Colling@oxy.com <Tracy_Colling@oxy.com>

Wed, Aug 26, 2020 at 5:16 PM

To: "Rebecca Treitz (rebecca.treitz@state.co.us)" <rebecca.treitz@state.co.us>

Hi Rebecca,

Thank you for your email regarding the SBJ location.

With respect to your comments below, KMG provides responses in **red** below.

Please let me know if you need any additional information.

Thank you,

Tracy Colling|Sr. Municipal Planning Analyst
Office: 720-929-6160

Cell: 720-254-9092



Occidental Petroleum Corporation

Working Remotely Effective March 16, 2020

Please contact me via cell phone or email

From: Treitz - DNR, Rebecca <rebecca.treitz@state.co.us>

Sent: Tuesday, August 25, 2020 5:20 PM

To: Colling, Tracy <tracy_colling@oxy.com>

Subject: [EXTERNAL] KMG SBJ doc no 402376823

Tracy,

COGCC is in the process of reviewing the KMG SBJ Form 2A (doc no 402376823).

In compliance with § 24-65.1-108(1), C.R.S., the COGCC is providing this written request for all additional information necessary for the COGCC to respond to this application. The applicant may provide all requested additional information to COGCC via email. Upon receipt of all requested information, the COGCC will have 60 days in which to approve, deny, or

request all additional information necessary to complete the regulatory review. If the applicant no longer requires this application be approved, the applicant may request to withdraw the application. In addition to all standard required information and attachments, the COGCC hereby confirms the following information is necessary for review:

1. The High Occupancy Building Unit and School facility are listed at 3,198 feet from the nearest well and 3484 from the nearest equipment. The nearest School property or Child Care facility are listed at 5,280 feet for both. On the COGIS maps, a Child Care facility was identified approximately 6,100 feet northeast of the Location. Please provide information on the location of a High Occupancy Building Unit and school facility, but the school property is further away.

The location in question is located at 5636 WCR 46 Gymstarz Elite and was inaccurately identified by our engineer as a High Occupancy Building Unit and School Facility. This dimension should be changed to 5,280 feet on the Cultural Survey as this does not meet the COGCC definition for High Occupancy Building and School Facility.

2. Please provide information on where the location is at in the WOGLA process.

The SBJ WOGLA application was submitted to Weld County Oil and Gas Energy Department and is currently being processed and reviewed.

3. The Location is near the Town of Berthoud, please provide any information on communication with the Town.

KMG sent WOGLA Notices to the Town of Berthoud's LGD in both January and April of this year. These notices included a description of the operations, a location drawing, equipment list, access map and haul routes. KMG has not received feedback from Berthoud's LGD regarding this location.

4. The public comment period has ended, please provide a 306.e. certification.

KMG has completed the Rule 306.e. certification and it is attached to this email.

The Form 2A will be placed On Hold until all information is received to continue the review of the Form 2A. Please let me know if you have questions.

Thank you,
Rebecca

--

Rebecca Treitz

Oil and Gas Location Assessment Specialist

P 303.894.2100 x5173 | F 303.894.2109 |

[1120 Lincoln Street, Suite 801, Denver, CO 80203](#)

Rebecca.Treitz@state.co.us | www.colorado.gov/cogcc



306.e and 306.b.(3) CERTIFICATION (TC).pdf
38K

Treitz - DNR, Rebecca <rebecca.treitz@state.co.us>
To: Tracy_Colling@oxy.com

Thu, Sep 3, 2020 at 12:54 PM

Tracy,
According to the 306.e. letter, Oxy did meet with people who received the 305.a. or OGLA notice? What were some of the concerns? The letter does not need specifics, but if a meeting was requested, stating how many people Oxy met with and a brief description of concerns (noise, dust, traffic, etc) and how Oxy addressed the concerns (BMPs, discussed operations?) should be part of the letter.

Thanks,
Rebeca
[Quoted text hidden]

John_Piekara@oxy.com <John_Piekara@oxy.com>
To: "Treitz - DNR, Rebecca" <rebecca.treitz@state.co.us>
Cc: "Colling, Tracy" <tracy_colling@oxy.com>, "Lytle, Andy" <andy_lytle@oxy.com>

Fri, Sep 4, 2020 at 1:50 PM

Hello Rebecca.

In Tracy's absence I have updated the 306.e letter (attached). Let us know if you have any questions.

Thanks and have a great time camping this weekend!

John

From: Treitz - DNR, Rebecca <rebecca.treitz@state.co.us>
Sent: Thursday, September 03, 2020 12:55 PM
To: Colling, Tracy <tracy_colling@oxy.com>
Subject: [EXTERNAL] Re: FW: KMG SBJ doc no 402376823 DRAFT Pls review

WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.

[Quoted text hidden]

 **306.e and 306.b.(3) CERTIFICATION - SBJ.pdf**
218K

Treitz - DNR, Rebecca <rebecca.treitz@state.co.us>
To: John_Piekara@oxy.com

Fri, Sep 4, 2020 at 2:48 PM

Thank you John,
This is helpful. Have a nice holiday weekend.

Rebecca
[Quoted text hidden]

Treitz - DNR, Rebecca <rebecca.treitz@state.co.us>
To: Tracy_Colling@oxy.com

Wed, Sep 30, 2020 at 11:39 AM

Tracy,
In the 306.e. letter the individual Oxy/Anadarko met with had concerns about an irrigation ditch that they utilize. Is this ditch on Anadarko property (according to the hydrology map?)? Is this a tenant farmer that also lives within the buffer? Is there more information on how the ditch will be protected during construction and drilling or restored during interim reclamation?

Thanks,
Rebecca
[Quoted text hidden]

Tracy_Colling@oxy.com <Tracy_Colling@oxy.com>

Wed, Sep 30, 2020 at 2:48 PM

To: "Treitz - DNR, Rebecca" <rebecca.treitz@state.co.us>

Cc: "Lytle, Andy" <andy_lytle@oxy.com>, "Piekara, John" <john_piekara@oxy.com>

Rebecca,

Yes, the ditch is on Anadarko's property. The adjacent surface owner to the east, farms the Anadarko property. Yes, this adjacent surface owner lives within the buffer. The ditch will be temporarily removed during construction/drilling/completions and restored at interim reclamation to irrigate agriculture areas. This was requested by the adjacent property owner and that was what was agreed to in a phone conversation on August 12th 2020.

Please let me know if you need anything else.

Thank you,

Tracy

From: Treitz - DNR, Rebecca <rebecca.treitz@state.co.us>

Sent: Wednesday, September 30, 2020 11:39 AM

To: Colling, Tracy <tracy_colling@oxy.com>

Subject: Re: FW: KMG SBJ doc no 402376823 DRAFT Pls review

WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.

Tracy,

[Quoted text hidden]

[Quoted text hidden]