

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

**Submit By Other Operator**

Document Number:  
402500883

Date Received:  
09/30/2020

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10633 Contact Name Kathy Denzer

Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (720) 410-8519

Address: 1801 CALIFORNIA STREET #2500 Fax: ( )

City: DENVER State: CO Zip: 80202 Email: Kathy.Denzer@crestonepr.com

Complete the Attachment  
Checklist

OP OGCC

API Number : 05- 001 00 OGCC Facility ID Number: 457713

Well/Facility Name: Schuh Well/Facility Number: 3-65 21-20

Location QtrQtr: SESE Section: 21 Township: 3S Range: 65W Meridian: 6

County: ADAMS Field Name: \_\_\_\_\_

Federal, Indian or State Lease Number: \_\_\_\_\_

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

**CHANGE OF LOCATION OR AS BUILT GPS REPORT**

- Change of Location \*       As-Built GPS Location Report       As-Built GPS Location Report with Survey

\* Well location change requires new plat. A substantive surface location change may require new Form 2A.

**SURFACE LOCATION GPS DATA** Data must be provided for Change of Surface Location and As Built Reports.

Latitude \_\_\_\_\_ GPS Quality Value: \_\_\_\_\_ Type of GPS Quality Value: \_\_\_\_\_ Measurement Date: \_\_\_\_\_

Longitude \_\_\_\_\_ GPS Instrument Operator's Name \_\_\_\_\_

**LOCATION CHANGE (all measurements in Feet)**

Well will be: \_\_\_\_\_ (Vertical, Directional, Horizontal)

		FNL/FSL		FEL/FWL	
Change of <b>Surface</b> Footage <b>From</b> Exterior Section Lines:	1311	FSL	475	FEL	
Change of <b>Surface</b> Footage <b>To</b> Exterior Section Lines:	[ ]	[ ]	[ ]	[ ]	
Current <b>Surface</b> Location <b>From</b> QtrQtr <u>SESE</u> Sec <u>21</u>	Twp <u>3S</u>	Range <u>65W</u>	Meridian <u>6</u>		
New <b>Surface</b> Location <b>To</b> QtrQtr [ ]      Sec [ ]	Twp [ ]	Range [ ]	Meridian [ ]		
Change of <b>Top of Productive Zone</b> Footage <b>From</b> Exterior Section Lines:	[ ]	[ ]	[ ]	[ ]	
Change of <b>Top of Productive Zone</b> Footage <b>To</b> Exterior Section Lines:	[ ]	[ ]	[ ]	[ ]	**
Current <b>Top of Productive Zone</b> Location <b>From</b> Sec [ ]	Twp [ ]	Range [ ]			
New <b>Top of Productive Zone</b> Location <b>To</b> Sec [ ]	Twp [ ]	Range [ ]			
Change of <b>Bottomhole</b> Footage <b>From</b> Exterior Section Lines:	[ ]	[ ]	[ ]	[ ]	
Change of <b>Bottomhole</b> Footage <b>To</b> Exterior Section Lines:	[ ]	[ ]	[ ]	[ ]	**
Current <b>Bottomhole</b> Location      Sec [ ]      Twp [ ]      Range [ ]					** attach deviated drilling plan
New <b>Bottomhole</b> Location      Sec [ ]      Twp [ ]      Range [ ]					

Is location in High Density Area? \_\_\_\_\_

Distance, in feet, to nearest building \_\_\_\_\_, public road: \_\_\_\_\_, above ground utility: \_\_\_\_\_, railroad: \_\_\_\_\_, property line: \_\_\_\_\_, lease line: \_\_\_\_\_, well in same formation: \_\_\_\_\_

Ground Elevation \_\_\_\_\_ feet      Surface owner consultation date \_\_\_\_\_

OTHER CHANGES

**REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment

**CHANGE OF WELL, FACILITY OR OIL & GAS LOCATION NAME OR NUMBER**

From: Name SCHUH Number 3-65 21-20 Effective Date: \_\_\_\_\_

To: Name \_\_\_\_\_ Number \_\_\_\_\_

**ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**

WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.

PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 905)

CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 908)

OIL & GAS LOCATION ID Number: \_\_\_\_\_

Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

**REQUEST FOR CONFIDENTIAL STATUS**

**DIGITAL WELL LOG UPLOAD**

**DOCUMENTS SUBMITTED** Purpose of Submission: Revised Multi Well Plan

RECLAMATION

**INTERIM RECLAMATION**

Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

**FINAL RECLAMATION**

Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below or provide as an attachment, as required by Rule 319.b.(3).

Date well temporarily abandoned \_\_\_\_\_ Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required if shut in longer than 2 years. Date of last MIT \_\_\_\_\_

SPUD DATE: \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

NOTICE OF INTENT Approximate Start Date \_\_\_\_\_

REPORT OF WORK DONE Date Work Completed \_\_\_\_\_

- |  |   |  |
|--|---|--|
| <input type="checkbox"/> Intent to Recomplete (Form 2 also required) | <input type="checkbox"/> Request to Vent or Flare   | <input type="checkbox"/> E&P Waste Mangement Plan      |
| <input type="checkbox"/> Change Drilling Plan                        | <input type="checkbox"/> Repair Well  | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change                       | <input type="checkbox"/> Rule 502 variance requested. Must provide detailed info regarding request. |  |
| <input type="checkbox"/> Other _____                                 | <input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases          |  |

**COMMENTS:**

Empty text box for comments.

**H2S REPORTING**

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Empty text box for sample point description.

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Empty text box for release potential and duration description.

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

## Best Management Practices

<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>
1	Planning	Light sources during all phases of operations will be directed downward or shielded so no light pollution leaves the facility.
2	Storm Water/Erosion Control	Operator will utilize BMPs at the location to control stormwater runoff in a manner that minimizes erosion, transport of sediment offsite, site degradation, and protects surface waters. BMPs to be implemented include, but are not limited to: a diversion ditch the well pad and around the topsoil and spoils storage, sediment basins, sediment control logs and rock socks/wattles. Depending on the status of reclamation, the site will be inspected on either a 14-day, 30-day, annual, or rain triggering event. In addition, the City of Aurora requires a Stormwater Management Plan through the local permitting process. The City approved Operator's Stormwater Management Plan on May 18, 2018.
3	Material Handling and Spill Prevention	<p>Protection of Shallow Groundwater: Operator places RPE Linger with 10oz Geomembrane under all mud tanks, as well as the surface and production rig to catch any releases that may occur. In addition, Operator lines their well cellars with a liner material. Conex containment is also used to house items.</p> <p>Well effluent containing more than 10 (ten) barrels pe day of condensate or within two (2) hours after first encountering hydrocarbon gas or salable quality will be direct to a combination of sand traps, separators, surge vessels, and tanks as needed to ensure safe separation of sand, hydrocarbon liquids, water and gas and to ensure salable products are efficiently recovered for sale or conserved and that non-salable products are disposed of in a safe and environmentally responsible manner.</p> <p>Operator utilizes 27" tall corrugated galvanized metal berm walls with a capacity in excess of 150% of the largest tank contained within the wall. In addition, Operator's best practices mandates the use of impervious liners that extends under each storage tank and up the walls, permanently affixed to the top of the metal berm wall. Protrusions of piping that come through the liner include a fully sealed "boot" to prevent leakage. Separators will be contained within 22" tall metal berms built on compacted, Class 6 fractured granite road base with 95% compaction.</p> <p>The tank battery will be built with remote shut-in capabilities via automation such that if tank levels approach their max tank level set point, if a vapor recovery tower approaches its max fluid level set point, or if a separator approaches its max pressure set point, alarms will be sent to field personnel. If any of those max set points are reached, the well in question will be automatically shut-in.</p>
4	Dust control	Operator places road base, rock and recycled asphalt to assist with dust abatement. During construction, drilling, completions and reclamation phases. Crestone monitors each site and, if needed, will run water trucks on the lease road and county road.
5	Noise mitigation	Noise mitigation- Operator will perform a baseline noise survey prior to any operational activity measuring dBA at a distance 350 feet from the noise source or sound levels will be measured at a point twenty-five (25) feet from the structure towards the noise source. In situations where measurement of noise levels at three hundred and fifty (350) feet is impractical or unrepresentative due to topography, the measurement may be taken at a lesser distance and extrapolated to a 350-foot equivalent using the formula stated in Rule 802 of the State of Colorado Oil and Gas Conservation Commission. Crestone will install temporary 32 foot sound walls and will install permanent noise mitigation at the location if determined it is necessary based on results from the baseline noise survey.
6	Odor mitigation	Drilling rig and completion engine exhausts are pointed straight up so as not to be directed towards any occupied buildings. During the fracturing process, diesel-fueled fracturing equipment will be away from the Building Unit. To mitigate the effects of odor from Operator's operations, Operator will employ only International Association of Oil and Gas Producers (IOGP) Group III drilling base fluids with <0.5 weight % aromatics and will not use drilling fluids based on diesel. We also employ the use of mud chillers. Sealed tanks with pressure relief valves and emissions controls will be utilized for the production facilities.

Total: 6 comment(s)

**Operator Comments:**

This Form 4 is being submitted to add additional BMPs per the Director's Criteria.

An Emergency Response Plan was submitted and approved by the City of Aurora with the Oil and Gas Permit. City of Aurora Fire Department will respond if necessary.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Andrea Gross  
Title: Permit Agent Email: agross@upstreampm.com Date: 9/30/2020

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: NOTO, JOHN Date: 11/11/2020

**CONDITIONS OF APPROVAL, IF ANY:**

<u>COA Type</u>	<u>Description</u>

**General Comments**

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
OGLA	OGLA review complete and task passed.	10/20/2020
OGLA	The following changes were made with Operator concurrence: - corrected BMP's to say "Operator"	10/09/2020
Permit	Multi-well plan has been reviewed and is consistent with the submitted APDs and the approved DSU. Permitting task has been passed.	10/09/2020

Total: 3 comment(s)

**Attachment Check List**

<u>Att Doc Num</u>	<u>Name</u>
402500883	SUNDRY NOTICE APPROVED-DOC
402500903	MULTI-WELL PLAN
402530743	FORM 4 SUBMITTED

Total Attach: 3 Files