RELIANCE
OILFIELD SERVICES

Radial Cement Bond Gamma Ray Casing Collar Log

Company	TEP Rocky Mountain LLC
Well	Federal PA 323-23
Field	Parachute
County	Garfield
State	Colorado

Company TEP Rocky Mountain LLC
Well Federal PA 323-23
Field Parachute
County Garfield State Colorado
API # : 05-045-24304
Location:
SEC 26 TWP 6S RGE 95W

Other Services
--

Elevation
K.B. 5510.3'
D.F. 5509.3'
G.L. 5486.3'

Permanent Datum Ground Level Elevation 5486.3'
Log Measured From Kelly Bushing 24 FT
Drilling Measured From Kelly Bushing

Date	14-OCT-2020
Run Number	One
Depth Driller	9120 FT
Depth Logger	9058 FT
Bottom Logged Interval	9046 FT
Top Log Interval	Surface
Open Hole Size	8.750"
Type Fluid	Water
Density / Viscosity	8.34 lb/gal
Max. Recorded Temp.	243°F
Estimated Cement Top	See Log
Time Well Ready	ROA
Time Logger on Bottom	12:15
Equipment Number	HD-0331
Location	Grand Junction, CO
Recorded By	Z. Fisher
Witnessed By	--

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size (in)	Wgt (lbs/Ft)	Grade	Top	Bottom
Surface Casing	9 5/8	36	J-55	Surface	1126 FT
Intermediate #1	4 1/2	11.6	P-110	Surface	9083 FT
Intermediate #2					
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Log ran as per customer request
Depth referenced to Kelly Bushing at 24 FT
Marker Joint Logged from 5406 - 5428 FT
Recorded with 0 PSI Surface Induced Pressure

Thank you for choosing Reliance Oilfield Services, LLC!

RELIANCE
OILFIELD SERVICES

Main Pass

Recorded With 0 PSI Surface Induced Pressure

Database File	tep\tep_federal pa 323-23_rbl_10-14-20\tep_federal pa 323-23_rbl_10-14-20.db
Dataset Pathname	main.2
Presentation Format	ros_radii_tep
Dataset Creation	Thu Oct 15 14:03:38 2020
Charted by	Depth in Feet scaled 1:240

Gamma Ray
0 (GAPI) 200
Line Speed
-150 (ft/min) 150
Line Tension
0 (lb) 2000
Differential Temperature
-2 (degF) 2
Temperature
0 (degF) 20
Casing Collar Locator

3' Amplitude
0 (mV) 100
3' Amplitude x 5
0 (mV) 20
3' Travel Time
300 (usec) 200

5' Variable Density Log
200 (usec) 1200

Sector Map

Average Amplitude
0 150
Mimimum Amplitude
0 150
Maximum Amplitude
0 150

3800
3900
4000
4100
4200
4300
4400
4500
4600
4700
4800
4900
5000
5100
5200
5300
5400
Marker Joint
5500
5600
5700
5800
5900
6000
6100
6200
6300
6400
6500
6600
6700
6800
6900
7000
7100
7200
7300
7400
7500
7600
7700

Gamma Ray 0 (GAPI) 200 Line Speed -150 (ft/min) 150 Line Tension 0 (lb) 2000 Differential Temperature -2 (degF) 2 Temperature 0 (degF) 20 Casing Collar Locator		3' Amplitude 0 (mV) 100 3' Amplitude x 5 0 (mV) 20 3' Travel Time 300 (usec) 200	5' Variable Density Log 200 (usec) 1200	Sector Map	Average Amplitude 0 150 Mimimum Amplitude 0 150 Maximum Amplitude 0 150

RELIANCE
OILFIELD SERVICES

Repeat Pass

Recorded With 0 PSI Surface Induced Pressure

Database File	tep\tep_federal pa 323-23_rbl_10-14-20\tep_federal pa 323-23_rbl_10-14-20.db
Dataset Pathname	repeat.2
Presentation Format	ros_radii_tep
Dataset Creation	Thu Oct 15 14:59:56 2020
Charted by	Depth in Feet scaled 1:240

Gamma Ray 0 (GAPI) 200 Line Speed -150 (ft/min) 150 Line Tension 0 (lb) 2000 Differential Temperature -2 (degF) 2 Temperature 0 (degF) 20		3' Amplitude 0 (mV) 100 3' Amplitude x 5 0 (mV) 20 3' Travel Time 300 (usec) 200	5' Variable Density Log 200 (usec) 1200	Sector Map	Average Amplitude 0 150 Mimimum Amplitude 0 150 Maximum Amplitude 0 150



Gamma Ray 0 (GAPI) 200 Line Speed -150 (ft/min) 150 Line Tension 0 (lb) 2000 Differential Temperature -2 (degF) 2 Temperature 0 (degF) 20		3' Amplitude 0 (mV) 100 3' Amplitude x 5 0 (mV) 20 3' Travel Time 300 (usec) 200	5' Variable Density Log 200 (usec) 1200	Sector Map	Average Amplitude 0 150 Mimimum Amplitude 0 150 Maximum Amplitude 0 150



Sensor	Offset (ft)	Description	Length (ft)	O.D. (in)	Weight (lb)
		Titan CHD-14375 GO Titan 1-7/16" Assembled Electric Cable Head with 1" Fishing Neck	1.03	1.44	3.60
		BTA-MUD BTA 2-3/4" Roller 6 Arm Centralizer with Reversible Ends	2.92	2.72	25.00
TEMP	14.16				
		Probe Radii-2750 RBT (ROFS-RBT-0002) Probe 2-3/4" Radial Cement Bond Tool with Integral Temperature Sub	9.39	2.75	105.00
WVFS8	11.93				
WVFS7	11.93				
WVFS6	11.93				
WVFS5	11.93				
WVFS4	11.93				
WVFS3	11.93				
WVFS2	11.93				
WVFS1	11.93				
WVFCAL	11.93				
WVF3FT	11.93				
WVF5FT	10.93				
		BTA-MUD BTA 2-3/4" Roller 6 Arm Centralizer with Reversible Ends	2.92	2.72	25.00
CCL$2	3.88				
CCL$1	3.88				
GR	2.63	Probe GR-CCL-2750 GOB (070319) Probe 2-3/4" rev.2 Digital Scintillation Gamma Ray/CCL Combined with GO Bottom	4.51	2.75	55.00
		GO BN-14375 GO 1-7/16" Bull Nose with Go Box Top	0.25	1.44	1.00

Dataset: tep_federal pa 323-23_rbl_10-14-20.db: field/well/run1/main.2
Total length: 21.02 ft
Total weight: 214.60 lb
O.D.: 2.75 in

Calibration Report

Database File	c:\programdata\warrior\data\tep\tep_federal pa 323-23_rbl_10-14-20\tep_federal pa 323-23_rbl_10-14-20.db
Dataset Pathname	main.2
Dataset Creation	Thu Oct 15 14:03:38 2020

Gamma Ray Calibration Report

Serial Number:	070319	
Tool Model:	2750 GOB	
Performed:	(Not Performed)	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	1.0000	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	ROFS-RBT-0002	
Tool Model:	2750 RBT	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	29.860	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.004	0.670	0.800	81.196	120.853	0.282
CAL	0.003	0.759				
5'	0.006	0.533	0.800	81.196	152.493	-0.088
SUM						
S1	0.004	0.691	0.000	100.000	145.469	-0.533
S2	0.007	0.664	0.000	100.000	152.228	-1.020
S3	0.007	0.647	0.000	100.000	156.094	-1.030
S4	0.006	0.632	0.000	100.000	159.627	-0.918
S5	0.006	0.638	0.000	100.000	158.324	-0.977
S6	0.006	0.656	0.000	100.000	153.973	-0.990
S7	0.006	0.687	0.000	100.000	147.008	-0.932
S8	0.006	0.706	0.000	100.000	142.864	-0.794

Air Zero Calibration, performed Wed Oct 14 07:42:19 2020:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Temperature Calibration Report

Serial Number:	ROFS-RBT-0002	
Tool Model:	2750 RBT	
Performed:	Wed Oct 14 10:20:48 2020	
	Reference	Reading
Low Reference:	100.00 degF	109.31 degF
High Reference:	235.00 degF	267.00 degF
Gain:	0.86	
Offset:	6.43	
Delta Spacing	1	

RELIANCE
OILFIELD SERVICES

Company	TEP Rocky Mountain LLC
Well	Federal PA 323-23
Field	Parachute
County	Garfield
State	Colorado