

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
402553943

Date Received:  
12/15/2020

FIR RESOLUTION FORM

Overall Status: FRQ

CA Summary:

1 of 1 CAs from the FIR responded to on this Form

0 CA Completed  
1 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10433

Name of Operator: LARAMIE ENERGY LLC

Address: 1401 17TH STREET SUITE #1400

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name	Phone	Email
<u>Christina Pierce</u>	<u>970-263-3626</u>	<u>cpierce@Laramie-Energy.com</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 696202098

Inspection Date: 12/08/2020

FIR Submit Date: 12/09/2020

FIR Status: \_\_\_\_\_

Inspected Operator Information:

Company Name: LARAMIE ENERGY LLC

Company Number: 10433

Address: 1401 17TH STREET SUITE #1400

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 335091

Location Name: CC Number: 0629-23-42 County: \_\_\_\_\_  
Pad

Qtrqtr: NESW Sec: 29 Twp: 6S Range: 97W Meridian: 6

Latitude: 39.491388 Longitude: -108.245187

FACILITY - API Number: 05-045- -00 Facility ID: 335091

Facility Name: CC Number: 0629-23-42  
Pad

Qtrqtr: NESW Sec: 29 Twp: 6S Range: 97W Meridian: 6

Latitude: 39.491388 Longitude: -108.245187

CORRECTIVE ACTIONS:

1 CA# 144992

Corrective Action: Install or repair required BMPs per Rule 1002.f.(2)C and in accordance with good engineering practices; ensure BMPs are maintained in proper functioning condition to stabilize soils and to allow for proper sediment laden-free stormwater discharge from the Location; Continue to conduct stormwater management in accordance with Rule 1002.f until location receives a passing final reclamation inspection.

Date: 04/28/2020

Response: FACTUAL REVIEW REQUEST

Basis for Review: Corrective action dates are not attainable

Operator Comment: The attached stormwater report from Aspen places the entire CC Mountain area into winter exclusion. Laramie is requesting to delayed the corrective action date until spring.

COGCC Decision: \_\_\_\_\_

COGCC Representative: \_\_\_\_\_

**OPERATOR COMMENT AND SUBMITTAL**

Comment: \_\_\_\_\_

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Christina Pierce

Signed: \_\_\_\_\_

Title: Engineering Tech

Date: 12/15/2020 8:19:57 AM

**ATTACHMENT LIST**

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

**Document Number      Description**

402553958	corrective action
-----------	-------------------

Total Attach: 1 Files