

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 11/19/2020 Document Number: 402465319

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and

Operator Information

OGCC Operator Number: 46290 Contact Person: Mani Silva Company Name: KP KAUFFMAN COMPANY INC Phone: (303) 8254822 Address: 1675 BROADWAY, STE 2800 Email: regulatory@kpk.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No [ ]

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 318596 Location Type: Production Facilities Name: SUCKLA-BROWN UNIT-61N67W Number: 10NWSE County: WELD Qtr: NWSE Section: 10 Township: 1N Range: 67W Meridian: 6 Latitude: 40.065140 Longitude: -104.876530

Description of Corrosion Protection

Fiberglass pipelines are resistant to most acids, bases, oxidizing agents, metal salts, reducing gases and sulfur gases. These pipelines have been utilized by KPK because of their corrosion resistance. As such, additional corrosion protection is not needed for these pipelines.

Description of Integrity Management Program

Production and upkeep of KPK's assets involves regular hands-on operation by KPK's field crews. These field crews not only maintain safe production, but also conduct routine inspections to confirm proper integrity of the production systems. While pipeline integrity issues are minimal due to pipeline materials and low operating pressure, KPK regularly inspects and pressure tests all lines to ensure pipeline integrity is maintained.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

Construction of pipelines is generally not occurring. When necessary to remedy a pipeline issue, KPK typically assesses all conditions to determine the proper construction method. A combination of boring and open trench are utilized by KPK.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 475279 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 317653 Location Type: Well Site   
Name: SUCKLA-BROWN UNIT NAV-61N67W Number: 10SWSW  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 10 Township: 1N Range: 67W Meridian: 6  
Latitude: 40.060070 Longitude: -104.884000

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 07/13/1972  
Maximum Anticipated Operating Pressure (PSI): Testing PSI:  
Test Date:

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

[Empty text box for description]

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475276 Flowline Type: Wellhead Line Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 318307 Location Type: Well Site   
Name: SUCKLA-BROWN UNIT-61N67W Number: 10NWNE  
County: WELD No Location ID  
Qtr Qtr: NWNE Section: 10 Township: 1N Range: 67W Meridian: 6  
Latitude: 40.070930 Longitude: -104.874560

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 08/28/1976  
Maximum Anticipated Operating Pressure (PSI): Testing PSI:  
Test Date:

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475277 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 318596 Location Type: Well Site   
Name: SUCKLA-BROWN UNIT-61N67W Number: 10NWSE  
County: WELD No Location ID  
Qtr Qtr: NWSE Section: 10 Township: 1N Range: 67W Meridian: 6  
Latitude: 40.065140 Longitude: -104.876530

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 11/14/1978  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475282 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 317652 Location Type: Well Site   
Name: SUCKLA-BROWN UNIT-61N67W Number: 10SWSE  
County: WELD No Location ID  
Qtr Qtr: SWSE Section: 10 Township: 1N Range: 67W Meridian: 6  
Latitude: 40.060060 Longitude: -104.874540

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 07/13/1972  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475278 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 318308 Location Type: \_\_\_\_\_ Well Site   
Name: SUCKLA-BROWN UNIT-61N67W Number: 10SENE  
County: WELD No Location ID  
Qtr Qtr: SENE Section: 10 Township: 1N Range: 67W Meridian: 6  
Latitude: 40.067270 Longitude: -104.869740

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000  
Bedding Material: Native Materials Date Construction Completed: 08/29/1976  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475280 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 318309 Location Type: \_\_\_\_\_ Well Site

Name: SUCKLA-BROWN UNIT-61N67W Number: 10SESE

County: WELD No Location ID

Qtr Qtr: SESE Section: 10 Township: 1N Range: 67W Meridian: 6

Latitude: 40.059810 Longitude: -104.869760

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 09/03/1976

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 475281 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Manifold

**Flowline Start Point Location Identification**

Location ID: 317651 Location Type: \_\_\_\_\_ Well Site

Name: SUCKLA-BROWN UNIT-61N67W Number: 10NENE

County: WELD No Location ID

Qtr Qtr: NENE Section: 10 Township: 1N Range: 67W Meridian: 6

Latitude: 40.071020 Longitude: -104.869760

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Fiberglass Max Outer Diameter:(Inches) 3.000

Bedding Material: Native Materials Date Construction Completed: 07/08/1972

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

\_\_\_\_\_

**OPERATOR COMMENTS AND SUBMITTAL**

Comments

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 11/19/2020 Email: regulatory@kpk.com

Print Name: Jeremy Kauffman Title: Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ **Director of COGCC** Date: \_\_\_\_\_

## Conditions of Approval

**COA Type**

**Description**

--	--

## Attachment Check List

**Att Doc Num**

**Name**

--	--

Total Attach: 0 Files

## General Comments

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)

